SUBJECT INDEX, VOLUME 64, 1971

Compiled by Gladys O. Visel.

A

Abagrotis, 34
  alternata, life history, 34
  barnesi, 37
Abar against: *Heliothis*, 999
  sunflower moth, 125
Abate against: body lice, 761
  granulate cutworm, 938
  midges, 302
  mosquitoes, 2, 13, 1174
Absorption of R-3828 by a steer, 1471
Acalymma vittatum, 366, 413, 1242, 1337
Acanthoscelides obtectus, 5
Acaricides, metabolism, 792
Acarina, 26, 53, 72, 141, 262, 339, 350, 355, 383, 387, 405, 496, 643, 686, 837, 845, 900, 1164, 1223, 1423
Accothion against: bluegrass weevil, 691
  spittlebug, 736
Aceratagallia sp., 1103
Acetone against migratory grasshopper, 1300
Acheta domestica, 463, 1032
  pennsylvanicus, 1045
Achrysocharis sp., 218
Achytonix epipaschia, 296
Acleris gloverana, 296
Acrosternum hilare, 222
Actia interrupta, 294
Activity of *Bacillus t. thuringiensis* and *B. t. galleriae* against fall cankerworm, 1567
Acyrthosiphon pisum, 153, 155, 164, 513, 559, 653, 1106, 1150
  sonchii, 1106
Adelphocoris sp., 164
Adraneothrips sp., 1536
Advertisements, miscellaneous, 776
Aedes, control with larvicides, 1173
Aedes aegypti, 287, 1024, 1027, 1041, 1310
  probing response, 439, 442
  var. *queenslandansis*, 313
Aedes flavescens, 12
  taeniorhynchus, 1174
Aedes vexans, 12
  longevity, 324
Aeolus mellillus, 462
Aerial, broadcast of pupal Mediterranean fruit fly, 948
  release techniques for Mediterranean fruit fly, 537
Agapostemon spp., 1146
Agathis pumila, radiographic detection of, 1086
Age effect on *Anopheles stephensi* oviposition, 561
Agelenidae on alfalfa, 164
Agistemus exsertus, 26
Agonoderus maculatus, 462
Agriopidae on alfalfa, 164
Agritox against wireworms, 946
Agrotis, 34
  ipsilon, 766, 977
Agulla sp., 1148
Air-flow olfactometer and mosquitoes, 1109
Akton, speed of action, 626
Akton against: midges, 302
  mosquitoes, 1174
Aldicarb, speed of action, 626
Aldicarb against: arthropods, 907
  bluegrass weevil, 691
  boll weevils, 1280
  bollworms, 907
  cotton insects, 477
  elm leaf beetle, 1288
  greenbug, 706
  Pemphigus, 331
  sorghum shoot fly, 1510
  southern corn rootworm, 281
  spittlebug, 736
  wax scale, 891
  white pine weevil, 771
  wireworms, 43
Aldrin, effect on *Bacillus thuringiensis*, 1349
  epoxidase in house fly, 44
  epoxidation by ostracod, 316
  persistence in soils, 368
  speed of action, 627
  toxicity to *Chlamydotheca arcuata*, 1082
Aldrin against: *Acheta pennsylvanicus*, 1045
  maize billbug, 1323
  soil arthropods, 843
  soil insects, 176
  subterranean termites, 746
  termites, 473
  wireworms, 42
Aleochara spp., 444
  tristis, 444
Alfalfa, influence of aphids on, 653
  loss to alfalfa weevil, 328
  pea aphid injury to, 513
  relationship between height and alfalfa weevil development, 437
  resistance to spotted alfalfa aphid, 506
  spiders in, 163
  spotted alfalfa aphid resistance in, 700
Alfalfa beetle, status, 1332
Alfalfa weevil, control, 327, 478
  distribution of parasites, 190
  loss to alfalfa from, 328
  Microctonus parasite of, 338, 340
  relationship with height of alfalfa, 437
Alligatorweed insect enemies, 329
Alloxysta brassicae, 1153
Almond orchard, invasion by navel orangeworm, 90
Alpha-pinene and mountain pine beetle, 426
Alsophila pometaria, 763, 1487, 1567
Amara californica, 462
Amathes, 34
Amblyomma americanum, 262, 1166, 1426
Amblyseius aurescens, 406, 1314
  brevispinus, 406, 1314
  californicus, 406, 1314
  cucumerus, 406, 1314
  finlandicus, 407
  hibisci, 405, 1314
Amblyseius largoensis, 406
  feeding, development, and reproduction, 643
  limonicus, 405
  lindquisti, 406, 1314
  similoides, 405, 1314
  tabis, 406
Amdal against caterpillars, 739
American cockroach, ATPases in, 559
  feeding on paraffin imbedded baits, 1316
  UV repellent, 252
American Cyanamid (see CL)
Ameroseius corbicula, 1314
Amidithion against greenbug, 705
Aminocarb against: granulate cutworm, 938
  hoop pine beetle, 489
  Spodoptera, 116
Amorpha fruticosa, 1155
Amphimallon majalis, 242, 823, 832, 883
Amynothrips andersoni, 329
Anagasta kuehniella, 1237
Analysis of hexalure, 1381
Anaphes flavipes, 1253
  establishment in U. S., 693
Anaphes ovijentatus, development, 1566
Anaphothrips cameroni, 249
  obscurus, 249
  obscurus, producer of silvertop, 1384
Anarsia lineatella, 259
Anasa tristis, 1103
Anastrepha ludens, 1541
  suspensa, 1541
Ancistrocerus spilogaster, 1148
Angora goats, control of *Bovicola limbata* on, 1198
Angoumois grain moth, control in wheat, 923
  displacement between maize weevil, 864
  egg collection, 1308
Animal systemic insecticides, 1970 evaluation, 1166
Anisodactylus californicus, 462
Anisopteromalus calandrae, effect on maize weevil, 1407
  temperature effect on, 1438
Annual bluegrass weevil, control, 689
Annual meeting notice, 903
Anocentor nitens, 1164
Anomala lucicola, 152
  oblivia, 152

Anomiopsyllus novomexicanensis, 1191
Anopheles, control with larvicides, 1173
albimanus, 1174
pharoensis, sterilization, 675
stephensi, age and host effect on oviposition, 561
Anoplura, 320, 761
Anthicus ephippium, 462
floralis, 5
horridus, 462
nanus, 462
Anthidium sp., 484
Anthonomus grandis, 14, 39, 107, 317, 325, 475, 487, 539, 541, 549, 583, 636, 753, 773, 812, 919, 928, 1002, 1080, 1280, 1432, 1454, 1493, 1537
Anthramycin methyl ether, chemosterilization of house flies with, 983
Anthrenus pimpinellae lepidus, 1102
Antibiotic effects on greenbugs, 333
Anurogryllus muticus, 1490
Anyphaenidae on alfalfa, 164
Aonidiella aurantii, 644, 1305
Apamea, 34
Apanteles congregatus, 187
fumiferana, 293
glomeratus, 721
marginiventris, efficiency as population regulator, 411
rubecula, 722
scitulus, 1550
spp., 293
Apantesis nevadensis, 1103
Apechthis ontario, 296, 1558
Aphaereta pallipes, 444
face fly parasitism by, 104
Aphelinus nigritus, 1437
Aphid(s), collecting with Moerick trap, 966
corn susceptibility to, 21
of India, 558
relationship to maize dwarf mosaic disease, 1105
Aphidencyrtus aphidivorus, 1153, 1438
Aphidius matricariae, 775, 1324
smithi, seasonal occurrence, 1150
Aphis abbreviata, 1106
coreopsidis, 1106
craccivora, 559, 1106
fabae, 1102, 1106
f. solonella, 559
Aphis gossypii, 559, 1102, 1106
gossypii, resistance in muskmelon, 935
hederae, 1106
helianthi, 1105, 1437
kachena, 1106
maidiradicis, 1105
nasturtii, 559
nerii, 559, 1106
pomi, 25
rumicis, 1106
sambucifoliae, 1105
sp., 559, 1106
spiraecola, 205, 1106
Aphodius granarius, 114
hirsutus, 463
lividus, 114
militaris, 463
Apholate, against *Drosophila melanogaster*, 1521
sterilization of *Anopheles pharoensis* and *Culex pipiens* by, 675
Aphrophora saratogensis, 735
Apintothrips rufus, 1386
Apis mellifera, 313, 556, 877, 1314, 1415
Aplastomorpha calandrae, 1407
Apocelis analis, 463
Apple(s), codling moth: control in, 1258
rearing on, 1088
Apple insect discontinuance, 23
Apple maggot, dispersal of adults, 648
Apple orchard ecosystem, *Typhlodromus occidentalis* releases in, 845
Apristus laticollis, 462
Aptinothrips rufus, 249
Archips argyrospilus, 25
sp., 296
Arenirzqa sp., 463
Argoporis rufipes, 463
Argyrotaenia dorsalana, 296
velutinana, 24, 132
Army, insecticide resistance in German cockroaches from, 450
Arsenic against: tropical horse tick, 1164
winter tick, 687
Arthropod(s), chamber for studying, 543
predators in cotton fields, 480
response to aldicarb, 907
Arthropods, soil: DDT against, 843
insecticidal effects on, 842
Aryl citronellycarbamates as juvenile hormones, 1378
Asaphes lucens, 1153
Asiatic rice borer control, 1225
Aspidiotus perniciosus, 25
Asyndetus latus, 463
Ataenius californicus, 463
spp., 176
Atherigona soccata, 1509
varia var. *soccata*, 553
Athysanus argentarius, 250
ATPases inhibition in American cockroach, 5, 9
Attagenus megatoma, 178, 531, 1562
Audiographic localization of dieldrin, 352
Augochlorella, 1146
Autographa biloba, 1103
californica, 978, 1103, 1132, 1573
Autosterilization of house flies, 973
Azinphosethyl against hoop pine beetles, 489
Azinphosmethyl, effect on pollen germination, 917
speed of action, 626
Azinphosmethyl against: bluegrass weevil, 691
cotton insects, 477
cowpea curculio, 1081
Eotetranychus carpini, 499
greenbug, 705
Panonychus ulmi, 499
Platynota stultana, 1556
sorghum midge, 88
sorghum shoot fly, 1510
Spodoptera, 116
Stethorus punctum, 1072
sunflower moth, 125
Tetranychus urticae, 499
Typhlodromus occidentalis, 499
wax scale, 891

B

B-10094 against oriental rat fleas, 1478
B-10119 against greenbug, 705
B-11163 against oriental rat fleas, 1477
Bacillus popilliae, pathogenic to *Lachnosterna consanguinea*, 1301
Bacillus thuringiensis dendrolimus, 613
t. finitimus, 617
Bacillus t. galleriae, 617
activity against fall cankerworm, 1567
Bacillus t. kurstaki against hardwood defoliators, 1488
t. sotto, 617
Bacillus t. thuringiensis, 737
activity against fall cankerworm, 1567
and chemical insecticides, 1348
comparison of commercially produced, 1291
effect in cattle manure, 902
standardization of endotoxin, 610, 615
Bacillus thuringiensis against: cabbage looper, 1421
California oakworm, 510
cotton insects, 476
hardwood defoliators, 1488
horn flies, 1183
Platynota stultana, 1556
tomato insects, 1302
Backrubbers and dust bags compared, 1465
Bacterial disease of cigarette beetle larvae, 1559
Baits, against tephritids, 1213
for boll weevil control, 583, 1493
insecticides in to control fleas, 1190
paraffin imbedded and cockroaches, 1316
units for *Drosophila*, 1216
Balaustium sp., 1314
Banded cucumber beetle, sex attractant of, 769
Banol against tropical horse tick, 1164
Bark beetle attractants, 970
Barley, multiplication of insects on, 98
Bay 29492 against oriental rat fleas, 1477
Bay 37289, in soil, 799, 801
Bay 37289 against: dark-sided cutworm, 495
hoop pine beetles, 489
maize billbug, 1323
Bay-38156 against wireworms, 946
Bay 38799 against mosquitoes, 1174
Bay 42688, against lone star tick, 263
animal insecticide, 1166
Bay 45432 against hoop pine beetles, 489
Bay 64054, against oriental rat fleas, 1478
cause of guinea pig mortality, 1478
Bay 65258 against: greenbug, 705
green peach aphid, 547
Bay 68158, animal insecticide, 1166
Bay 68138 against: grape mealybug, 1553
oriental rat fleas, 1478
Pemphigus, 330
wax scale, 892
Bay 78389 against greenbug, 705
Bay 78537 against lone star tick, 263
Bay 78755 against lone star tick, 263
Bay 79330 against lone star tick, 263
Bay 91273, against greenbug, 705
animal insecticide, 1166
Bay 93820, animal insecticide, 1166
Bay 93820 against: cotton insects, 476
greenbug, 705
Heliothis, 999
Pemphigus, 331

tomato insects, 1302
wax scale, 892
Baygon against tropical horse tick, 1165
Bean leaf roller, damage to snap beans, 673
Beauveria bassiana, control for pales weevil, 322
Beef cattle, horn fly and face fly control on, 1465
Beet leafhopper, sterilization, 1074
Behavior (see Methods)
Belostoma sp., 471
Bembidion sp., 462
Bentgrass, silvertop of, 1384
Berlese-Tullgren funnel, sampling for pear psylla with, 1317
Berosus sp., 471
BHC against soil arthropods, 843
Bioactivity of: Dasanit, 597
new insecticides in soil, 800
Bioassay, for resistance of cotton to tobacco budworms, 1274
of new insecticides, 796
technique in mosquito control, 11
Biodegradation of carbaryl in Egyptian cotton leafworm, 1391
Biological, control on tomato, 501
data on cutworms, 34
effects of irradiation on boll weevils, 1002
Biology of: citrus thrips, 1124
Culicoides furens and *C. barbosai*, 264
pecan serpentine leaf miner, 92
spotted alfalfa aphid strains, 1549
sweetclover root borer, 1154
Systena frontalis, 135
Zonosemata vittigera re silverleaf nightshade, 417
Bionomics of: climbing cutworms, 34
Simyra henrici, 117
Biotrol against: cabbage looper, 1331
caterpillars, 739
Biotrol + Virus A against caterpillars, 739
Bird predation on tobacco hornworm larvae, 1548
Birlane (See Chlorfenvinphos)
Biting flies, deet against, 1193
BL-2487, speed of action, 626
Black carpet beetle, Gardona protectant against damage, 754
Black cutworm, development, 766
Black dye in larval diet, 1399
Black scale, natural enemies on, 213
Blacklight, attraction of *Spodoptera littoralis*, 1402
traps, tobacco hornworms in, 19, 555
Blapstinus coronadensis, 463
Blatta orientalis, 1316
Blattella germanica, 230, 278, 450, 577, 1119, 1176, 1196
vaga, 463
Blattisocius, 421
Blow flies, rearing, 986
Blue dye in larval diet, 1404
Bluegrass, silvertop of, 247, 1384
Body lice, sleeve tests for control, 761
Boettcherisca peregrina, activity of phosphorothioates to, 565
Boll weevil, aldicarb against, 1281
baits for control, 583, 1493
biological effects of irradiation on, 1002
busulfan analysis in, 549
control by electrostatic ULV spraying, 1537
cotton resistance to, 1326
distribution on cotton, predicting, 539
grandlure release, 317
materials for control, 475
mating, 773
maximum suppression, 919
nutrients in diet, 812
response to grandlure, 1454
seasonal movement, 14
shipment, 325
suppression with pheromone traps, 928
wing traps for surveys, 107
winter survival, 39
Bollworm, cotton resistance to, 1326
fatty acids in larvae, 1060
growth on cotton, 396
lunar phases and moths, 860
materials for control, 475
pupal diapause termination in, 1057
relationship of populations to cotton, 974
resistant to methyl parathion, 755
response to aldicarb, 907
Bombus spp., 431
Bomyl against greenbug, 705
Boophilus decoloratus, 1165
microplus, 1165
Bordeaux mixture against green peach aphid, 1570
Boric acid with Boron-10^2, effect on boll weevil, 1002
Bothynus relictus, 152
Bovicola limbata, control on goats, 1198
Brachymeria ovata, 1550
Brachyrhinus ligustici, 1332
ovatus, 1325
Bracon kirkpatricki against pink bollworm, 1236
meromyzae, 1130
politiventris, 295
Bradycellus sp., 462
Bradysia sp., 463
Brassica, mustard aphid on plants, 517
Bregmatothrips sonorensis, 1113
Brevicoryne brassicae, 1106
Brevipalpus phoenicis, 644
Bromophos, toxicity of residues to house fly, 550
Bromophos against: *Heliothis*, 1001
mosquitoes, 1175
tropical horse tick, 1164
winter tick, 687
Bromophos-ethyl against: tropical horse tick, 1164
winter tick, 687
Brown soft scale, fecundity, 204
Bubekia fallax, 1130
Buenoa sp., 471
Bumblebees, capture by colored traps, 430
Buprestid mortality in injected pines, 952
Burley tobacco, and systemic insecticides, 172
parasitism of insects on, 187
Busulfan analysis in boll weevils, 549
Bux, corn response to, 1209
Bux against: *Clivina impressifrons*, 211
granulate cutworm, 938
southern corn rootworm, 282

C

C-768 against oriental rat fleas, 1478
C-776 against oriental rat fleas, 1478
C-2307, animal insecticide, 1168
C-2307 against: cotton insects, 476
greenbug, 169
oriental rat fleas, 1477
Pemphigus, 331
tomato insects, 1302
C-8514 against: *Platynota* stultana, 1556
rice borer, 1225
C-8520 against rice borer, 1225
C-8874, animal insecticide, 1168
C-8874 against: greenbug, 705
lone star tick, 263
mosquitoes, 1174
C-9140 against rice borer, 1225
C-9491, animal insecticide, 1168
for mothproofing, 177
C-9491 against: cotton insects, 476
cowpea curculio, 1080
lone star tick, 263
mosquitoes, 1174
Neoschongastia americana, 901
Pemphigus, 331
stable flies, 1189
tomato insects, 1302
C-9643, against greenbug, 705
animal insecticide, 1168
C-10015, against greenbug, 705
animal insecticide, 1168
C-10015, in soil, 801
C-11044, animal insecticide, 1168
C-11753, animal insecticide, 1168
C-18244, in soil, 801
Cabbage, *Bacillus thuringiensis* against cabbage looper on, 1421
poplar petiole gall aphid control on, 330
Cabbage looper, *Bacillus thuringiensis* against, 1421
biological control, 501
comparison with other moths caught in BL traps, 977
control in collards, 1331
feeding activity, 315
metabolism of carbaryl by, 1373
microbial control of, 1132
pheromone-maze trap for, 310
separation of moths from pupae, 1315
sterility in, 784
Cabbage maggot, rearing, 670
Cacodylic acid, roundheaded pine beetle suppression with, 969
spruce beetle reduction and mortality with, 751, 911, 958
Cage (s), ventilation system for, 1324
Cage for: holding tobacco hornworms, 1322
insect study, 342
Calaphis betulella, 1106
braggii, 1106
hippophaes, 1106
California oakworm, control, 510
insecticide toxicity to, 146
California red scales and infestation detection, 1305
Callosobruchus maculatus, 1337
Calosoma affine, 422
Calves, cattle grub infestation effect on, 1467
Campolestis perdistinctus, 188
Canopies of cotton plants, 1318
Capsus simulans, 247

Capture-recapture system for honey bees, 961
Carbanolate against winter tick, 687
Carbaryl, honey bee poisoner, 1314
metabolism of, 1373
resistance in Egyptian cotton leafworm, 1018
speed of action, 626
synergists in house flies, 1011
Carbaryl against: *Agistemus exsertus*, 27
bluegrass pests, 249
California oakworm, 146
caterpillars, 739
cowpea curculio, 1081
European chafer, 244
European corn borer, 1497
granulate cutworm, 938
grape mealybug, 985
grasshoppers, 196
hardwood defoliators, 1488
house crickets, 1032
Japanese beetles, 68
large milkweed bug, 546
midges, 302
migratory grasshopper, 1300
mosquitoes, 1175
Platynota stultana, 1556
Rosaceae branch borer, 485
southern corn rootworm, 282
Stethorus punctum, 1072
sunflower moth, 125
tobacco budworm, 128
tomato insects, 1303
tropical horse tick, 1164
winter tick, 687
wireworms, 43
Carbaryl effect on: *Bacillus thuringiensis*, 1349
pollen germination, 918
Carbaryl + parathion against caterpillars, 739
Carbaryl-piperonyl butoxide against house crickets, 1032
Carbaryl + Tractum against cotton insects, 477
Carbofenothion, speed of action, 626
Carbofuran, corn response to, 1209
effect on *Bacillus thuringiensis*, 1349
in soil, 799, 801
seed treatment effect with, 1554
Carbofuran against: alfalfa weevil, 479
bluegrass weevil, 691
caterpillars, 739
Clivina impressifrons, 211
cowpea curculio, 1081
elm leaf beetle, 1288
granulate cutworm, 938
greenbug, 170, 705
green peach aphid, 547, 1565
midges, 302
pear psylla, 1267
Pemphigus, 331
Platynota stultana, 1556
sorghum shoot fly, 1510
southern corn rootworm, 281
spittlebug, 736
Stethorus punctum, 1072
strawberry root weevil, 1325
sunflower moth, 125, 209
tobacco budworm, 102
tobacco pests, 174, 1303
tomato insects, 1303
wax scale, 891
wireworms, 42
Carbon, long-term effect in soil, 585
Carbon dioxide and confused flour beetle, 1304
Carbon disulfide and carbon tetrachloride to control *Megastigmus* spp. and Cecidomyiidae, 904
Carbophenothion against: greenbug, 170, 706
Pemphigus, 331
tropical horse tick, 1164
winter tick, 687
Carcinops pumilio, 114
spp., 343
Cardiochiles nigriceps, pheromone trap for, 1417
Carduus pycnocephalus, 1102
Caribbean fruit fly, bait for, 1541
Carmine spider mite, tolerance, 837
Carpelimus sp., 463
Carpophilus freemani, 462
hemipterus, 462, 986
humeralis, 462
marginellus, 462
sp., 462
Caterpillars, control on tomatoes, 737
Cathartus quadricollis, 408
Catolaccus aeneoviridis, 733
Cattle, Compound 4072 residues in milk and meat of, 896
Cattle grub, control with prolate, 899
problem, 1467
Cattle manure, *Bacillus thuringiensis* effect on, 902
Cecidomyiidae, quarantine control in conifer seeds, 904
Cela K-37 against oriental rat fleas, 1477
Cela K-159 and K-673, animal insecticides, 1166
Cela S-2957, against *Spodoptera littoralis*, 115
animal insecticide, 1168
Celerio lineata, 1104
Centeturus sp., 1157
Centrifugal dust collector used in vacuum system, 1553
Centrioptera muricata, 463
Cephus cinctus, 752, 939
Ceratina arizonensis, 1147
dellatorreana, 1147
flavipes, 1145
laevifrons, 1145
sp., 484, 1149
Ceratitis capitata, 62, 537, 606, 708, 762, 781, 948, 1068, 1211, 1213, 1250, 1270, 1364, 1369
Ceratoplastes floridensis, 215
Cereal leaf beetle, egg parasite of, 693
seedlings used to evaluate resistance, 925
Ceromasia auricaudata, 294
spp., 294
Ceroplastes ceriferus, development and control, 889
spp., 889
vinsonioides, 309
Cerosipha rubifolii, 1106
Cerotoma trifurcata, 366
Chaetocnema confinis, 714
Chaitophorus longipes, 1106
viminalis, 1106
Chalcedectus balashowski, 484
Chalcodermus aeneus, 1080
Chamber for studying arthropods, 543
Charips sp., 1437
Cheiloneurus inimicus, 215
necorniger, 1314
Chemical, chemosterilants, chemosterilization (see Methods)
Cheyletidae, 114
Chicks, Dursban in drinking water of, 1179
toxicity of halogenated organophosporus insecticides to, 814
Chigger, insecticides to control, 900
Chilo partellus, 740, 760
suppressalis, 1225, 1278
zonellus, damage to grain sorghum, 740
Chilotrea polychrysa, 1278
Chimarocephala pacifica incisa, 1103
Chironomid midge, control, 300
Chironomus spp., 300
Chirothrips manicatus, 249
Chlamydotheca arcuata, aldrin and dieldrin toxicity to, 1082
Chlordane, ATPases inhibition in American cockroach, 559
in concrete against termites, 1289
on china after spraying, 457
persistence in soils, 368
speed of action, 627
Chlordane against: bluegrass weevil, 691
German cockroach, 451
soil arthropods, 843
subterranean termites, 746
termites, 473
wireworms, 947
Chlorfenvinphos, against greenbug, 705
in soils, 799, 801
Chlorocylsta mancipata hylstata, 1103
Chlorphoxim against: greenbug, 705
lone star tick, 263
mosquitoes, 1175
oriental rat fleas, 1478
Chlorthion, against greenbug, 706
speed of action, 626
temperature effect on, 1438
Choetospila elegans, 1115
effect on maize weevil, 1407
Cholinesterase in house flies, 1034
Choristoneura fumiferana, 578
occidentalis, 291, 533, 1307
pinus, 978
Chorizagrotis auxiliaris, 37
Christmas trees, integrated control for, 218
Chrysis chrysochlora, 484
laeta, 484
Chrysomelidae, cowpea mosaic virus transmission by species of, 365
Chrysomphalus aonidum, 644
ficus, 308
Chrysomya megacephala, 814, 1159
activity of phosphorothioates to, 565
Chrysopa carnea, 423, 480, 511
and Feed Wheast, 933
searching for *Heliothis* spp. eggs, 1459
timing field releases, 311
Chrysopa sp., 164, 481, 511, 887, 909, 1284
Chrysops flavidus, 1195
Chrysotus sp., 463
Ciba (see C)
Cidial against: mosquitoes, 1174
Rosaceae branch borer, 485
Cigarette beetle, bacterial disease of, 1559
food odor influence on oviposition, 770
Cinara carolina, 1106
pinea, 218
Circulifer tenellus, 1074
Citrus, scale insects on, 307

XUM

Citrus red mites, collecting diseased, 1223
sterilization, 72
Citrus thrips, biology and rearing, 1124
color and height preference, 1112
CL-23697 against oriental rat fleas, 1477
CL-47031 against: greenbug, 169
hoop pine beetles, 489
Clivina impressifrons, insecticides and, 210
Clover root curculios, nematodes, and forage legumes, 1518
Clubionidae on alfalfa, 164
Coccophagus lycimnia, 215
Coccotrypes dactyliperda, 463
Coccus hesperidum, 205, 215, 309
Cochlicella barbara, mortality, 667
Cochliomyia hominivorax, 678, 809, 1474
macellaria, 84, 1166
Cockroaches, control on submarines, 1196
repellents for, 576
Coconut rhinoceros beetle, attractant for, 1041
Codling moth, catches, 1249
control in apples, 1258
populations, 1410
rearing, 631, 1088
sexual activity, 553
Coelinidea ferruginea, 1130
meromyzae, 1130
Coelioxys ruficaudata, 484
Coeloides pissodes, 1330
Cold storage and feeding response of *Scolytus multistriatus*, 621
Coleomegilla maculata, 481
Coleophora laricella, 1086
Coleoptera, 9, 14, 39, 41, 65, 68, 70, 88, 107, 135, 150, 186, 190, 210, 238, 245, 280, 317, 322, 325, 327, 328, 365, 402, 408, 413, 426, 430, 437, 475, 478, 484, 488, 539, 541, 549, 562, 583, 621, 689, 743, 751, 754, 925, 928, 944, 952, 970, 975, 993, 764, 769, 770, 771, 773, 812, 823, 832, 853, 864, 883, 893, 911, 919, 1002, 1041, 1072, 1081, 1111, 1114, 1136, 1205, 1280, 1287, 1298, 1301, 1304, 1306, 1311, 1319, 1323, 1325, 1326, 1327, 1328, 1329, 1332, 1337, 1378, 1381, 1438, 1440, 1448, 1454, 1456, 1492, 1514, 1533, 1559, 1560, 1561, 1563, 1575
Coleotechnites sp., 294
Colladonus montanus reductus, 1103
Collards, cabbage looper control in, 1331
Collecting (see Methods)
Collembola, 398
Collops marginellus, 423
sp., 462, 909, 933, 1284
Colonization and release of *Aphelinus asychus*, 1435
Color, and height preference of citrus thrips, 1112
response of European cherry fruit fly to, 1444
Colored panels, tobacco flea beetle collection on, 1575
Comb foundation influence on honey bee, 556
Competitive displacement between maize weevil and angoumois grain moth, 864
Competitiveness of Mediterranean fruit fly, 1068
Compound (s) related to insect juvenile hormones, 1378
Compound 4072, residues in milk and meat, 896
Compound 4072 against: tropical horse tick, 1164
winter tick, 687
Computer-generated mating behavior of lygus bugs, 46
Conartium strobilinum, 520
Concord grapes, grape mealybug control in, 1552
Concrete, chlordane in against termites, 1289
Confused flour beetle, and carbon dioxide, 1304
dose-fractionation and sterilization of, 541
reproduction, 1563
survival, 975, 1563
Conifer seeds, fumigation, 904
Coniontis nr. *viatica*, 463
Conocephalus strictus, 165
Conoderus amplicollis, 462
auritus, 176
falli, 714
vespertinus, 176
Conodus flavocapitatus, 1103
Conotrachelus nenuphar, 25, 1111
Constituents of leaves, 1009
Contarinia sorghicola, 87
Control (see Methods)
Copidosoma geniculatum, 218
truncatellum, 1550
Copper ethylenebisdithiocarbamate against pear psylla, 1267
Copris minutus, 152
Coptotermes formosanus, 1290
susceptibility to insecticides, 472
Coptotermes spp., 1289
Corn, and *Systena frontalis*, 135
evaluation for rootworm tolerance, 1514
fenitrothion residues in silage, 1394
maize weevil infestation in, 408
response to granular insecticides, 1208
row spacing and control of European corn borer, 1524
sorption of fumigants, 122
susceptibility to aphid, 21
Corn earworm, mating, 335
production in field cages, 540
virus treatment to control, 144
Corticaris sp., 462
Cotton, bioassay for resistance to tobacco budworms, 1274
bollworm and arthropod response to aldicarb in, 907
bollworm growth on, 396
Heliothis suppression in, 486
infestations of boll weevils in, 107
lepidopterous pests of, 1138
Lygus hesperus effects on, 1229
pest status of *Lygus* in, 56
predicting boll weevil distribution on plants, 539
relationship to bollworm populations, 974
resistance to boll weevil and bollworm, 1326
susceptibility to *Diabrotica* attack, 319
temperatures in plants, 636
Cotton fields, arthropod predators in, 480
Cotton insects, control, 475
Cotton plants, canopies, 1318
temperature in, 1432
Cottonseed diet for pink bollworm rearing, 1021
Cottonseed oil bait for boll weevil control, 583
Cottonwood twig borer, sex pheromone in, 987
Coumaphos, speed of action, 626
Coumaphos against: sunflower moth, 209
tropical horse tick, 1164
winter tick, 687
Cowpea curculio, insecticide toxicity to, 1080
Cowpea mosaic virus, transmission, 365
Cowpea weevil, gamma-sterilized, 1337
Cows, residues of insecticides in milk, 821
CP-18978 and CP-49674, animal insecticides, 1168
Crambus trisectus, 117
Craneiobia lawsonianae, 905
Cratidus osculans, 463
Crematogaster, 421
sp., 463
Crop (s), phytoseiid mites on, 405
residues, pink bollworm in, 1451
Crotoxyphos, speed of action, 626
toxicity to pigs, 684
Crotoxyphos against: stable flies, 1189
tropical horse tick, 1164
winter tick, 687
Crufomate against: *Heliothis*, 1001
tropical horse tick, 1164
winter tick, 687
Cryptoglossa verrucosa, 463
Cryptolestes turcicus, 98
Cryptophagus varus, 5
Cucumbers, reduction in insect damage to, 1241
Cucurbits, resistance, 1205
Culex, control with larvicides, 1173
Culex p. pipiens, 1041
sterilization, 675
Culex p. quinquefasciatus, 1, 604, 1174
Culex tarsalis, 12, 1109
oviposition pheromone of, 1038
Culicoides barbosai, 264
diabolicus, 264
furens, 264
guyanensis, 264
insignis, 264
maruim, 264
melleus, 264
phlebotomus, 264
trinidadensis, 264
Culiseta inornata, 12
Curculio caryae, 743
Cuticular composition in tobacco budworm, 1387
Cutworms, bionomics of climbing, 34
toxicological studies on, 1049
Cybocephalus sp., 462
Cyclocephala borealis, 1312
pasadenae, 1311
Cyclone machine for transferring live insects, 1544
Cylistix cylindrica, 1442
Cynaeus angustus, 4
Cynomyopsis cadaverina, 84
Cyolane against *Spodoptera littoralis*, 115

D

Dactynotus ambrosiae, 1106
(Uromelon) compositae, 559
erigeronensis, 1106
Dacus, sex pheromone glands in, 347
Dacus cucurbitae, 62, 347, 606, 1213, 1221, 1250, 1271
dorsalis, 62, 347, 606, 1142, 1213, 1250, 1271
oleae, 347
tryoni, 347
Dairy cows, effects of fenitrotion residues on, 1394
Damage (see Methods)
Dark rice field mosquito control, 469
Darksided cutworm, insecticide toxicity to, 1049
toxicological studies on, 493
Dasanit, bioactivity, 597
corn response to, 1209
in soil, 799, 801
Dasanit against: bluegrass weevil, 691
Clivina impressifrons, 211
greenbug, 705
hoop pine beetles, 489
southern corn rootworm, 281
tobacco budworm, 103
wax scale, 891
wireworms, 946
DDD against: European corn borer, 1526
soil arthropods, 843
DDE against European corn borer, 1526
DDT, effect on *Bacillus thuringiensis*, 1349
DDT resistance in: Egyptian cotton leafworm, 1018
house fly, 45
tobacco budworm, 1387
DDT, speed of action, 627
toxicology, 79
DDT against: *Acheta pennsylvanicus*, 1045
bluegrass pests, 249, 691
California oakworm, 146
caterpillars, 739
corn earworm and fall armyworm, 145
darksided cutworm, 1049
European corn borer, 1526
fruit flies, 606
hoop pine beetles, 489
house fly, 1052
Lygus hesperus, 57
mosquitoes, 13
soil arthropods, 843
tobacco budworm, 128
western spruce budworm, 291
DDT-resistant red flour beetles, 1328
Deet against biting flies, 1193
Deglutination of insect eggs, 1253
Degradation of heptachlor, 839
Delochilocoris sp., 463
Demeton, effect on grain sorghum emergence, 1321
speed of action, 626
Demeton against: greenbug, 170, 706
Stethorus punctum, 1072
wax scale, 891
Demyclination, electron microscope to detect, 1345
Dendroctonus adjunctus, 969
brevicomis, 402
frontalis, 1298, 1440
ponderosae, 426, 952
pseudotsugae, 3-methyl-2-cyclohexen-1-one isolated from, 970
rifipennis, 751, 911
Deodar weevil and pine mortality, 1329
Dermacentor albipictus, 686, 1165
andersoni 1427
variabilis, 1423
Dermatophagoides farinae, 53
Determination of: sterile-insect competitiveness, 869
trap density for insect reduction, 874
Development, of pink bollworm, 1429
Development and: control of wax scale, 889
emergence of pink bollworm, 1429
Developmental activities of rice weevil, 1114
Diabrotica, glandless cotton attack by, 319
balteata, 366, 714
longicornis, 70, 853, 1208
spp., 283
undecimpunctata howardi, 65, 245, 280, 366, 413, 714, 1205, 1242, 1448
u. undecimpunctata, 319, 1104
virgifera, 9, 366, 764, 1136, 1208, 1319, 1448, 1514
Diaeretiella rapae, 775, 1324
Dialifor against: mites, 699
Pemphigus, 331
serpentine leaf miner, 93
Stethorus punctum, 1072
Diapause (see Methods)
Diatraea saccharalis, 660
Diazinon, corn response to, 1209
effect on *Bacillus thuringiensis*, 1349
in rice, 571
on china after spraying, 457
residues in milk, 821
speed of action, 626
Diazinon against: *Acheta pennsylvanicus*, 1045
bluegrass pests, 249, 691
Clivina impressifrons, 211
cowpea curculio, 1081
eggplant pests, 759
European chafer, 244
European corn borer, 1497
fleas, 1191
German cockroach, 451
granulate cutworm, 938
grape mealybug, 985
greenbug, 170, 706
green peach aphid, 547
Heliothis, 1001
hoop pine beetles, 489
house flies, 1015
Neoschongastia americana, 901
Pemphigus, 331
rice borer, 1227
soil insects, 176
sorghum midge, 88
southern corn rootworm, 281
Spodoptera, 116
stable flies, 1189
tropical horse tick, 1164
wax scale, 891
winter tick, 687
wireworms, 42, 947
Dicaelotus sp., 1157
Dichelonyx fuscula, 152
Dichlorvos, effect on pollen germination, 917
ministrips for German cockroach control, 278
residues in milk, 821
speed of action, 626
Dichlorvos against: eggplant pests, 759
greenbug, 706
house fly, 139
mosquitoes, 1175
stable flies, 1171, 1189
wireworms, 947
Dichlorvos + SD-8447 against stable flies, 1171
Dicofol, against two-spotted spider mite, 340, 699
effect on pollen germination, 917
Dicrotophos, degradation, 621
speed of action, 626
trunk implantations, 1295
Dicrotophos against: elm leaf beetle, 1288
greenbug, 706
hoop pine beetles, 489
Pemphigus, 331
wax scale, 891
Dictyna volucripes, 164
Dieldrin, accumulation in insect food chain, 1055
effect on *Bacillus thuringiensis*, 1349
localization in house fly, 352
persistence in soils, 368
resistance in house fly, 45
speed of action, 627
toxicity to *Chlamydotheca arcuata*, 1082
toxicology, 79
Dieldrin against: *Clivina impressifrons*, 212
European chafer, 244
hoop pine beetle, 489
soil arthropods, 843
soil insects, 176
house fly, 1052
termites, 473, 746
Dieldrin in: concrete against termites, 1289
nerve tissues of cockroaches, 230
Difolatan against green peach aphid, 1570
Dihammus australis, 1534
Dikar against pear psyllam 1269
Dilan, speed of action, 626
Dimethoate, speed of action, 626
Dimethoate against: bluegrass weevil, 691
Clivina impressifrons, 211
cotton insects, 482
elm leaf beetle, 1288
grape mealybug, 985
greenbug, 170, 706
green peach aphid, 547
Heliothis, 1001
Neoschongastia americana, 901
Pemphigus, 331
plant bugs, 483
rice stink bug, 982
Rosaceae branch borer, 485
spittlebug, 736
stable flies, 1189
Stethorus punctum, 1072
sunflower moth, 125
tomato insects, 1303
two-spotted spider mite, 340
wax scale, 891
Dimetilan residues in milk, 821
Dioryctria amatella, impact on seed yields, 28
spp., 29, 296, 1295
Dioxacarb against greenbug, 705
Dioxathion, speed of action, 626

XUM

Dioxathion against: mites, 699
tropical horse tick, 1164
winter tick, 687
Dipel against cabbage looper, 1331
Diplaxon laetatorius, 463
Diptera, 1, 30, 44, 62, 84, 104, 138, 225, 256, 264, 287, 300, 313, 324, 347, 352, 371, 391, 417, 432, 439, 442, 443, 448, 452, 455, 459, 460, 463, 537, 550, 553, 561, 565, 601, 606, 648, 670, 675, 678, 708, 756, 762, 781, 787, 809, 819, 886, 899, 902, 941, 948, 967, 972, 973, 979, 983, 986, 988, 1011, 1015, 1024, 1027, 1030, 1034, 1038, 1051, 1068, 1129, 1142, 1170, 1173, 1183, 1188, 1211, 1213, 1216, 1221, 1250, 1270, 1277, 1364, 1369, 1444, 1462, 1465, 1467, 1474, 1478, 1480, 1509, 1521, 1541
parasitization in poultry, 111
toxicity of halogenated organophosphorus insecticides to, 814
Disinfection of nucleopolyhedrosis virus contaminant of *Voria ruralis*, 989
Dislodging jack pine budworms, 978
Disparlure, activity of, 1527
Dispersal of: apple maggot adults, 648
gypsy moth larvae, 638
Distribution (see Methods)
Disulfoton, effect on grain sorghum emergence, 1321
Disulfoton against: bluegrass weevil, 691
Clivina impressifrons, 212
cotton insects, 482
elm leaf beetle, 1288
greenbug, 170, 706
green peach aphid, 1565
hoop pine beetles, 489
Pemphigus, 331
plant bugs, 483
Platynota stultana, 1556
serpentine leaf miner, 93
sorghum midge, 88
southern corn rootworm, 281
spittlebug, 736
tobacco pests, 174, 766
wax scale, 891
wireworms, 946
Dithane against pear psylla, 1267
Dithane M-45 against green peach aphid, 1570
Dithiocarbamate fungicides to control pear psylla, 1266
Dorymyrmex bicolor, 463
Dowco 177, animal insecticide, 1168
Dowco 214, animal insecticide, 1168
Dowco, 217, against *Neoschongastia americana*, 901
Drassyllus sp., 164
Driedfruit beetles, pyrethrins to control, 986
Drift of methyl parathion, 718
Drosophila, in tomato fields, lindane against, 1216
kuoni, 1055
Drosophila melanogaster, 285, 986
behavioral effects of metepa and tretamine, 432
chemosterilants and, 391, 1521
spp., 972, 1055, 1216
duPont 328 against greenbug, 705
duPont 1642 against: cabbage looper, 1331
cotton insects, 476
cowpea curculio, 1080
against greenbug, 705
green peach aphid, 547
Pemphigus, 331
sunflower moth, 125
duPont 1642 + malathion against cotton insects, 477
duPont 1804 against: greenbug, 705
lone star tick, 263
Dursban, in drinking water of chicks, 1179
Dursban against: *Acheta pennsylvanicus*, 1045
bluegrass weevil, 691
Clivina impressifrons, 211
cowpea curculio, 1080
dark-sided cutworm, 495, 1049
European chafer, 244
granulate cutworm, 938
greenbug, 706
house fly, 139
maize billbug, 1323
midges, 302
mosquitoes, 2, 13, 1174
Neoschongastia americana, 901
sorghum shoot fly, 1510
stable flies, 1189
tropical horse tick, 1165
wax scale, 891
winter tick, 687
Dust (see Methods)
Dyes for tagging pink bollworm, 376
Dyfonate, corn response to, 1209
in soil, 283, 799, 801
Dyfonate against: *Clivina impressifrons*, 211
granulate cutworm, 938
greenbug, 705
maize billbug, 1323
Pemphigus, 331
southern corn rootworm, 281
wax scale, 891
wireworms, 42, 947
Dysaphis plantaginea, 25
radicola, 1106

E

Ectomyelois ceratoniae, 644
Edwtes ventricosus, 463
Effectiveness of insecticides against sorghum shoot fly, 1509
Egg (s) (see Methods)
Eggplant pests, tests of insecticides against, 758
Egyptian cotton leafworm, carbaryl and DDT resistance in, 1018
penetration and biodegradation of carbaryl in, 1391
Elachertus cacoeciae, 295
Electroantennogram responses of Japanese beetles to extracts, 1561
Electrophysiological equipment to measure mosquito antennae, 313
Electrostatic ULV spraying for boll weevil control, 1537
Eleodes dentipes, 463
gracilis, 463
Ellopia fiscellaria, 1552
Elm leaf beetle, trunk drenches and injections to control, 1287
Elm spanworm, leaf hosts of, 1009
Emergence of: pecan weevil, 743
pink bollworm, 1429
screwworms, 1474
Empoasca devastans on okra, 424
fabae, 164, 1127
sp., 210, 218, 1103
Endosulfan, effect on pollen germination, 917
speed of action, 627
Endosulfan against: bluegrass weevil, 691
cowpea curculio, 1081
granulate cutworm, 938
greenbug, 170
green peach aphid, 547
hoop pine beetle, 489
mites, 699
Pemphigus, 331
soil arthropods, 843
Stethorus punctum, 1072
sunflower moth, 125, 209
tobacco budworm, 128
Endosulfan + cottonseed oil against green peach aphid, 548
Endosulfan + coumaphos against sunflower moth, 209
Endothion against greenbug, 706
Endrin, speed of action, 627
Endrin against: greenbug, 170
hoop pine beetle, 489
soil arthropods, 843
soil insects, 176
Ennomos subsignarius, 1009
Enoclerus lecontei, 402
Entomobrya sp., 399
unostrigata, 463
Environmental entomology, manuscripts for, 748
notice, 906
Eotetranychus carpini borealis, 497
orientalis, 644
sexmaculatus, 1314
EP-334 against *Platynota stultana*, 1556
Epilachna 12-punctata, 758
vigintioctopunctata, 758
Epitfremerus pyri, 496
Epitrix hirtipennis, 88, 766, 1575
EPN, speed of action, 626
EPN aginst: cotton insects, 476
Heliothis, 1000
Pemphigus, 331
Epoxidation of aldrin by ostracod, 316
Eriophyes pyri, 497
Erythroneura elegantula, 697
Erratum, 395
Estigmene acrea, 616, 636, 977, 1138, 1293, 1433
Ethion, speed of action, 626
Ethion against: bluegrass weevil, 691
greenbug, 170
Neoschongastia americana, 901
Pemphigus, 331
tropical horse tick, 1165
winter tick, 687
Ethyl parathion against midges, 302
Ethyl + methyl parathion against cabbage looper, 1331
Ethylene dibromide, sorption, 122
Ethylene oxide, pollen fumigation with, 877
Ethylene oxide-carbon dioxide to control giant African snail, 341
Eublemma olevacea, 758
Euboriella annulipes, 114, 463
Eucoila impatiens, 444
Eucrustacea, 1082
Eulachnus agilis, 218
Euonymus, insecticides against *Platynota stultana* on, 1556
Eupelmus allyni, 1130

Euphoria sepulchralis, 152
Eupodes sp., 1314
Eupteromalus hemipterus, 733
European chafer, gamma irradiation, 823, 832, 883
resistance, 242
European cherry fruit fly, response to color, 1444
European corn borer, chemosterilants for, 1065
plant arrangement of, 1524
timing sprays against, 1496
European pine shoot moth, mass rearing, 1408
Eurytoma apiculae, 1147
sp., 484
Eusattus reticulatus, 463
Euschistus conspersus, 1103
t. tristigmus, rearing, 1339
Euspilotus liticolus, 114
Euxoa, 34
messoria, 493, 1049
Evaluating corn strains for rootworm tolerance, 1514
Excretion of R-3828 by a steer, 1471
Exoteleia nepheos, 218
Extinction of sugarcane borer, 660
Eye pigments inhibit aldrin epoxidase, 44
Eyxestra anna, 463

F

Face fly, control by dust bags and backrubbers, 1465
Sterculia foetida oil effect on, 455
Face fly, parasitism, 443
by *Aphaereta pallipes*, 104
Fall armyworm, resistance in peanut foliage to control, 148
virus treatment to control, 144
Fall cankerworm, activity of *Bacillus* against, 1567
egg-masses, 763
Famphur against *Hypoderma lineatum*, 1470
tropical horse tick, 1165
winter tick, 687
Fannia canicularis, 83, 112
femoralis, 112
pusio, 814, 1159
spp., 114
Fast neutrons and gamma ray effectiveness in house fly sterility, 1030
Fatty acids in *Heliothis* sp., 1060
Fecundity, and sex ratios of potato leafhopper, 1127
of brown soft scale, 204
Feed Wheast and *Chrysopa carnea*, 933
Feeding (see Methods)
Feltia, 34
subterranea, 937, 977, 1302
Fenitrothion, residues in corn silage, 1394
Fenitrothion against: hoop pine beetles, 489
mosquitoes, 1174
Fensulfothion (see Dasanit)
Fenthion, speed of action, 626
Fenthion against: bluegrass weevil, 691
cotton insects, 482
fleas, 1191
Heliothis, 1001
hoop pine beetles, 489
horn flies, 1172
Hypoderma lineatum, 1470
midges, 302
mosquitoes, 2, 13, 1175
plant bugs, 483
stable flies, 1171, 1189
tropical horse tick, 1165
winter tick, 687
Ferbam against thrips-cone rust, 522
Ferbam + heptachlor against thrips-cone rust, 522
Ferbam + malathion against thrips-cone rust, 522
Field (see Methods)
Fitios against hoop pine beetles, 489
Fleas, control by insecticides in baits, 1190
Flesh flies, rearing, 986
FLIT MLO, dark rice field mosquito control with, 469
Flower thrip, extraction from roses, 545
mist-blower applications to control, 520
Foliage: color changes and beetle attack, 1298
extracts and oils, responses of *Tetranychus* to, 383, 387
Folsomia elongata, 399
nr. *fimetaria*, 399
quadrioculata, 399
Folsomides parvus, 399
Fonofos (see Dyfonate)
Food chain, dieldrin accumulation in, 1055
Food odor influence on oviposition by cigarette beetle, 770
Forage legumes, nematodes, and clover root curculios, 1518
Formetanate against: green peach aphid, 547
mites, 340, 699
Stethorus punctum, 1072
Formica sp., 463
Formicilla munda, 462
Formothion, toxicity to mustard aphid, 517
Formothion against: greenbug, 705
hoop pine beetles, 489
Frankliniella minuta, 1113
occidentalis, 935, 1113
tritici, 545
Fruit flies, Thixcin E extender of male lures, 1250
Fumigants, distribution of, 227
Fumigated pollen and brood rearing, 877
Fumigation: of webbing clothes moth larvae, 989
Fumigation + refrigeration for fruit fly control, 1270
to control giant African snail, 341
Fundal against: cabbage looper, 1331
caterpillars, 739
Stethorus punctum, 1072
sunflower moth, 125
Fundal SP against: sunflower moth, 209
two-spotted spider mite, 340
Fungus, food for stored-product insects, 3
Fusarium roseum var. *graminearum* and confused flour beetles, 975
Fuscuropoda spp., 114

G

Gabrius sp., 463
Gahaniella saissetiae, 216
Galecron against: caterpillars, 739
darksided cutworm, 1049
grape mealybug, 1553
greenbug, 705
Neoschongastia americana, 901
Pemphigus, 331
Stethorus punctum, 1072
tomato insects, 1302
Galerucinae, cowpea mosaic virus transmission by species of, 365
Galleria mellonella, 1558
Gamma-irradiated: moths to suppress pink bollworm, 332
Phormia regina, tests with, 84
Gamma irradiation, against tobacco budworm, 804
for Angoumois grain moth control, 923
sterilization of diet by, 753
Gamma irradiation and: codling moth catches, 1249
lesser grain borer, 1306
tobacco budworms, 1412
Gamma irradiation of: citrus red mite, 72
European chafer, 823, 832, 883
Gamma sterilization of Mediterranean fruit fly, 1364
Gamma-sterilized cowpea weevils, 1337
Garden symphylan populations, 657
Gardona, as mothproofer, 530
effect on pollen germination, 918
for mothproofing woolen cloth, 990
protectant against black carpet beetle damage, 754
speed of action, 626
Gardona against: bluegrass weevil, 691
caterpillars, 739
Clivina impressifrons, 211
corn earworm and fall armyworm, 145
cowpea curculio, 1080
granulate cutworm, 938
Heliothis, 1000
lone star tick, 263
mosquitoes, 1174
Pemphigus, 331
Spodoptera littoralis, 115
Stethorus punctum, 1072
sunflower moth, 125, 209
Gardona + coumaphos against sunflower moth, 209
GC-6506 against greenbug, 706
GC-9160 against greenbug, 705
GC-9879 against greenbug, 705
GC-10101 against greenbug, 705
Geigy (see GS)
Gelis sp., 463, 733
tenellus, 733
Genetic collapse of insect populations, 660
Geocoris pallens, 463
punctipes, 422, 480
sp., 909, 933, 1284
Geotrupes splendidus, 152
German cockroach, dieldrin in nerve tissues, 230
insecticide resistance in, 450
response to sprays, 1119
German cockroach control: on ships, 1176
with dichlorvos ministrips, 278

Germination of small grains, effect of seed treatment on, 1554
Giant African snail, control of, 341
Glischrochilus quadrisignatus, 462
Glycyphagus, 421
Glypta fumiferanae, 293
spp., 293
Gnathoncus nanus, 113
spp., 343
Gnophothrips fuscus, 520
piniphilus, 520
Goeldichironomus holoprasinus, 301
Grain sorghum, damage by *Chilo zonellus*, 740
emergence, in-furrow treatments of insecticides on, 1321
Grandlure, boll weevil response to, 1454
formulations of, 317
Granulate cutworm control in peanuts, 937
Grape leafhopper, control, 697
Grape mealybug, control, 685, 1552
Grapevines, leafhopper and mite control on, 697
Graphognathus spp., 993
Grapholitha molesta, 25
prunivora, 25
Grasshoppers, rain influence on ULV applications against, 196
Greenbug, antibiotic effects on, 333
biotypes, 183
colonization and release of *Aphelinus asychus* on, 1435
Greenbug control, insecticidal, 704
Greenbug control on: sorghum, 169
winter wheat, 1338
Green peach aphid, control on tobacco with systemic insecticides, 1565
enhanced by fungicides, 1569
foliar spray effect on, 547
mass rearing, 775
resistance, 1260
Green stink bug and yeast spot disease, 222
Greenhouse whitefly, tomato resistance to, 1333
Griselda radicana, 294
Grotea californica, 1147
Gryllus sp., 463
GS-13005, metabolic behavior, 588
GS-13005 against: greenbug, 705
Neoschongastia americana, 901
serpentine leaf miner, 93
two-spotted spider mite, 340
Guava foliage, attractant of tephritids, 1213
Guinea pigs, control of oriental rat fleas in, 1477
Gymnaikothrips ficorum, 342
Gypsonoma haimbachiana, 987
Gypsy moth, dispersal of larvae, 638
sex attractant, 297, 1499, 1527

H

Haemadipsa sylvestris, 1293
Haemaphysalis leporispalustris, 1427
Haematobia irritans, 256, 1184, 1465
Haematopinus suis, 320, 684
Halogenated phosphorothioates, 565
Halticoptera patellana, 1130
Hamsters, tick-infesting appliance for, 775
Haplothrips sp., 1536
Haptonochus luteolus, 462
Hardwood defoliators, helicopter sprays for, 1487
Hatch rate of western corn rootworm eggs, 9
Helicopter sprays for hardwood defoliators, 1487
Heliothis, 922
insecticide resistance in, 999
Microplitis croceipes parasite of, 6
suppression in cotton, 486
Heliothis spp., 312, 475, 860, 1303
Chrysopa carnea searching for eggs, 1459
in soybeans, 767
Heliothis virescens, 6, 102, 126, 187, 335, 396, 475, 487, 804, 974, 977, 1060, 1091, 1138, 1274, 1281, 1302, 1387, 1399, 1412
Cardiochiles nigriceps parasite of, 1417
larval tolerance, 999
preference for *Nicotiana* spp., 641
Heliothis zea, 6, 66, 144, 148, 261, 335, 396, 475, 487, 502, 540, 557, 737, 755, 767, 850, 860, 907, 974, 977, 1059, 1060, 1138, 1241, 1274, 1281, 1432, 1460
larval tolerance, 999
Hemerocampa sp., 1103
Hemiptera, 46, 155, 204, 222, 333, 374, 424, 513, 546, 735, 772, 856, 889, 935, 976, 981, 1229, 1261, 1266, 1339, 1351, 1355, 1360, 1378, 1552, 1566, 1569
Hemlock looper, control, 1552
Hempa, chemosterilant of European corn borer, 1065
Hens, Rabon, and, 81, 1159
Heptachlor, degradation, 839
effect on *Bacillus thuringiensis*, 1349
persistence in soils, 368
speed of action, 627
Heptachlor against: *Acheta pennsylvanicus*, 1045
bluegrass weevil, 691
soil arthropods, 843
soil insects, 176
subterranean termites, 746
termites, 473
Heptachlor epoxide, degradation, 839
effect on *Bacillus thuringiensis*, 1349
speed of action, 627
Hercules 9418 against lone star tick, 263
9427 against lone star tick, 263
11771-C against lone star tick, 263
Hercules 13462, against oriental rat fleas, 1477
animal insecticide, 1168
Hercules 14469, animal insecticide, 1168
Hercules 14469 against: lone star tick, 263
mosquitoes, 1174
Hercules 16806 against lone star tick, 263
Hercules 17200, against lone star tick, 263
animal insecticide, 1168
Hercules 17409, animal insecticide, 1168
Hercules 17413, against oriental rat fleas, 1478
animal insecticide, 1168
Hercules 17643, 17645 against lone star tick, 263
18009, animal insecticide, 1168
18010, animal insecticide, 1168
20511, 20656 against mites, 699
Heterocampa guttivitta, 1487
Heteroptera, 56
Heterotylenchus autumnalis, 444
Hexalure, analysis, 1381
to attract pink bollworm, 323
Heydenia unica, 1441
Hippelates collusor, predation of, 461
pusio, sterilization, 448
Hippodamia convergens, 422, 480
parenthesis, 164
sp., 909, 1284
Hirudinea, 1293
Hog lice, control, 320
Holding cage for insect studies, 551
Homoeosoma electellum, 124, 208, 1285
Homohadena, 34
Homoptera, 21, 153, 169, 183, 307, 330, 506, 547, 558, 653, 697, 700, 775, 966, 1074, 1105, 1127, 1305, 1317, 1333 1338, 1435, 1549, 1552, 1565, 1569
Honey bee, capture-recapture system for retrieval of labels, 961
comb foundation influence on, 556
longevity, 1415
Honey bee pollen: availability on poisoning, 1314
fumigation and brood rearing, 877
Hoop pine, *Hylurdrectonus araucariae* control in, 488, 1533
Hoplia limbata, 152
Hoplitis (Chlorosmia) sp., 1146
Hoplopsyllus glacialis affinis, 1191
Hormonal control of goat lice, 1198
Hormones and fertility of house fly, 1479
Horn fly, *Bacillus thuringiensis* against, 1183
seasonal diapause, 256
Horn fly control by: aircraft, 1170
dust bags and backrubbers, 1465
Hornworm, control on tomato, 501
parasitism, 187
Horogenes spp., 294
Host effect on oviposition of *Anopheles stephensi*, 561
House crickets, microsomal epoxidase activity in, 1032
House dust, mite isolation from, 53
House fly, and pyrethroid formulations, 459
autosterilization, 973
bromophos and ronnel residues toxicity to, 550
chemosterilization, 983
cholinesterase in, 1034
control by chemosterilants, 967, 979, 1462
dieldrin localization in, 352
effect on larvae of *Bacillus thuringiensis* in cattle manure, 902
eye pigments inhibit aldrin epoxidase in, 44
hormones and fertility of, 1479
inhibitors of reproduction, 756
insecticide resistance in, 1051
insecticide toxicology study with, 75
larvicidal activity of Rabon to, 225
new formulations against, 138
nucleic acids in seeds, 30
photodynamic effect of light on, 972
protein synthesis by ribosomes from eggs, 819
ribosomal protein in eggs, 371

sterility, fast neutrons and gamma ray effectiveness, 1030
synergists of carbaryl in, 1011
tetratogeny in larvae, 787
toxicity of organophosphates to, 1015
Hyadaphis ? coriandri, 559
(Linaphis) erysimi, 517
pseudobrassicae, 1106
setariae, 1106
Hydrocyanic acid, sorption, 122
Hydrogen phosphide, sorption, 122
Hydrophilidae, 114
Hylemya brassicae, 283, 597, 670, 796, 800
platura, 463
radicum, 463
Hylobius pales, 322, 893
rhizophagus, infection by fungi, 562
Hylurdrectonus araucariae control, 488, 1533
Hymenoptera, 6, 80, 190, 193, 338, 340, 411, 501, 556, 557, 693, 749, 752, 877, 904, 939, 961, 1140, 1145, 1236, 1314, 1407, 1415, 1417, 1435, 1438, 1566
Hypera brunneipennis, 1147
compta, 192
eximius, 192
meles, 192
nigrirostris, 192
postica, 163, 192, 327, 328, 338, 478, 1151
rumicis, 192
sp., 192
Hyperodes sp. nr. *anthracinus*, control, 689
Hypoderma bovis, 1169
lineatum, 899, 1169, 1467
spp., 1166, 1467, 1471
Hypogastrura armata, 399
spp., 399
tullbergi, and soil-borne fungi, 398
Hyposoter exiguae, 502

I

Identification and evaluation of pink bollworm predators, 421
Imidan against: alfalfa weevil, 479
eggplant pests, 759
Stethorus punctum, 1072
tropical horse tick, 1165
winter tick, 687
Immobilizing pink bollworms, 992
Imparipes sp., 1314
Imported fire ant, control by oil bait, 193
Indian meal moth, malathion effect on egg production, 1312
Influence of: aphids on alfalfa, 653
soil temperature on insecticide toxicity, 1044
temperature and light on wheat stem sawfly development, 749
Infrared radiation for Angoumois grain moth control, 923
In-furrow treatments of insecticides on grain sorghum emergence, 1321
Inherited sterility in cabbage looper, 784
Injections for elm leaf beetle control, 1287
Insect fauna of milk thistle, 1101
Insectary, insecticidal, insecticide (see Methods)
Integrated control for Scots pine, 218
Iodofenphos against greenbug, 705
Ips calligraphus, 1330
grandicollis, 1330
pilifrons, 913
pini, 952
spp., 1458
Irbisia sp. prob. *californica*, 1103
brachycerus, 1386
Irradiation (see Methods)
Isobenzan, against ticks, 687, 1165
speed of action, 627
Isodrin, speed of action, 627
Isolan, speed of action, 626
Isoneurothrips australis, 1113
Isoptera, 472, 745, 1289
Isotoma violacea, 399
Itoplectis quadricingulatus, 295, 1558
sp., 295

J

Jack pine budworms, dislodging, 978
Jalysus spinosus, 772
Janetiella siskiyou, 905
Japanese beetle, capture by colored traps, 430
carbaryl against, 68
electroantennogram responses to extracts, 1561
lures for, 1560
traps to control, 150
Japanese quail, toxicity of halogenated organophosphorus insecticides to, 814
Juvenile hormone active, compounds and large milkweed bug, 374
of acetals for yellow mealworm, 238

K

Keiferia lycopersicella, 502, 1302

L

Labidura riparia, 423, 463
Labrorhychus sp., 295
Lachnochaitophorus obscurus, 1106
Lachnosterna consanguinea, *Bacillus popilliae* parthogenic to, 1301
Lambdina fiscellaria, 1552
Lampra, 34
Land snails, mortalities, 667
Landrin, corn response to, 1209
Landrin against: *Clivina impressifrons*, 211
midges, 302
mosquitoes, 1174
southern corn rootworm, 282
Lannate against: greenbug, 169
Pemphigus, 331
tomato insects, 1304
Larch casebearer, radiographic detection of parasite of, 1086
Large milkweed bug activity of aryl citronellylcarbamates on, 1378
ethers activity applied to, 374
methylenedioxyphenyl synergists, effect on, 546
Largus cinctus californicus, 1103
Larval medium for melon fly, 1221
Larvicides, for mosquitoes, 1173
slow-release mosquito, 1
Laser holography and insecticide particle behavior, 533
Lasioderma serricorne, 462, 543, 770, 1530, 1559
Lasioglossum sp., 463
Lasioseius dentatus, 1314
scapulatus, 1314
Laspeyresia elliotti, 1295
pomonella, 23, 261, 497, 553, 631, 1088, 1249, 1258, 1410
spp., 29
Lathridius crenatus, 462
minutus, 5
Leaves, constituents, 1009
Leech repellents, 1293
Lepidocnemeplatia sericea, 463
Lepidocyrtus cyaneus, 399
Lepidoptera, 15, 28, 34, 87, 90, 92, 94, 102, 115, 117, 124, 126, 132, 144, 146, 148, 187, 208, 259, 291, 297, 310, 315, 323, 332, 335, 358, 361, 376, 396, 421, 484, 493, 501, 510, 540, 553, 555, 580, 631, 638, 641, 660, 673, 721, 740, 755, 760, 763, 766, 767, 784, 804, 860, 879, 907, 937, 974, 977, 978, 987, 989, 992, 999, 1009, 1018, 1021, 1049, 1057, 1060 1065, 1086, 1088, 1132, 1154, 1225, 1249, 1258, 1274, 1285, 1307, 1308, 1309, 1312, 1315, 1322, 1373, 1387, 1391, 1399, 1402, 1404, 1408, 1410, 1412, 1421, 1429, 1451, 1459, 1496, 1498, 1511, 1524, 1527, 1544, 1548, 1550, 1552, 1556, 1567, 1568, 1570, 1572, 1573
Lepidopterous eggs and temperature and humidity, 1138
Lepidosaphes beckii, 308
gloverii, 308
Lepinotus reticulatus, 5
Leptoconops becquaerti, 264
Leptoglossus corculus, 28, 1295
Leptoterna dolabrata, 249
Lespesia aletiae, 1550
Lesser grain borer, gamma irradiation effect on, 1306
Lesser peachtree borer, distribution and abundance, 879
Leucinodes orbonalis, 758
Leucospis dorsigera, 484
Life history of: mottled gray cutworm, 34
Pissodes nemorensis, 1457
Light, influence on development of wheat stem sawfly, 749
Light traps to attract pink bollworm, 323
Limnobaris sp., 462
Limonius californicus, 946
Lindane, effect on *Bacillus thuringiensis*, 1349
persistence in soil, 368
speed of action, 627
Lindane against: bluegrass weevil, 691
Drosophila, 1216
grape mealybug, 985
midges, 302
tropical horse tick, 1165
winter tick, 687
Linyphiidae on alfalfa, 164
Lipaphis erysimi, 559
sp., 559
Liposcelis divinatorius, 1407
Liriomyza munda, 1104, 1302
Liquid media for screwworm rearing, 678
spp., 737
Lissorhoptrus oryzaephilus, 471
Listroderes costirostris obliquus, 1102

Livestock insect control by aircraft, 1170
Loblolly pine, southern pine beetle attack, 1298
Lobrathium lituarium, 463
Lone star tick, insecticides for control, 262
Long-term effect of carbon in soil, 585
Longevity of: *Aedes vexans*, 324
honey bees, 1415
Longiunguis sacchari, 559
Lovozal against *Stethorus punctum*, 1072
Low-volume aerial application of insecticides, 1170
Low-volume carbaryl against Japanese beetles, 68
Low-volume sprays, monocrotophos deposits from, 200
Lucilia cuprina, 1310
Lunar phases and bollworm moths, 860
Lures for Japanese beetle, 1560
Lycosidae on alfalfa, 164
Lygaeus bricrucis, 1103
Lygus bugs, computer-generated mating behavior, 46
Lygus hesperus, 50, 933, 1103
Anaphes ovijentatus egg parasite, 1566
effects on cotton, 1229
pest status, 56
Lygus lineolaris, 164
pratensis, 1103
Lygus spp., 636, 1433
Lypha fumipennis, 294
spp., 294
Lysiphlebus testaceipes, 1437
Lytocoris campestris, 114

M

Macrosiphum avenae, 1436, 1556
euphorbiae, 1103, 1260
rosae, 1106
Madremyia saundersii, 294
spp., 294
Maize billbug control, 1323
Maize borer, plant susceptibility to, 760
Maize dwarf mosaic, disease, relationship to aphids, 1105
virus inoculation, 21
Maize weevil, and sunflower, 186
displacement between Angoumois grain moth, 864
effect of two parasites on, 1407
infestation in corn, 408
temperature effect on parasites of, 1438
Malacosoma disstria, 147, 1487
Maladera castanea, 152
Malaoxon against large milkweed bug, 546
Malathion, and house fly resistant strain, 1034
Malathion effect on: *Bacillus thuringiensis*, 1349
Indian meal moth egg production, 1312
Malathion on rough rice, 1200
resistance in house fly, 45
speed of action, 626
tolerance of carmine spider mite to, 837
Malathion against: bluegrass pests, 249, 691
body lice, 762
California oakworm, 146
confused flour beetle, 1532
fruit flies, 606
German cockroach, 451
grape mealybug, 985, 1553
grasshoppers, 196
greenbug, 170, 706
Heliothis, 1001
hoop pine beetles, 489
horn flies, 1172
house flies, 1015, 1052
large milkweed bug, 546
migratory grasshopper, 1300
mosquitoes, 13
rice stink bug, 982
Rosaceae branch borer, 485
sunflower moth, 125
tephritids, 1213
tropical horse tick, 1165
wax scale, 892
winter tick, 687
Malathion + diazinon against German cockroach, 279
Malathion + methoxychlor against alfalfa weevil, 479
Malathion + methyl parathion against cotton insects, 477
Malathion-perthane against soil arthropods, 843
Mallophaga, 1198
Mancozeb against pear psylla, 1267
Manduca quinquemaculata, 737, 1241
sexta, 19, 66, 187, 502, 555, 737, 772, 977, 1241, 1322, 1511, 1548
Maneb against pear psylla, 1267
Manuscripts for environmental entomology, 748
Mass (see Methods)
Mating, effectiveness of sterilized Mediterranean fruit fly, 781
Mating of: boll weevils, 773
lygus bugs, computer-generated, 46
tobacco budworm and corn earworm, 335
Meat, Compound 4072 residues in, 896
Mecarbam against: oriental rat fleas, 1478
Spodoptera, 116
Mecrodactylus subspinosus, 152
Medetera bistriata, 1441
Medicago spp., preferences of curculios and nematodes for, 1518
Mediterranean fruit fly, aerial broadcast of pupal, 948
aerial release techniques for, 537
competitiveness, 1068, 1368
gamma sterilization of, 1364
mating effectiveness, 781
species specificity among, 606
sterilization, 1368
suppression, 708
trap-lure combinations for, 1211
trimedlure against, 762
Megaselia sp., 463
Megastigmus borriesi, 905
chamaecyparidis, 905
cryptomeriae, 905
firmae, 905
spp., quarantine control of, 904
strobilobius, 905
suspectus, 905
Melanoplus devastator, 1103
sanguinipes, 1300
Melanotus communis, influence of soil organic content on, 41
Meligethes sp., 1102
Melon fly, larval medium for, 1221
species specificity among, 606
Menazon against greenbug, 706
Mergarthroglossus bisetis, 1191
Meringis rectus, 1191
Meristhus cristatus, 462
Meromyza americana, 247, 941
Mesochorus sp., 1550
Metabolic behavior of GS-13005, 588
Metabolism of: acaricides, 792
carbaryl, 1373
Metacyrbra californica, 422
Metaphidippus sp., 422
Metaphycus helvolus, 213
Metarrhizium anisopliae, control for pales weevil, 322
Meteorus autographae, 1550
trachynotus, 294
Metepa, against *Drosophila melanogaster*, 1521
behavioral effects on *Drosophila melanogaster*, 432
chemosterilant of European corn borer, 1065
Metepa effect on: *Drosophila melanogaster*, 391
Oncopeltus fasciatus, 1355
potato tuberworm, 358
Metepa, sterilization of *Hippelates pusio*, 448
Methidathion against hoop pine beetles, 489

METHODS
Ability of termites to tube over, 1289
Absorption and translocation of diazinon by rice, 571
Accumulation: in fat and excretion in milk of insecticides, 626
of Dieldrin in insect food chain, 1055
Acetals applied to yellow mealworm, 238
Action of: sulfonamides, 898
surfactants on mosquito pupae, 604
Activity of: aryl citronellylcarbamates, 1379
Bacillus against fall cankerworm, 1567
disparlure, 1528
grandlure, 1454
Application of methyl parathion aerially, 718
Arthropod complex effects on Diptera in poultry, 111
Attractancy of: hexalure to pink bollworm, 1382
lures for Japanese beetle, 1560
Attractant (s) for: coconut rhinoceros beetle, 1042
screwworm flies, 809
Attractants of western pine beetle, predator-prey response to, 402
Aziridinyl compounds, and yellow-fever mosquito, 1024
fed house flies, 30
Beetle mortality in injected pines, 952
Behavior of: boll weevils in mating, 773
GS-13005, 589
insecticide particles and laser holography, 533
metepa and tretamine on *Drosophila*, 433
rice weevil in wheat, 1114
Behavioral response of twospotted spider mite to deutonymphs, 379

METHODS
Biotypes of greenbug, 184
Carbohydrate, amino acid, and inorganic constituents of leaves, 1009
Cereal, multiplication of stored-product insects on, 98
ChE inhibition and house flies, 1035
Chemical, studies of sex attractant of banded cucumber beetle, 769
subterranean termite control, 745
to control poplar petiole gall aphid, 330
Chemical control of: annual bluegrass weevil, 689
leafhoppers and spider mites, 698
Chemosterilant, effects on *Drosophila*, 391
house fly control with baited, 1462
ribosomal RNA in house fly, 372
Chemosterilants and: *Drosophila melanogaster*, 1521
potato tuberworm, 358
Chemosterilization of: house flies, 983
Oncopeltus fasciatus, 1351, 1355, 1360
yellow-fever mosquito, 1024, 1027
Collecting: Angoumois grain moth eggs, 1308
citrus red mites, 1223
pink bollworms, 1309
tobacco flea beetle on colored panels, 1575
Comparison of biology of spotted alfalfa aphid strains, 1549
Compatibility of *Bacillus t. thuringiensis* and insecticides, 1349
Competition in *Oncopeltus fasciatus*, 1361
Competitiveness of Mediterranean fruit fly, 1364, 1369
Compounds of cyanoacetic acid as cockroach repellents, 576
Control, agent phases of *Trichogramma* spp., 80
and development of wax scale, 889
by quarantine, 904
experiments with *Oncopeltus fasciatus*, 1351
fly from Rabon, 1159
for Scots pine, 218
Control of: alfalfa weevil, 327, 478
Angoumois grain moth in wheat, 923
annual bluegrass weevil, 689
Anopheles pharoensis, 675
Asiatic rice borer, 1225
body lice, 761
Control of boll weevil, 920, 1537
baits for, 583, 1494
cabbage looper, 1331
Control of: *Bovicola limbata* on goats, 1198
California cutworm, 511
caterpillars on tomatoes, 738
cattle grubs with prolate, 900
chiggers on turkeys, 901
chironomid midges, 300
cockroaches on submarines, 1196
codling moth in apples, 1258
corn pests with virus, 144
cotton insects, 475
Culex pipiens, 675
dark rice field mosquito, 469
dark-sided cutworm, 493
elm leaf beetle, 1287
European corn borer, 1496, 1524
face flies, 1465
fall armyworm, resistance, 149
flower thrips, 520
METHODS
Control of fruit flies, Thixcin E extender, 1251
with methyl bromide, 1271
Control of German cockroach, on ships, 1177
with dichlorvos, 278
Control of giant African snail, 341
granulate cutworm in peanuts, 938
grape mealybug, 985, 1552
greenbug, 169, 705, 1339
green peach aphid on tobacco, 1565
gypsy moth, 638
hardwood defoliators, 1487
hemlock looper, 1552
horn flies, 1170, 1465
Control of house flies, by chemosterilants, 968, 979, 1462
in Egypt, 968
Control of *Hylurdrectonus araucariae*, 488, 1533
imported fire ant with oil bait, 194
Control of insects, in slash pine seed, 1295
in wheat, 950
traps spacings, 1090
Control of: leafhoppers and spider mites, 698
lone star tick, 262
maize billbug, 1323
Control of mosquitoes, bioassay technique, 11
with larvicides, 1173
Control of: oriental rat fleas, 1477
pales weevil, 322
pear psylla, 1266
pecan serpentine leaf miner, 92
pecan weevil, 743
Pieris rapae with new system, 722
poplar petiole gall aphid, 330
rats and rabbits, 1191
rice stink bug with ULV insecticides, 981
Rosaceae branch borer, 484
saltmarsh greenhead flies, 1482
Saratoga spittlebug, 735
silvertop, 248
soil insects, 175
southern armyworm by toads, 335
southern cone rust, 520
southern corn rootworm on peanuts, 280
southern pine beetle, 1440
spider mite, 497
stable flies, 1170, 1188
subterranean termites, 745
sunflower moth, 208
tobacco budworm, 102
tomato insects, 502
variegated cutworm, 1573
western corn rootworm, 764
white pine weevil, 771
winter tick, 686
wireworm, 945
Damage, potential of *Systena frontalis*, 135
Damage by: bean leaf roller on snap beans, 673
black carpet beetle, protectant against, 754
Chilo zonellus to grain sorghum, 740
Damage to: crops by electric light traps, 1242
green stink bug by yeast-spot disease, 223
southern pines by *Pissodes nemorensis*, 1456
METHODS
sweet corn seedlings by twolined spittlebug, 976
Deposits of monocrotophos spray, 200
Desiccation and blood feeding effect on *Aedes aegypti*, 439
Detection of: *Agathis pumila*, 1086
infestations of California red scales, 1305
Determining sperm precedence in insects, 578
Development of: alfalfa weevil, 437
black cutworm, 766
Tetranychus yusti, 141
Diapause, in boll weevil, influence on diet, 812
of horn fly, 256
termination in bollworm, 1057
Diet, artificial: and California oakworm, 146
for plum curculio, 1111
for peach twig borer, 259
for southern corn rootworm, 66
for western corn rootworm, 1136
rearing codling moths on, 1088
Diet, black dye marks adults and eggs in, 1400
blue dye marks adults and eggs in, 1405
nutrients in boll weevil, 812
Diet, sterilization, 753
Diet of: boll weevil, busulfan analysis on, 549
honey bees, 1415
pink bollworm, 376, 1022
Differences in penetration and biodegradation of carbaryl, 1391
Disease of cigarette beetle larvae, 1559
Displacement between natural populations of maize weevil and Angoumois grain moth, 864
Distribution and: abundance of lesser peachtree borer, 879
parasitism of Tabanidae eggs, 887
Distribution of: boll weevil on cotton, predicting, 539
dieldrin in cockroach nerve tissues, 230
fumigants, 227
honey bees, capture-recapture method, 961
Microctonus spp., 190
pink bollworm in crop residues and soil, 1451
scale insects, 308
Dose-fractionation and sterilization of confused flour beetle, 542
Drinking water of chicks, Dursban in, 1179
Drycleaning, Gardona in woolen fabric as mothproofer during, 531
Duration of diapause of horn fly, 256
Dust, collector used in vacuum system, 1553
testing respiratory protective devices against insecticidal, 528
Dust bags and backrubbers compared, 1465
Economic status of *Lygus*, 56
Effects (s) of: *Lygus hesperus* on cotton, 1229
tetramine and metepa on *Oncopeltus fasciatus*, 1355
Effectiveness of fast neutrons and gamma rays in producing sterility in house flies, 1031
Efficacy of pyrethroid formulations on house fly, 460

XUM

METHODS
Egg (s), collection of Angoumois grain moth, 1308
deglutination of insect, 1253
mass studies of fall cankerworm, 763
of house flies, protein synthesis in, 819
parasite of *Lygus hesperus*, 1566
production of Indian meal moth, and malathion, 1312
Rabon in, 224
rafts of *Culex tarsalis*, 1038
Electron microscopic detections of demyclination, 1346
Emergence of grain sorghum, 1321
Emulsion baths for mothproofing, 178
Enemies of black scale, 213
Estimate of trypsin activity, 610, 616
Evaluating: corn strains for tolerance to rootworm, 1515
effect of *Bacillus thuringiensis* in cattle manure, 902
Evaluation of: parasitism of face fly, 444
pollen toxicity, 916
pyrethrins to control vinegar flies and driedfruit flies, 986
Evidence for sex pheromone in cottonwood twig borer, 987
Extraction of flower thrips from roses, 545
Fate of R-3828 in a steer, 1471
Fatty acids, teratogenic effects on house fly larvae, 789
Feeding, cockroaches paraffin-imbedded baits, 1316
Feeding, response of *Scolytus multistriatus* to dicrotophos, 621
Feeding of: *Amblyseius largoensis*, 643
cabbage looper, 315
Fertility of house fly, 1480
Field: comparisons of insecticidal sprays, 1302
evaluation of mosquito larvicides, 1
releases, timing for *Chrysops carnea*, 311
Field-cage studies of *Bracon kirkpatricki*, 1237
Field study: of foliage changes, 1298
on western corn rootworm egg hatch, 9
Field, testing of mosquito control insecticides, 11
tests for boll weevil suppression, 1280
trials, gypsy moth in, 1500
Foliar spray effect on green peach aphid, 547
Food for stored-product insects, 3
Formamidase involvement in metabolism of acaricides, 792
Freshwater ostracod, epoxidation of aldrin, 316
Fumigants, sorption of, 122
Fungicides and green peach aphids on potatoes, 1569
Glandless cotton, susceptibility to *Diabrotica* attack, 319
Growth of bollworm on cotton, 396
Harvest notes on alfalfa, 163
Heat effect on probing of *Aedes aegypti*, 442
Host-finding by *Trichogramma evanescens*, 557
Host plant effects on tolerance of carmine spider mite, 839
Imported parasite of greenbug, 1435
Increases in fecundity of brown soft scale, 205
Infection of pine root weevil by fungi, 562
Infestation of: almond orchard by navel orangeworm, 90
cattle grubs, effect on calves, 1467
Influence of comb foundation on honey bees, 556
Inhibition of ATPases in cockroach, 559
Inhibitors of pink bollworm sex attractant, 580
Injury of pea aphid to alfalfa, 513
Insectary, evaluation of insecticides and miticides to *Stethorus punctum*, 1072
temperature constant and gradient-free, 1334
Insecticidal, action of sulfonamides, 897
residue and soil insects, 175
sprays against tomato insects, 1302
Insecticides, applied mechanically to control tobacco budworm, 127
biological activity in soil, 1045
Insecticides, effectiveness against: sorghum midge, 87
sorghum shoot fly, 1509
Insecticide (s), evaluation for chigger control, 900
in baits for flea control, 1191
Insecticide (s), new: and rutabagas, 796
in soil, 801
resistance in German cockroach, 450
resistant strains of *Typhlodromus occidentalis*, 846
to suppress northern corn rootworm, 71
toxicology of, 76
Insecticides against: eggplant pests, 759
Platynota stultana, 1556
Spodoptera littoralis, 115
tropical horse tick, testing, 1164
Insecticide (s) and: burley tobacco, 172
predators in cotton, 481
soybeans, 1219
Irradiation, effects on lesser grain borer, 1306
immobilizing pink bollworms for, 992
Irradiation of: boll weevils, biological effects, 1003
European chafer, 823, 832, 883
Isolation of mites from house dust, 54
Light-trap collections of bollworm moths, 860
Localization of dieldrin in house fly, 352
Loss of alfalfa from alfalfa weevil, 328
Manipulation of mountain pine beetle, 426
Mass, culture of garden symphylan, 658
Mass rearing: European pine shoot moth, 1409
green peach aphids, 775
screwworms, 679
ticks, 1423
Mass releases of: *Pieris rapae* and its parasites, 722
Trichogramma pretiosum, 502
Mating of lygus bugs, 47
Measuring mosquito antennae, 313
Metabolic capacity of cabbage looper, 1373
Methylenedioxynaphthyl derivatives as synergists of carbaryl in house flies, 1011
Mixed ethers and juvenile hormone activity, 375
Moerick for collecting aphids, 966
Mortality of: house flies, 972
roundheaded pine beetle in cacodylic acid-treated trees, 969
tephritids, 1214
Movement of boll weevil, 15
Oil of *Sterculia foetida* effect on face fly, 455
Oviposition, by cigarette beetle, food odor influence on, 770
Oviposition, pheromone of *Culex tarsalis*, 1038
site for wheat stem sawfly, 752
Oviposition of: *Heliothis, Nicotiana* spp. preference, 641
Microplitis croceipes, 6
Trichoplusia ni, 411
western corn rootworm, 1319
Parasites of maize weevil, effect on, 1407
Parasitism of: face fly, 105
tobacco insects, 188
wheat stem maggot, 1129
Peanut sheller, DDT-resistant red flour beetles from, 1328
Phosphoramides and yellow-fever mosquito, 1028
Pine seed depredations by short-tailed crickets, 1490
Plant relationships of *Zonosemata vittigera*, 417
Predation of: *Hippelates collusor*, 462
stilt bug, 772
Predatory mite, pesticide effect on, 26
Preference of: citrus thrips, color and height, 1112
curculio and nematodes for *Trifolium* spp. and *Medicago* spp., 1518
Preventing infestation of rice, 1200
Producing silvertop in the laboratory, 1384
Production of corn earworm in field cages, 540
Protectant (s), for stored grains, 1530
to increase sunlight stability of insect virus, 850
Protein sprays to increase *Chrysopa carnea*, 933
PVC-insecticide feed additives and milk, 821
Rearing, blow flies and flesh flies, 986
cabbage maggot, 670
citrus thrips, 1124
codling moth, 632, 1088
Empoasca devastans, 424
Euschistus t. tristigmus, 1339
honey bees, pollen fumigation effect on, 877
insect parasitoids, 1558
melon fly, 1221
pales weevils, 894
parasites of soybean looper, 1550
pink bollworm, 1022
plum curculio, 1111
screwworms, 679
smaller European elm bark beetle, 1327
sorghum shoot fly, 553
southern corn rootworm, 66
striped cucumber beetle, 1337
Sturmiopsis inferens, 1277

METHODS
Reducing Japanese beetle populations, 68
Reduction of spruce beetle hazard, 751
Regrowth cotton, relationship to bollworm, 974
Relationship of maize weevil to sunflower, 186
Release techniques for Mediterranean fruit fly, 537
Repellent, and lethal action of UV, 252
leech, 1293
Reproduction, *Drosophila melanogaster*, vapor and chemosterilant effects on, 1521
Reproduction of: *Amblyseius largoensis*, 643
confused flour beetles, 975, 1563
Empoasca devastans, 424
house flies, inhibitors, 756
potato leafhopper, 1127
Residues, from Rabon in flies, 1159
soil, uptake of insecticides by crops, 586
Residues of: bromophos and ronnel, toxicity to house fly, 550
Compound 4072 in milk and meat, 896
fenitrothion in corn silage, 1395
Residues of Rabon, toxicity to hens, 81
Residues of Rabon in: pigs, 320
poultry eggs, 224
poultry manure, 225
Resistance, insecticide in: German cockroach, 450
Heliothis, 999
seedlings to evaluate in cereal leaf beetle, 925
Resistance in: Egyptian cotton leafworm, 1019
sweetpotatoes to insect, 713
Resistance of: alfalfa to aphids, 156, 506, 700
alfalfa varieties, 653
cotton to tobacco budworms, 1275
cucurbits, 1206
European chafer, 242
house flies to insecticides, 1051
muskmelon to *Aphis gossypii*, 935
peanut lines to southern corn rootworm, 245
Solanum spp. to aphids, 1261
strawberries to mites, 383, 387, 807
tobacco budworm to DDT, 1387
Resistance of wheat to: wheat stem maggot, 942
wheat stem sawfly, 939
Respiration of confused flour beetle, and carbon dioxide, 1304
Response of: bollworms and arthropods to aldicarb, 907
corn to granular insecticides, 1209
European cherry fruit flies to color, 1444
German cockroaches to sprays, 1120
Japanese beetles to electroantennogram, 1561
southern armyworm to Prodenialure, 1571
southern green stink bug to pheromones, 856
tobacco budworms to gamma irradiation, 1412
tobacco flea beetle to disulfoton, 766
Rhythms of screwworms, 1474
METHODS
Sampling pear foliage for pear psylla, 1317
Searching capacity of *Chrysopa carnea* for *Heliothis* spp. eggs, 1460
Seasonal, emergence and development of pink bollworm, 1429
occurrence of pea aphid and *Aphidius smithi*, 1150
Seed orchards, insect impact on pine cones, 28
Short-staple cotton, temperature in, 1433
Simulated, pod injury to soybeans, 984
rain influence of ULV applications, 197
Small grains, greenbugs on, 333
seed treatment effect on, 1554
Soil, beds, rearing pales weevils on, 894
bioactivity of Dasanit in, 597
borne fungi and springtail, 399
C-10015 in, 801
carbofuran in, 799, 801
dasanit in, 799, 801
Dieldrin persistence in, 368
Dyfonate in, 283, 799, 801
fertility by *Chilo zonellus* to grain sorghum, 740
long-term effect of carbon in, 586
microbial degradation of heptachlor, 839
mineral, new insecticides in, 796, 801
organic content and insecticidal control, 42
organochlorine persistence in soils, 367
pink bollworm distribution in, 1451
residues, uptake of insecticides by crops, 586
survival of whitefringed beetle in potting, 993
temperature influence on insecticide toxicity, 1045
VCS-506, in, 801
Soil arthropods, DDT against, 843
insecticidal effects on, 842
insecticides, susceptibility of termites to, 472
Soil insects, and insecticidal residue, 175
control of, 175
Diazinon against, 176
dieldrin against, 176
endrin against, 176
heptachlor against, 176
Soil rootworm, survival in relation to texture, 1448
Specificity of transmission of cowpea mosaic virus, 365
Spraying insecticides on porcelain china, 457
Sterilant combinations against budworms, 804
Sterile-insects, competitiveness, 869
release and fruit fly suppression, technique and polygamy, 708, 1310
Sterile-release programs for Mediterranean fruit fly, 948
Sterility in cabbage looper, 785
Sterilization, and competitiveness of Mediterranean fruit fly, 1369
Sterilization of: beet leafhopper, 1075
citrus red mite, 72
European chafer, 832
European corn borer, 1065
METHODS
Hippelates pusio, 448
house flies, 973
insect diet, 753
Mediterranean fruit fly, 1069, 1369
tobacco budworm, 804
Sublethal doses, effects on migratory grasshopper, 1300
Suppression of Mediterranean fruit fly, 708, 781
Survival of: boll weevil, 39
Chrysopa carnea, 311
confused flour beetles, 975, 1563
rootworm in relation to soil, 1448
whitefringed beetle larvae, 992
Susceptibility of: corn to aphid, 21
fruit flies to insecticides, 606
horn flies to *Bacillus thuringiensis*, 1184
plants to maize borer, 760
sunflower to sunflower moth, 1285
Suspected sex pheromone glands in *Dacus*, 347
Synthetic, pyrethroid for mothproofing, 1562
queen substance, 287
Temperature, *Anaphes* development in relation to, 1566
Temperature, influence on fumigation of webbing clothes moth, 989
Temperature and: biological activity of pea aphid, 153
development of wheat stem sawfly, 749
distribution of fumigants, 227
insectary, 1334
mortality of pink bollworm larvae, 1568
RH and *Aedes vexans*, 324
Simyra henrici, 94
Temperature effects on: cotton pests, 1138
maize weevil parasites, 1438
oriental fruit fly development, 1143
Temperature in: cotton plants, 1432
long-staple cotton, 636
Temperatures of: land snails, 667
pea aphid, 153
soil, influence on insecticide toxicity, 1045
Tests, for cabbage looper control, 1132
of microbial agent against *Lachnosterna consanguinea*, 1301
to control two-spotted spider mite, 339
with *Phormia regina*, 84
Thermal requirements for northern corn rootworm egg hatch, 853
Time of sexual activity of codling moths, 553
Tolerance of *Heliothis* spp. to insecticides, 1060
Toxicity, and anticholinesterase activity of halogenated phosphorothioates, 566
Toxicity of: aldrin and dieldrin to *Chlamydotheca arcuata*, 1082
bromophos and ronnel to house fly, 550
carbaryl, carbaryl-piperonyl butoxide, and enzyme activity in house crickets, 1032
crotoxyphos to pigs, 684
flies, from Rabon, 1159
formothion and phorate to mustard aphid, 518
halogenated OP insecticides, 814

XUM

METHODS
Toxicity of insecticides to: California oakworm, 146
Clivina impressifrons, 210
cowpea curculio, 1080
darksided cutworm, 1049
large milkweed bug, 546
Toxicity of, organophosphates to house flies, 1015
pesticides to Neoseiulus, 350
Rabon to hens, 81
Zectran to western spruce budworm, 1307
Toxicity units, bioassay techniques based on, 1291
Trapping Caribbean fruit fly, 1541
Traps, BL, and tobacco hornworm, 19, 555
BL, attraction of tobacco hornworm to, 1511
BL, comparison of moths caught in, 977
Traps, colored, and Japanese beetles and bumblebees, 431
density determination for insect reduction, 875
Traps, electric light, cucumber beetle response to, 413
electric light, damage to crops by, 1242
ESA, BL, moths released at different distances from, 1402
Traps, indicating tobacco budworm and corn earworm mating, 335
light, for holding tobacco hornworms, 1322
pheromone, boll weevil suppression with, 928
pheromone, for *Cardiochiles nigriceps*, 1417
pheromone, for *Trichoplusia ni*, 361
plastic, and Mediterranean fruit fly, 762
sex and light, for codling moth catches, 1249
spacing for insect population control, 1090
to control saltmarsh greenhead flies, 1482
to determine red-banded leaf roller activity and populations, 132
Traps, wing, for boll weevil studies, 108
Traps, yellow pan, and aphids, 1105
Trap (s) for: cabbage looper moths, 310
Japanese beetle control, 151
pink bollworm, 323
Mediterranean fruit flies, 1211
tephritids, 62
Trap trees, Engelmann spruce, and spruce beetle, 911
treated to suppress spruce beetle, 958
Trends of western spruce budworm in forests, 291
Valencia orange juice quality and oils, 523
Woolen cloth, mothproofing, 990

Methomyl, effect on germination, 918
Methomyl against: *Acheta pennsylvanicus*, 1045
bluegrass weevil, 691
cabbage looper, 1331
caterpillars, 739
cowpea curculio, 1081
granulate cutworm, 938
green peach aphid, 547, 1565
Platynota stultana, 1556
sunflower moth, 125
tomato insects, 1303
Methoxychlor, speed of action, 627
Methoxychlor against: bluegrass weevil, 691
fruit flies, 606
mosquitoes, 14
soil arthropods, 843
stable flies, 1189
Methyl bromide, against fruit flies, 1270
fumigation, codling moth control by, 1258
sorption, 122
Methyl cyclohexanepropionate in lures for Japanese beetle, 1560
Methyl demeton against hoop pine beetles, 489
Methyl paraoxon, speed of action, 626
Methyl parathion, bollworms resistant to, 755
drift, 718
speed of action, 626
Methyl parathion against: brown soft scale, 204
cotton insects, 477
cowpea curculio, 1081
greenbug, 706
Heliothis, 1001
hoop pine beetles, 489
midges, 302
sunflower moth, 125, 209
Methylenedioxyphenyl synergists, effect on insecticide toxicity to large milkweed bug, 546
Metiram against pear psylla, 1267
Metoponium convexicolle, 463
sp., 463
Mevinphos, speed of action, 626
Mevinphos against: cabbage looper, 1331
cowpea curculio, 1081
greenbug, 706
hoop pine beetles, 489
Spodoptera, 116
Microbial control of cabbage looper, 1132
Microctonus aethiops, distribution, 190
establishment of, 340
response of, 338
Microctonus colesi, distribution, 190
response of, 338
Microctonus sp., 190
Microencapsulated oil bait for imported fire ant control, 193
Microgramma arga, 4
Microplitis croceipes, oviposition, 6
Microporus obliquus, 463
Microsomal epoxidase activity in house crickets, 1032
Microwaves for insect control, 950
Migratory grasshopper, naled, carbaryl, malathion, acetone, effects, 1300
Milk, Compound 4072 residues in, 896
from cows fed insecticide feed additives, 821
insecticides and accumulation in, 624
Milk thistle, insect fauna of, 1101
Mimetus epeiroides, 164
Mirex against fleas, 1191
Mist-blower applications against flower thrips and southern cone rust, 520
Misumenoides aleatorius, 168
Misumenops asperatus, 165
Mite (s), discontinuance, 23
isolation from house dust, 53
strawberry resistance to, 383, 387, 1313
toxicant response in, 321
Mobam against: body lice, 761
mosquitoes, 1174
stable flies, 1189
Mocap, corn response to, 1209
Mocap against: *Clivina impressifrons*, 211
tobacco budworm, 103
Model to predict boll weevils on cotton, 539
Momordica sp., 607
Monellia nigropunctata, 1106
Monitor against: cabbage looper, 1331
granulate cutworm, 938
greenbug, 169
oriental rat fleas, 1478
Pemphigus, 331
sunflower moth, 125
tomato insects, 1302
Monocrotophos, speed of action, 626
spray deposits, 200
toxicology, 76
Monocrotophos against: bluegrass weevil, 691
cabbage looper, 1331
cotton insects, 477
cowpea curculio, 1081
granulate cutworm, 938
grape mealybug, 1553
greenbug, 170, 706
Heliothis, 1001
hoop pine beetles, 489
Pemphigus, 331
Rosaceae branch borer, 485
sorghum shoot fly, 1510
Spodoptera, 116
sunflower moth, 125
tomato insects, 1303
two-spotted spider mite, 340
wax scale, 892
Monocrotophos + Pyrocide against tomato insects, 1304
Monomorium, 421
Monotoma sp., 114
Monsanto (see CP)
Montecatini L-561 against body lice, 761
Mortalities of: land snails, 667
pink bollworm larvae, 1568
Mosquito (es), and air-flow olfactometer, 1109
electrophysiological equipment for measuring antennae, 313
surfactants and pupae, 601
Mosquito (es) control: by chemosterilants, 675
insecticides in, 11
Moth odor, host-finding by *Trichogramma evanescens*, 557
Mothproofer, Gardona as, 530
Mothproofing, Ciba C-9491 for, 177
SBP-1382 for, 1562
woolen cloth, 990
Mottled gray cutworm, life history, 34
Mountain pine beetle, manipulation, 426
Multiplication of stored-product insects, 98
Musca autumnalis, 104, 443, 455, 821, 1465
domestica, 30, 44, 75, 83, 84, 111, 138, 225, 371, 459, 550, 625, 756, 787, 814, 819, 902, 972, 973, 983,

1011, 1015, 1030, 1034, 1051, 1462, 1479
domestica nebulo, 1015
Musca domestica vicina, evaluation of chemosterilant baits on, 979
mating competitiveness, 967
Muscidifurax raptor, 112
spp., 343
Muskmelon, *Aphis gossypii* resistance in, 935
Mustard aphid, formothion and phorate toxicity to, 517
Myrmecocystus sp., 463
Myzocallis discolor, 1106
multisetis, 1106
walshii, 1106
Myzus eriobotyrae, 1106
persicae, 547, 559, 766, 775, 1106, 1260, 1565, 1569
porosus, 1106
solani, 1106

N

N-2596, in soil, 801
N-2596 against: cabbage looper, 1331
dark-sided cutworm, 495
N-4446 against greenbug, 705
Nabis alternatus, 481
alternatus + *americoferus*, 483
americoferus, 423, 480
roseipennis, 481
spp., 164, 909, 933, 1284
Naled, effect on pollen germination, 917
speed of action, 626
Naled against: cabbage looper, 1331
cowpea curculio, 1081
greenbug, 706
hoop pine beetle, 489
horn flies, 1172
house fly, 139
migratory grasshopper, 1300
mosquitoes, 2
stable flies, 1171, 1189
tephritids, 1213
Nasutitermes spp., 1289
Navel orange grove, citrus thrips in, 1112
Navel orangeworm, invades almond orchard, 90
Nematodes, clover root curculios, and forage legumes, 1518
Neoantistea sp., 164
Neobisinius paederoides, 463
Neodiprion sertifer, 218
Neoschongastia americana control on turkeys, 900
Neoseiulus fallacis and pesticides, 350
Nepticula juglandifoliella, biology and control, 92
Neuroptera, 311, 933, 1459
Neutron irradiation of Mediterranean fruit fly, 1369
Nezara viridula, 856
Nicotine sulfate, speed of action, 627
Nicotiana spp., *Heliothis* preference for, 641
Niram against midges, 302
Noctuid moths, sex pheromones of, 361
Nomophila noctuella, 616
Northern corn rootworm: egg hatch, 853
suppression, 70
Notice to members, 217
Notonecta sp., 471
Notoxus calcaratus, 423, 462
sp., 909
NRDC-104 against: lone star tick, 263
mosquitoes, 1174
Nuclear polyhedrosis virus to control variegated cutworm, 1573
Nucleic acids in house fly eggs, 30
Nucleopolyhedrosis virus contaminant of *Voria ruralis*, disinfection of, 988
Nutrients in diet of boll weevil, 812

O

Oats, multiplication of insects on, 98
Obituaries: C. M. Beckham, 1343
Fred Corry Bishopp, 1341
Leo Wilfred Boulenger, 563
Robert Wilson Every, 778
Charles Wilbur Getzendaner, 777
Arthur Lee Hamner, 997
Elmer Thomas Jones, 344
John Carlos Keller, 996
Walter Harrison Larrimer, 345
Thaddeus Hedges Parks, 1576
Bailey Breazeals Pepper, 1577
Louis Wayne Sheets, 779
Grover William Underhill, 779
Reyer Herman Van Zwaluwenburg, 994
George Peter Wene, 1342
Oebalus pugnax, 981
Oecanthus nigricornis argentinus, 1103
Okra, *Empoasca devastans* on, 424
Oligonychus punicae, 405
Oligotoma nigra, 463
Omotoma fumiferana, 294
spp., 294
Oncopeltus fasciatus, 374, 546, 1379
chemosterilization, 1351, 1355, 1360
Onthophagus hecate, 152
nuchicornis, 152
o. orpheus, 152
Opisocrostis hirsutus, 1191
Oppia sp., 1314
Orange juice quality and oils, 523
Orchesella sp., 399
Orchopeas sexdentatus, 1191
Organic-phosphate demyclination, 1345
Organochlorines in soils, 367
Organophosphates, toxicity to house flies, 1015
Organophosphorus insecticides, toxicity to chicks, 814
Oribatei, 1314
Oriental cockroach, feeding on paraffin imbedded baits, 1316
Oriental fruit fly, development temperature, 1142
species specificity among, 606
Oriental rat flea, control, 1477
Orius insidiosus, 480
sp., 421, 909, 1284
tantilus, 421
tristicolor, 422
Orthellia caeserion, 444
Ortho against *Pemphigus*, 331
Orthoptera, 230, 252, 278, 450, 559, 576, 1032, 1119, 1176, 1196, 1300, 1316, 1490
Oryctes rhinoceros, 1041
Oryzaephilus sp., 463
surinamensis, 98
Osmia (Chenosmia) sp., 1146
Osphranteria coerulescens, 484
Ostracod, epoxidation of aldrin by, 316
toxicity of aldrin and dieldrin to, 1082
Ostrinia damoalis, 1278
nubilalis, 413, 871, 1065, 1241, 1496, 1524
Oulema melanopus, 693, 925, 1253
Overwintering of: European pine shoot moth larvae, 1408
tobbaco flea beetle, 88
Trichogramma spp., 80
Oviposition (see Methods)
Oxydemetonmethyl against: bluegrass weevil, 691
elm leaf beetle, 1288
grape mealybug, 985
green peach aphid, 547
Pemphigus, 331
Platynota stultana, 1556
spittlebug, 736
wax scale, 891
Oxyopes salticus, 164
Oxytelus spp., 343

P

Pachygnatha tristriata, 165
Pachylobius picivorus, 1459
Pachyneuron siphonophorae, 1153, 1438
Pacific spider mite, control, 697
Pagaronia 13-punctata, 1103
Palecrita vernata, 1487
Pales weevil, control agents for, 322
rearing on soil beds, 893
Panonychus citri, 72, 1223, 1314
similoides, 407
ulmi, 25, 321, 350, 406, 497
Paradichlorobenzene fumigation of webbing clothes moth, 989
Paramyelois transitella, 90
Paraoxon, speed of action, 626
Paraphidippus marginatus, 168
Parasarcophaga argyrostoma, 814, 1159
Parasites, and maize weevil populations, 1438
reared from soybean looper, 1550
Parasitism of face fly, 443
Parasitization of muscoids in poultry, 111
Parasitoids, rearing insect, 1558
Parasitus, 421
Parathion, speed of action, 626
Parathion against: cabbage looper, 1331
Clivina impressifrons, 211
cowpea curculio, 1081
grape mealybug, 1553
greenbug, 170, 705
Heliothis, 1001
house flies, 1015
Pemphigus, 331
southern corn rootworm, 281
Spodoptera, 116
wax scale, 891
wireworms, 42, 947
Parathion effect on: *Bacillus thuringiensis*, 1349
pollen germination, 917
Parathion + thuricide against cabbage looper, 1331
Parathion + toxaphene against cabbage looper, 1331
Parlatoria pergandii, 308
proteus, 308
zizyphus, 308
Pea aphid, alfalfa resistance to, 155

influence on alfalfa, 653
injury to alfalfa, 513
seasonal occurrence, 1150
temperature and biotypes, 153
Peach twig borer, artificial diet and pheromone, 259
Peanut (s), foliage resistance to fall armyworm, 148
granulate cutworm control in, 937
line, evaluation for southern corn rootworm resistance, 245
southern corn rootworm control on, 280
Pear, spider mite control on, 496
Pear foliage, sampling for nymphs of pear psylla, 1317
Pear psylla, control by dithiocarbamate fungicides, 1266
sampling pear foliage for nymphs, 1317
Pecan serpentine leaf miner, biology and control, 92
Pecan weevil, emergence and control of, 743
Pectinophora gossypiella, 323, 332, 376, 421, 580, 636, 992, 1021, 1057, 1138, 1236, 1381, 1399, 1404, 1429, 1432, 1451, 1568
Pediculus h. humanus, 761
Pegomya carduorum, 1102
Pelomyia sp., 463
Pemphigus populitransversus, 330, 1106
Penetration, factor in insecticide resistance, 1051
of carbaryl in Egyptian cotton leafworm, 1391
Pentalonia nigronervosa, 559
Pentamerismus erythreus, 1314
Peppermint, strawberry root weevil in, 1325
variegated cutworm control on, 1573
Peppers, green peach aphid on, 547
Pericyma cruegeri, 1534
Peridroma, 34
saucia, 80, 977, 1102, 1573
Periphyllus populicola, 1106
Periplaneta americana, 252, 463, 559, 577, 1316
Persistance of new insecticides in soil, 800
Perthane, speed of action, 626
Perthane against: pear psylla, 1267
tomato insects, 1302
Pest status of *Lygus hesperus*, 56
Pesticide (s), and *Neoseiulus fallacis*, 350
Pesticide effects on: predatory mite, 26
sunflower moth, 124
Petroleum oils, orange juice affected by, 523
Petunia, insecticide effect on pollen germination in, 916
Phaenicia sericata, 986
Phaenocarpa spp., 444
Pheidole hyatti, 463
sp., 463
Phenacoccus gossypii, 1103
solani, 1103
Phenology of common cattle grub infestations, 1467
Pheromone studies: of twospotted spider mite, 355, 379
with peach twig borer, 259
Pheromone trap (s), boll weevil suppression with, 928
for *Cardiochiles nigriceps*, 1417
for *Trichoplusia ni*, 361
Pheromone-maze trap for cabbage looper, 310
Pheromones of male stink bug, 856
Phidippus audax, 168
rimator, 168
sp., 1147
Philaenus spumarius, 165
Philonthus alumnis, 463
hepaticus, 463
sordidus, 114
spp., 343
Phorate, corn response to, 1209
Phorate, speed of action, 626
toxicity to mustard aphid, 517
Phorate against: *Clivina impressifrons*, 211
greenbug, 170, 706, 1338
green peach aphid, 547
hoop pine beetles, 489
maize billbug, 1323
Pemphigus, 331
Platynota stultana, 1556
sorghum shoot fly, 1510
southern corn rootworm, 281
spittlebug, 736
wax scale, 891
Phorate against wireworms, 42, 947
Phorate effect on: *Bacillus thuringiensis*, 1349
grain sorghum emergence, 1321
Phorate + diazinon against southern corn rootworm, 282
Phormia regina, 1166
tests with gamma-irradiated, 84
Phorocera incrassata, 295
Phosalone against: alfalfa weevil, 479
bluegrass weevil, 691
serpentine leaf miner, 93
Stethorus punctum, 1072
sunflower moth, 125
Phosphamidon, speed of action. 626
Phosphamidon against: *Agistemus exsertus*, 27
greenbug, 170, 706
hoop pine beetles, 489
Spodoptera, 116
tropical horse tick, 1165
winter tick, 687
Phosvel (see UCS 506)
Photodynamic effect of light on dyefed house flies, 972
Phoxim, protectant for stored grain, 1530
Phoxim against: dark-sided cutworm, 495
greenbug, 705
lone star tick, 263
maize billbug, 1323
mosquitoes, 1175
oriental rat fleas, 1477
wireworms, 947
Phryganidia californica, 146, 510
Phthorimaea operculella, 358
Phyciodes mylitta, 1104
Phyllocoptruta oleivora, 644
Phyllophaga anxia, 152
crenulata, 152
cribrosa, 176
drakii, 152
forsteri, 152
fraterna, 152
fusca, 152
gracilis, 152
harticula, 152
marginalis, 152
tristis, 152
Phytodietus fumiferanae, 294
spp., 295
Phytoseiid mites on trees, crops, and plants, 405
Phytoseiulus macropilis, 141
persimilis, 1257
Phytotoxicity of insecticidal granules, 1208
Pieris brassicae, 516
Pieris rapae, 80
suppression, 721
Pigs, crotoxyphos toxicity to, 684
Rabon residues in, 320
Pine, bolts, soil beds containing, 893
growth retarded by pine needle sheathminer, 1572
mortality, deodar weevil cause, 1329
needle sheathminer, pine growth retarded by, 1572
root weevil, infection by fungi, 562
seed production and insects, 28
Pink bollworm, attractants for, 323
black dye marks adults and eggs, 1399
blue dye marks adults and eggs, 1404
Bracon kirkpatricki against, 1236
collecting, 1309
cottonseed diet for rearing, 1021
development, 1429
distribution in crop residues and soil, 1451
dyes for tagging, 476
emergence, 1429
hexalure attractancy to moths, 1381
immobilizing, 992
inhibitors of sex attractant, 580
mortality of larvae, 1568
predators, 421
suppression, 332
Pirimphos-ethyl in soil, 801
Pissodes nemorensis, 1329
damage to southern pines, 1456
Pissodes strobi, 771
Pitedia sayi, 1103
Pithitis smaragdula, release for pollination, 1145
Plagiognathus sp. nr. *confusus*, 1103
Planococcus citri, 309, 644
Plant (s), arrangement of European corn borer, 1524
phytoseiid mites on, 405
stem oviposition site for wheat stem sawfly, 752
Platylyra californica, 1103
Platynota stultana, insecticides against, 1556
Platystethus spiculus, 463
spp., 343
Plectris aliena, 714
Plemiella abietana, 905
Pleurophorus micros, 463
Plictran against *Stethorus punctum*, 1072
Plodia interpunctella, 408, 557, 1312
Plum curculio, artificial diets for, 1111
Plutella xylostella, 616
Pod injury to soybeans, 984
Podisus maculiventris, 511
Pogonomyrmex californicus, 463
Polia, 34
Pollen, and brood rearing, 877
availability on honey bee poisoning, 1314
insecticide effect on, 916
Polygamy, selection for, 1310
Polygenis gwyni, 1191

Polygraphus rufipennis, 914
Polyphylla variolosa, 152
Ponera trigona opacior, 463
Popillia japonica, 68, 150, 430, 1560, 1561
Poplar petiole gall aphid, control on cabbage, 330
Populations of codling moths, 1410
Porcelain china, insecticide residues on, 457
Porthetria dispar, 297, 638, 1499, 1527
Positioning insects, substrate for, 343
Potato aphid, resistance, 1260
Potato leafhopper, fecundity and sex ratios, 1127
Potato tuberworm, chemosterilization of, 358
Potatoes, green peach aphid enhanced on by fungicides, 1569
  wireworm control on, 945
Poultry, parasitization of muscoids in, 111
Poultry houses, house fly control in, 138
Prays citri, 644
Predator-prey response to western pine beetle attractants, 402
Prionoxystus robiniae, 1111
Probing response of *Aedes aegypti*, 439, 442
Prociphilus flaxinifolii, 1106
Proclaideus spp., 300
Prodenia eridania, 335, 1570
  praefica, 1103
Prodenialure, response of southern armyworm to, 1570
Production of tetranychid mites, 1255
Prolate, for cattle grub control, 899
Pronematus anconai, 1314
Propoxur, further testing, 1533
  in soil, 801
  on china after spraying, 457
  seed treatment effect with, 1554
Propoxur against: alfalfa weevil, 479
  Clivina impressifrons, 212
  cotton insects, 482
  elm leaf beetle, 1288
  European chafer, 244
  German cockroach, 451
  hoop pine beetle, 489
  mosquitoes, 13, 1175
  plant bugs, 483
  spittlebug, 736
  stable flies, 1189
  wax scale, 892
  winter tick, 687
  wireworms, 946
Protein, and ribosomal RNA in house fly, 371
  synthesis by ribosomes, 819
Pruning head for poles for insect population sampling, 1557
Pseudaletia unipuncta, 117, 977
Pseudoaonidia duplex, 308
Pseudococcus longispinus, 1103
  maritimus, 985, 1552
  obscurus, 1103
Pseudopamera nitidula, 463
Pseudopygmephorus sp., 1314
Pseudosarcophaga affinis, 294
  sp., 295
Psorophora confinnis, 469
Psylla pyricola, 497, 1266
Ptilomera aello, 1536
Pyemotes, 421
Pyrenone against *Pemphigus*, 331
Pyrethrin I against large milkweed bug, 546
Pyrethrins, against California oakworm, 146
  speed of action, 627
  to control vinegar flies and dried-fruit beetles, 986
Pyrethroid formulations and house fly, 459
Pyrocide against *Pemphigus*, 331
  tomato insects, 1303
Pyrrhalta luteola, 1287

Q

Quadraspidiotus perniciosus, 497
Quarantine control of *Megastigmus* spp., 904
Queen substance, synthetic, 287
Quemaya sp., 463

R

R-2596 against *Heliothis*, 1000
R-3828 fate in a steer, 1471
R-8963, animal insecticide, 1168
R-10414 against lone star tick, 263
R-10534, animal insecticide, 1168
R-10778, against lone star tick, 263
R-11520, animal insecticide, 1168
R-11898, against oriental rat fleas, 1478
  animal insecticide, 1168
R-12466, animal insecticide, 1168
R-12783, animal insecticide, 1168
R-13293, animal insecticide, 1168
R-13906, animal insecticide, 1168
R-14487, animal insecticide, 1168
R-14488, animal insecticide, 1168
R-14493, animal insecticide, 1168
R-14789, animal insecticide, 1168
R-14805 against oriental rat fleas, 1478
R-15018, animal insecticide, 1168
R-15552, animal insecticide, 1168
R-15996, animal insecticide, 1168
Rabbits, control by insecticides in baits, 1190
Rabon, and poultry, 224, 225
  fed to laying hens, 1159
  residues in pigs, 320
  toxicity to hens, 81
Radiographic detection of *Agathis pumila*, 1086
Radioisotope-tagged ticks, mass rearing, 1423
Rain influence on ULV spray applications, 196
Rats, control by insecticides in baits, 1190
Ravinia assidua, 444
  derelicta, 444
  latisetosa, 444
  pectinata, 444
  querula, 105, 444
  spp., 444
Rearing (see Methods)
Red-banded leaf roller, activity and populations, 132
Red flour beetle, DDT-resistant, 1328
Release and colonization of *Aphelinus asychus*, 1435
Repellents for cockroaches, 576
Reproduction (see Methods)
Reserpine against tobacco budworm, 804
Residues (see Methods)
Resistance (see Methods)
Respiratory protective devices, testing, 526
Response of screwworm flies to proteins and sugars, 809
Reticulitermes flavipes, 1290
  susceptibility to insecticides, 472
Reticulitermes spp., 1290
  virginicus, susceptibility to insecticides, 472
Retithrips syriacus, 644
Rhaebothrips lativentris, 1536
Rhagoletis cerasi, 1444
  pomonella, 25, 648, 1447
Rhagovelis sp., 1536
Rhipicephalus appendiculatus, 1165
Rhopalosiphum fitschii, 1106
  maidis, 559, 1106
  padi, 1436
  rhois, 1106
  rufiabdominalis, 1106
Rhyacionia buoliana, 1408
  frustrana, 1459
Rhynchagrotis, 34
Rhyzoglyphus sp., 1314
Rhyzopertha dominica, 5, 1201, 1306, 1530
Ribosomal RNA and protein in house fly, 371
Rice, Asiatic rice borer control in, 1225
  diazinon in, 571
  malathion on, 1200
Rice stink bug, control by ULV insecticides, 981
Rice weevil, development and behavior, 1114
Rogas molestus, 1550
Ronnel, toxicity of residues to house fly, 550
Ronnel against: *Heliothis*, 1001
  stable flies, 1189
  tropical horse tick, 1165
  winter tick, 687
Roptrocerus eccoptogasteri, 1442
Roseaceae branch borer control, 484
Roses, flower thrip extraction from, 545
Rotenone, against winter tick, 687
  speed of action, 627
Roundheaded pine beetle mortality in cacodylic acid-treated trees, 969
Rutabagas, and new insecticides, 796
  bioactivity of Dasanit in, 597
Rye, insecticides applied to cover crop, 493

S

Sabulodes caberata, 407
Sagoris sp., 1536
Saissetia miranda, 216
  neglecta, 216
  spp., natural enemies on, 213
Salithion against *Heliothis*, 1000
Salticidae on alfalfa, 165
Saltmarsh greenhead fly, traps for, 1481
Sandflies and tourism, 264
Sanninoidea exitiosa, 1111
Saproglyphidae, 114
Saratoga spittlebug, control, 735
Sarcophaga bullata, 986
SBP-1382, against cabbage looper, 1331
  for mothproofing, 1562

Scale insects on citrus, distribution, 307
Scarab killing sugarbeet, 1311
Scatopse fuscipes, 463
Schistocerca v. vaga, 1103
Schizaphis graminum, 21, 169, 183, 333, 559, 704, 1106, 1321, 1338, 1435, 1556
Schizocerella pilicornis, 463
Schradan, speed of action, 626
Sciara sp., 463
Scierus annectans, 914
Scirtothrips citri, 1112, 1124
Scolothrips pallidus, 1113
Scolytus multistriatus, 1327
  cold storage and feeding responses of, 621
Scotogramma trifolii, 977
Scots pine, integrated control for, 218
Screwworm, emergence rhythms, 1474
  liquid media for rearing, 678
  response of flies to proteins and sugars, 809
Scutellista cyanea, 215
Scutigerella immaculata, 657
Scymnus spp., 481, 909, 1284
SD-2110, speed of action, 626
SD-2244, against oriental rat fleas, 1478
  cause of guinea pig mortality, 1478
SD-2642, speed of action, 626
SD-2774, speed of action, 626
SD-2801, speed of action, 626
SD-2836, speed of action, 626
SD-5562, speed of action, 626
SD-5728, speed of action, 626
SD-7438, speed of action, 626
SD-7554, speed of action, 626
SD-7859, speed of action, 626
SD-8170, speed of action, 626
SD-8210, speed of action, 626
SD-8211 against: cockerels, 815
  fly larvae, 817
SD-8280 against: cockerels, 815
  fly larvae, 817
  Japanese quail, 816
SD-8436 against: cockerels, 815
  fly larvae, 817
  Japanese quail, 816
SD-8447 against: stable flies, 1189
  tropical horse tick, 1165
  winter tick, 687
SD-8448, speed of action, 626
SD-8448 against: tropical horse tick, 1165
  winter tick, 687
SD-8530, speed of action, 626
SD-8803, speed of action, 626
SD-8868, speed of action, 626
SD-9020 against: cockerels, 815
  fly larvae, 817
  Japanese quail, 816
SD-9077, speed of action, 626
SD-9228, speed of action, 626
SD-11097, toxicology, 76
SD-11319, toxicology, 76
SD-11370, toxicology, 76
SD-11373, toxicology, 76
SD-11374, toxicology, 76
SD-11392, toxicology, 76
SD-12211, animal insecticide, 1168
SD-17250 against cotton insects, 476
Seasonal movement of boll weevils, 14
Seed treatment, effect of small grain germination, 1554
Seedlings used to evaluate cereal leaf beetle resistance, 925
Selepa celtis, 758
Serial Literature of Entomology, notice, 343
Serica carolina, 152
  georgiana lecontei, 152
  tristis, 152
Sesamex against: house fly, 1480
  large milkweed bug, 546
Sesamia inferens, 1278
Sevithion against caterpillars, 739
Sex, ratios and fecundity of potato leafhopper, 1127
Sex attractant, for gypsy moth, 297
Sex attractant of: banded cucumber beetle, 769
  gypsy moth, 1499
  pink bollworm, 580
Sex pheromone; evidence in two-spotted spider mite, 355
  glands in *Dacus*, 347
  in cottonwood twig borer, 987
  of noctuid moths, 361
Sexual, activity of codling moths, 553
  competition of gamma-sterilized cowpea weevils, 1338
Shell (see SD)
Shipment of boll weevils, 325
Ships, German cockroach control on, 1176
Short-tailed crickets, pine seed depredations by, 1490
Silver nightshade, biology of *Zonosemata vittigera* on, 417
Silvertop, of bluegrass, 247
  produced by thrips, 1384
Simyra henrici, bionomics, 117
  temperature and, 94
Sinea diadema, 422
Sipha flava, 1436
Siphonaptera, 1190, 1476
Sitona hispidula, 1518
Sitophilus granarius, 5
  oryzae, 98, 1114, 1201, 1530
  zeamais, 98, 186, 408, 864, 1438
  zeamaize, 1407
Sitotroga cerealella, 408, 423, 864, 923, 1308, 1460
Slash pine seed, dicrotophos to control insects, 1295
  orchard, insect control in, 520
Sleeve tests for control of body lice, 761
Small carpenter bee, for pollination, 1145
Smaller European elm bark beetle, rearing on artificial media, 1327
Sminthurinus elegans, 399
Snap beans, bean leaf roller damage on, 673
Sodium hypochlorite, disinfectant of *Voria ruralis*, 988
Sofus pilicornis, 463
Soil (see Methods)
Solanum spp., aphid resistance in, 1260
Solenopsis molesta validiuscula, 463
  saevissima richteri, 193
  xyloni, 463
Sorghum, greenbug control on, 169
  greenbugs cultured on, 183
Sorghum midge, insecticide effectiveness against, 87
Sorghum shoot fly, insecticide effectiveness against, 1509
  rearing, 553
Sorption of fumigants, 122
Southern armyworm, biological control by toads, 335
  response to Prodenialure, 1570
Southern cone rust, mist-blower applications to control, 520
Southern corn rootworm, control on peanuts, 280
  on artificial diet, 65
  resistance of peanut to, 245
  survival in relation to soil, 1448
Southern green stink bug pheromones, 856
Southern pine beetle, attack in loblolly pine, 1298
  control, 1440
Southern pines, *Pissodes nemorensis* damage to, 1456
Soybean (s), and green stink bug, 222
  Heliothis spp. infestations, 767
  simulated pod injury to, 984
  systemic insecticides and, 1219
Soybean looper, parasites reared from, 1550
Spacing of traps, 1090
Spaelotis, 34
Spalangia cameroni, 112
  endius, 112
  nigroaenea, 112
  spp., 343
Spathius pallidus, 1442
Species specificity of fruit flies, 606
Speed of action of insecticides, 624
Sperm precedence in insects, 578
Sphaeridium scarabaeoides, 105
Sphenophorus maidis, 1323
  phoeniciensis, 462
Spider (s), in alfalfa, 163
Spider mite, economically important, 141
  integrated control on pear, 496
Spilochalcis side, 733
Spilococcus sp nr. *striplicis*, 1103
Spilonota ocellana, 25
Spodoptera eridania, 737, 1570
  exigua, 502, 636, 737, 977, 1103, 1138, 1432
  frugiperda, 121, 144, 148
  littoralis, 1018, 1391
Spodoptera liltoralis, BL radiation attraction to, 1402
  insecticides against larvae, 115
Spodoptera ornithogalli, 977
  praefica, 737, 977
Spotted alfalfa aphid, 653
  alfalfa resistance to, 155, 506, 700
  comparison of biology of strains, 1549
Spotted cucumber beetle, resistance, 1205
  response to electric light traps, 413
Spring, applications to control alfalfa weevil, 478
  emergence of tobacco flea beetle, 88
Springtail and soil-borne fungi, 398
Spruce beetle, hazard reduction, 751
  mortality, 911
  suppression with cacodylic acid, 958
Stable flies, control, 1170, 1188
Standardization of δ-endotoxin, 610, 615
Stauffer (see B, N, R)
Stenodema spp., 249
  trispinosum, 250
Sterculia foetida oil effects on face fly, 455
Sterilant, Sterile, Sterility, Sterilization (see Methods)

Stethorus picipes, 1257
punctum, tolerance, 1072
Sticky traps for Tephritidae, 62
Stigmaeidae, 114
Stilpnus sp., 112
Stilt bug predation, 772
Stomoxys calcitrans, 1166, 1170, 1188, 1193
Stored grains, phoxim protectant for, 1536
Stored-product insects, multiplication, 98
Strawberry, resistance to: mites 383, 387, 1313
Tetranychus urticae, 806
Strawberry mite, resistance, 806
Strawberry root weevil, carbofuran against, 1325
Strigoderma arboricola, 152
Striped cucumber beetle, rearing, 1337
response to electric light traps, 413
Strobane, against cowpea curculio, 1080
speed of action, 626
Strobane-DDT against soil arthropods, 843
Sturmiopsis inferens, introduction, propagation, and releases, 1277
Submarines, cockroach control on, 1196
Substrate for positioning insects, 343
Subterranean termites, chlordane in concrete against, 1289
control, 745
Sugarbeet, scarab killing, 1311
Sugarcane borer, extinction, 660
Sulfonamides, insecticidal action, 897
Sumithion against *Heliothis*, 1000
house flies, 1015
rice stink bug, 982
Sunflower, and maize weevil, 186
planting date effect on sunflower moth, 124
susceptibility to sunflower moth, 1285
Sunflower moth, control, 208
pesticide and sunflower planting dates effect on, 124
susceptibility of sunflower to, 1285
Sunlight stability of *Heliothis* virus, 850
Suppression of: boll weevil, 919, 928
Heliothis in cotton, 486
Pieris rapae, 721
Supracide against: alfalfa weevil, 479
bluegrass weevil, 691
cowpea curculio, 1080
greenbug, 169
green peach aphid, 547
Heliothis, 1000
midges, 302
sunflower moth, 125
wireworms, 43
Surecide against *Heliothis*, 1000
Surfactants and mosquito pupae, 601
Survival (see Methods)
Susceptibility of *Coptotermes formosanus*, *Reticulitermes flavipes*, and *R. virginicus*, 472
Sweetclover root borer, biology, 1154
Sweet corn, carbaryl poisoning of honey bees, 1314
control of pests by virus, 144
European corn borer control in, 1496
reduction in insect damage to, 1241
twolined spittle damage to seedlings, 976
Sweetpotatoes, insect resistance in, 713
Symphyla, 657
Synanthedon pictipes, 879
Synergists of carbaryl in house flies, 1011
Systena elongata, 714
frontalis, biology, 135

T

Tabanidae, distribution and parasitism of eggs, 886
Tabanus abdominalis, 1195
atratus, 887, 1195
fuscicostatus, 1195
nigrovittatus, 1481
proximus, 1195
sp., 887
subsimilis, 1195
Tanytarsus spp., 300
Tarsonemus sp., 1314
Taxus, grape mealybug control on, 985
TBTC against house fly, 1052
TD-5032 against: *Pemphigus*, 331
tomato insects, 1302
TD-8550 against *Pemphigus*, 331
TDE, speed of action, 627
TDE against: soil arthropods, 843
tobacco budworm, 128
Tectocepheus sp., 1314
Telenomus tabanivorus, 887
Temnochila virescens, 1330, 1441
var. *chlorodia*, 402
Temperature (see Methods)
Tenebrio molitor, 238, 374, 1378
Tenodera superstitiosa, 1055
Tepa, against *Drosophila melanogaster*, 1521
effect on citrus red mite, 72
in *Culex pipiens quinquefasciatus*, 452
sterilization of *Hippelates pusio*, 448
treated cabbage loopers, sterility among, 784
Tephritids, baits against, 1213
detection and survey of, 62
Tepp, speed of action, 626
Teratogeny in house fly larvae, 787
Termination of pupal diapause in bollworm, 1057
Testing respiratory protective devices, 526
Tetanops myopaeformis, 283
Tetradifon against *Agistemus exsertus*, 27
Tetragnatha laboriosa, 165
Tetragnathidae on alfalfa, 164
Tetramethrin against mosquitoes, 1175
Tetranychid mites, production and processing, 1255
Tetranychus atlanticus, 383, 387, 806
cinnabarinus, 26, 321, 407, 644, 839, 1255, 1314
mcdanieli, 25, 406, 496
pacificus, 321, 407, 697, 1255
spp., 339
tumidus, 141, 321, 339
Tetranychsus turkestani, 806
responses to foliage extracts and oils, 383, 387
Tetranychus urticae, 321, 339, 350, 355, 379, 407, 496, 1313
responses to foliage extracts and oils, 383, 387
strawberry resistance to, 806
Tetranychus yusti, economically important, 141
Tetyra bipunctata, 1295
TH-093 against greenbug, 705
Tetrastichus sinope, 733
TH-184 against greenbug, 705
TH-255 against greenbug, 705
TH-265 against greenbug, 705
TH 367-I against two-spotted spider mite, 340
TH 427-I against *Pemphigus*, 331
Thanasimus dubius, 1330, 1440
Thaumatopsis pexellus, 117
Theba pisana, mortality, 667
Theridiidae on alfalfa, 164
Therioaphis maculata, 155, 506, 653, 700, 1549
trifolii, 559
Thermonectes spp., 471
Thinobius sp., 463
Thionazin (see also Zinophos)
Thionazin, in soil, 799, 801
-phorate against southern corn rootworm, 281
Thiotepa, *Anopheles pharoensis* sterilization by, 675
chemosterilized house flies, 819
Culex pipiens sterilization by, 675
in *Culex pipiens quinquefasciatus*, 452
Thixcin E, extender for male lures, 1251
Thomisidae on alfalfa, 164
Thrips tabaci, 1113
Thuricide against: cabbage looper, 1331
caterpillars, 739
cotton insects, 476
tomato insects, 1303
Thyanta punctiventrus, 1103
Thysanoptera, 520, 545, 1112, 1124, 1384
Tick-infesting appliance for hamsters, 775
Ticks, rearing radioisotope-tagged, 1423
Timing, European corn borer sprays, 1496
field releases of *Chrysopa carnea*, 311
Tineola bisselliella, 178, 989, 1562
Toads to control southern armyworm, 335
Tobacco, bird predation on tobacco hornworm infesting, 1548
carbofuran against tobacco budworm on, 102
green peach aphid control on, 1565
tobacco budworm control on, 126
tobacco flea beetle response to disulfoton on, 766
Tobacco budworms, and gamma irradiation, 1412
bioassay for resistance in cotton, 1274
black dye marks adults and eggs, 1399
carbofuran against, 102
control on tobacco, 126
cuticular composition and DDT resistance in, 1387
fatty acids in larvae, 1060
materials for control, 475
mating, 335
parasitism, 187
sterilant combinations against, 804
Tobacco flea beetle, collection on colored panels, 1575
overwintering and spring emergence, 88
response to disulfoton, 766

Tobacco hornworm, bird predation on larvae, 1548
BL trap attraction to, 1511
BL trap collections, 19, 555
cage for holding, 1322
stilt bug predation on eggs, 772
Tolerance of: carmine spider mite, 837
Stethorus punctum, 1072
Tomato, biological control on, 501
caterpillar control on, 737
fields, *Drosophila* suppression in, 1216
fruitworm, biological control, 501
insecticide effect on pollen germination in, 916
insects, insecticidal sprays against, 1302
reduction in insect damage to, 1241
varieties resistant to greenhouse whitefly, 1333
Tortistilus albidosparsa, 1103
Tourism and sandflies, 264
Toxaphene, speed of action, 626
Toxaphene against: cowpea curculio, 1081
Lygus hesperus, 57
soil arthropods, 843
tropical horse tick, 1165
winter tick, 687
Toxaphene + DDT against: caterpillars, 738
cotton insects, 477
granulate cutworm, 938
Toxaphene + DDT + methyl parathion against cotton insects, 477
Toxaphene + DDT + oil against cotton insects, 477
Toxaphene + parathion against caterpillars, 738
Toxaphene + TDE against caterpillars, 738
Toxicant response in mites, 321
Toxicity (see Methods)
Toxicological studies on cutworms, 493, 1049
Toxicology of insecticides, studying, 75
Toxoptera aurantii, 644
Trachelus sp., 422
Transferring live insects, machine for, 1544
Transmission of cowpea mosaic virus, 365
trans-verbenol and mountain pine beetle, 426
Trap-lure combination for Mediterranean fruit flies, 1211
Tests (see Methods)
Trapping, Traps (see Methods)
Trees, phytoseiid mites on, 405
Tretamine, against *Drosophila melanogaster*, 1521
behavioral effects on *Drosophila melanogaster*, 432
sterilized insects, competition, 1360
Tretamine effect on: *Drosophila melanogaster*, 391
Oncopeltus fasciatus, 1355
Trialeurodes vaporariorum, 1333
Tribolium castaneum, 408, 463, 542, 1328, 1530
confusum, 541, 975, 1201, 1304, 1530, 1563
Trichlorfon, speed of action, 626
Trichlorfon against: *Agistemus exsertus*, 27
cabbage looper, 1331
cotton insects, 482
granulate cutworm, 938
grape mealybug, 985
hardwood defoliators, 1488
hoop pine beetles, 489
horn flies, 1172
Hypoderma lineatum, 1470
Pemphigus, 331
plant bugs, 483
platynota stultana, 1556
Rosaceae branch borer, 485
Spodoptera, 116
tropical horse tick, 1165
wax scale, 891
winter tick, 687
Trichloronate (see Bay 37289)
Trichocorixa sp., 471
Trichogramma evanescens, 80, 722
host-finding by moth odor, 557
Trichogramma minutum, 80
Trichogramma pretiosum, 502
mass releases of, 501
Trichogramma sp., 504, 557
overwintering, 80
Trichoplusia ni, 261, 310, 315, 361, 502, 737, 784, 977, 988, 1103, 1132, 1138, 1293, 1315, 1331, 1373, 1421, 1544
plant preference for oviposition by, 411
population regulator of, 411
Trichopoda pennipes, response to stink bug pheromones, 856
Trifolium spp., preferences of curculios and nematodes for, 1518
Trigonotylus ruficornis, 249, 1386
Trimedlure in traps, repellent effect on Mediterranean fruit fly, 762
Trimerotropis pallidipennis, 463
Triophtydeus sp., 1314
Trogoderma sternale, 462
Tropical horse tick, insecticides against, 1164
Tropisternus lateralis, 471
Trunk, drenches for elm leaf beetle control, 1287
implantations of dicrotophos, 1295
Trycorynus nr. *piguis*, 462
Trypodendron lineatum, 914
spp., 953
Tryporyza incertulas, 1278
Trypoxylon bidentatum, 1148
sp., 1148
Turkeys, chigger control on, 900
Twolined spittlebug damage to sweet corn seedlings, 976
Twospotted spider mite, pheromone studies of, 355, 379
tests for control, 339
Tydeus kochi, 1314
Typhaea stercorea, 462
Typhlodromina eharai, 405
Typhlodromus annectans, 405
arboreus, 406, 1314
citri, 406
conspicuus, 405
eharai, 405
mcdanieli, 846
mcgregori, 406
Typhlodromus occidentalis, 405, 497, 1257, 1314
insecticide resistant strains, 846
studies on, 845
Typhlodromus pomoides, 406
Tyrophagus, 421
sp., 1314
TZ-67 against *Clivina impressifrons*, 212

U

UC-8454 against southern corn rootworm, 282
UC-20047 A against greenbug, 706
UC-30044, against oriental rat fleas, 1478
cause of guinea pig mortality, 1478
UC-34096 against: green peach aphid, 547
Pemphigus, 331
tomato insects, 1303
Udea rubigalis, 1104
Ulus crassus, 463
ULV, and American cockroach, 252
ULV, insecticides to control rice stink bug, 981
spraying for boll weevil control, 1537
sprays, monocrotophos deposits from, 200
ULV applications of: carbaryl and malathion against grasshoppers, 196
insecticides, 1170
Unaspis citri, 308
Upjohn U-24310 against lone start tick, 263
Uptake, persistence, and sterility of tepa and thiotepa in *Culex pipiens quinquefasciatus*, 452
Urbanus proteus, 673

V

Vacusus confinis, 114, 462
Vanapa orberthuri, 489, 1534
Vanessa cardui, 1102
Vapor and *Drosophila melanogaster*, 1521
Variegated cutworm, control on peppermint, 1573
VCS-506, in soil, 801
VCS-506 against: bluegrass weevil, 691
cabbage looper, 1331
caterpillars, 739
cotton insects, 476
cowpea curculio, 1080
greenbug, 705
oriental rat fleas, 1478
Pemphigus, 331
Platynota stultana, 1556
tomato insects, 1303
Ventilation system for cages, 1324
Vinegar flies, pyrethrins to control, 986
Virus to control corn earworm and fall armyworm, 144
Voria ruralis, 1544
disinfection of, 988

W

Walshia amorphella, 1154
miscecolorella, 1154
Wax scale, development and control, 889
Webbing clothes moth, fumigation of larvae, 989
Western corn rootworm, control of larvae, 764

daily oviposition cycle, 1319
diets for, 1136
evaluating corn strains for tolerance, 1514
hatch rate of eggs, 9
survival in relation to soil, 1448
Western pine beetle, predator-prey response to attractants, 402
Western spruce budworm, trends in forests, 291
Zectran toxicity to, 1307
Wheat, Angoumois grain moth control in, 923
developmental activities of rice weevils in, 1114
greenbug control on, 1338
Wheat, microwave insect control in, 950
multiplication of insects on, 98
resistance to wheat stem maggot, 95
sorption of fumigants, 122
wheat stem sawfly resistance in, 939
Wheat stem maggot, parasitism, 1129
wheat resistance to, 941
Wheat stem sawfly, artificial plant stem oviposition site for, 752
resistance, 940
temperature and light influence on development, 749
White pine weevil, aldicarb against, 771
Whitefringed beetle, survival of larvae, 993
Willowsia buskii, 399
Winter survival of boll weevil, 39
Winter tick, insecticides against, 686
Winthemia semiberbis, 1277
Wireworm control on potatoes, 945
Woolen fabrics, Gardona against moths in, 530

X

Xenopsylla cheopis, 1477
spp., 1304
Xorides corcyrensis, 484
Xyalophora quinquelineata, 444
Xylene, effect on germination, 918
Xylocoris vicarius, 463
Xysticus triguttatus, 168

Y

Yeast hydrolysate-borax bait for Caribbean fruit fly, 1541
spot disease and green stink bug, 222
Yellow-fever mosquito, chemosterilization of, 1024, 1027
Yellow mealworm, activity of aryl citronellylcarbamates on, 1378
ethers activity applied to, 374
juvenile hormone activity of acetals for, 238

Z

Zectran, speed of action, 626
toxicity to western spruce budworm, 1307
Zectran against: California oakworm, 146
tropical horse tick, 1165
wax scale, 891
winter tick, 687
Zeirapha hersperiana, 294
Zelleria haimbachi, 1572
Zelus renardii, 422, 1147
Zinophos in soil, 801
Zonosemata vittigera, biology, 417
Zygoballus sexpunctatus, 165
Zygoribatela sp., 1314
Zytron against *Heliothis*, 1000

XUM

Journal of Economic Entomology

Published by
THE ENTOMOLOGICAL
SOCIETY OF AMERICA

Volume 64 • 1971

JOURNAL OF ECONOMIC ENTOMOLOGY

WALLACE P. MURDOCH, *Executive Secretary*
RALPH W. BUNN, *Managing Editor*
4603 Calvert Road, College Park, Maryland 20740

RANDALL K. LATTA, *Editor* **GEORGE ANASTOS, *Editor***
4603 Calvert Road, College Park, Maryland 20740

EDITORIAL BOARD

E. J. HANSENS, *Chairman*, New Brunswick, N. J. (Section D, 1971)

FREEMAN L. MCEWEN, Guelph, Ont. (Section C, 1972)
RALPH W. SHERMAN, Silver Spring, Md. (Section E, 1974)
M. M. BARNES, Riverside, Calif. (Section F, 1973)
ROBERT E. MENZER, College Park, Md. (Section B, 1975)

A bimonthly journal devoted to the interests of economic entomology. Authors are entirely responsible for statements in the JOURNAL, whether of fact or opinion.

Subscriptions. Nonmembers in North America and U.S. Possessions–$23.00 per year; elsewhere–$24.00. Single copies $5.00. Deliveries overseas are not guaranteed and foreign mailings are made at the subscriber's risk. Subscribers will be charged a service fee of $1.00 for forwarding journals returned to the ESA because of failure of the subscriber to provide a timely change of address.

Missing numbers cannot be supplied free of charge in North America and U. S. Possessions unless notice is received within 60 days after the appearance of issues concerned. The Executive Secretary will be glad to quote prices for back numbers.

Reprints. A reprint price schedule that applies to orders received before the JOURNAL goes to press is shown on the order blank sent with galley proof. No reprints are furnished gratis. For price schedule see BULL. ENTOMOL. SOC. AMER. 15 (2) : 77, June 1969.

Business communications and matters pertaining to subscriptions and advertisements should be sent to the Executive Secretary. Changes of address must be received 5 days prior to the month of issue to be effective for that month.

Manuscripts and other copy should be sent to the Executive Secretary. Authors are urged to consult "Publication Policies and Instructions for Contributors" before submitting manuscripts (BULL. ENTOMOL. SOC. AMER. 15 (2) : 74–77. June 1969) . Reproduction of abstracts is authorized.

Page charges are $30.00 per page, partial pages proportionately. This charge is waived for those papers of 1 printed page or less. Prompt publication of acceptable manuscripts may be secured by payment of the cost of printing and mailing ($50.00 per page) .

METRIC CONVERSION

Contributors of papers on laboratory studies should use the metric system exclusively. Use of the metric system in reporting the results of field studies is a desirable ultimate objective. Since it is difficult to replace immediately such standard concepts as lb/acre by the units kg/hectare, yards by meters, or miles by kilometers, the following table of conversion factors is presented.

1 inch = 2.51 cm	1 ft^3 = 28.3 dm^3	1 cm = 0.394 in.	1 dm^3 = 0.0353 ft^3
1 yard = 0.914 m	1 acre = 0.405 hectares	1 m = 3.28 ft = 1.094 yards	1 hectare = 2.47 acres
1 mile = 1.61 km	1 lb/acre = 1.12 kg/hectare	1 km = 0.621 mile	1 kg/hectare = 0.89 lb/acre
1 lb = 453.6 g	1 lb/$in.^2$ (psi) = 70.3 g/cm^2	1 kg = 2.2 lb	1 g/cm^2 = 0.0142 psi
1 gal (U.S.) = 3.785 liters	1 lb/gal (U.S.) = 120 g/liter	1 liter = 0.264 gal (U.S.)	1 g/liter = 0.83 lb/100 gal (U.S.) = 1000 ppm

XUM

ENTOMOLOGICAL SOCIETY OF AMERICA

OFFICERS FOR 1971

President—R. H. Nelson, Lanham, Maryland
President-Elect—W. G. Eden, Gainesville, Florida
Executive Secretary—W. P. Murdoch, College Park, Maryland

GOVERNING BOARD

R. H. Nelson, Lanham, Maryland (1972)
P. L. Adkisson, College Station, Texas (Southwestern, 1973)
G. B. Craig, Jr., Notre Dame, Indiana (D, 1971)
W. G. Eden, Gainesville, Florida (1973)
G. E. Guyer, East Lansing, Michigan (F, 1973)
K. V. Krombein, Washington, D. C. (A, 1972)
F. L. McEwen, Guelph, Ontario (C, 1973)
W. P. Murdoch, College Park, Maryland (Non-voting)
J. V. Osmun, Lafayette, Indiana (North Central, 1972)
H. T. Reynolds, Riverside, California (Pacific, 1971)
P. O. Ritcher, Corvallis, Oregon (Past-President, 1971)
J. S. Roussel, Baton Rouge, Louisiana (Southeastern, 1971)
R. W. Sherman, Silver Spring, Maryland (Eastern, 1973)
J. F. Spears, Alexandria, Virginia (E, 1971)
C. F. Wilkinson, Ithaca, New York (B, 1972)

BRANCH OFFICERS

Chairmen

J. L. Bean—Upper Darby, Pennsylvania (Eastern)
H. C. Knutson—Manhattan, Kansas (North Central)
W. H. Lange, Jr.—Davis, California (Pacific)
C. A. King, Jr.—Waco, Texas (Southwestern)
C. R. Jordan, Jr.—Athens, Georgia (Southeastern)

Chairmen-Elect

R. E. Hamman—Ardsley, New York (Eastern)
H. B. Petty, Jr.—Urbana, Illinois (North Central)
H. F. Madsen—Summerland, British Columbia (Pacific)
S. I. Coppock, Jr.—Stillwater, Oklahoma (Southwestern)
C. F. Smith—Raleigh, North Carolina (Southeastern)

Secretary-Treasurers

H. T. Streu—New Brunswick, New Jersey (Eastern)
J. T. Schulz—Fargo, North Dakota (North Central)
W. W. Allen—Berkeley, California (Pacific)
R. O. Drummond—Kerrville, Texas (Southwestern)
T. R. Pfrimmer—Leland, Mississippi (Southeastern)

AUTHOR INDEX TO VOLUME 64

February 1–345
April 347–563
June 565–779
August 781–997
October 999–1343
December 1345–1602

A

ABOUL-NASR, A. E., see MAHMOUD HAFEZ 675
ABRAHAMSON, MARLYCE D., see GERALD R. SUTTER 1348
ADAIR, H. M., F. A. HARRIS, M. V. KENNEDY, M. L. LASTER, and E. D. THREADGILL—Drift of Methyl Parathion Aerially Applied Low Volume and Ultra Low Volume 718
ADAMS, C. T., see M. M. COLE 761
ADKINS, THEODORE R., JR., JOHN B. KISSAM, and WILLIAM F. KREBBS, III—Field Evaluation of Natural and Synthetic Pyrethroid Water-Based Pressurized Formulations Against the House Fly 459
ADKINS, THEODORE R., JR., see W. BRUCE EZELL, JR. 1345
ADKISSON, P. L., see D. R. RUMMEL 919
ADKISSON, P. L., see S. H. ROACH 1057
ADLER, VICTOR E., and MARTIN JACOBSON—Electroantennogram Responses of Adult Male and Female Japanese Beetles to Their Extracts .. 1561
ADLERZ, W. C.—A Reservoir-Equipped Moericke Trap for Collecting Aphids 966
AHMAD, SAMI, and CHARLES O. KNOWLES—Formamidase Involvement in the Metabolism of Chlorphenamidine and Formetanate Acaricides 792
ALINIAZEE, M. T.—Effect of Carbon Dioxide Gas on Respiration of the Confused Flour Beetle 1304
ALINIAZEE, M. TASKEEN, M. H. FROST, JR., and E. M. STAFFORD—Chemical Control of Grape Leafhoppers and Pacific Spider Mites on Grapevines 697
AMEN, C. R., H. H. CROWELL, and JOSEPH CAPIZZI—Robert Wilson Every (1910–1970) ..... (Obit.) 778
AMERESEKERE, R. V. W. E. and G. P. GEORGHIOU—Sterilization of the Beet Leafhopper: Induction of Sterility and Evaluation of Biotic Effects with a Model Sterilant (OM-53139) and ^{60}Co Irradiation 1074
AMMAN, GENE D., and SCOTT TUNNOCK—Radiographic Detection of *Agathis pumila*, a Parasite of the Larch Casebearer 1086
ANDERSON, R. F., see J. D. WALSTAD 322
ANDERSON, ROBERT C., see H. L. MALTBY 693
ANDERSON, S. J., see R. S. SEAY 1315
ANTHON, EDWARD, LYNN O. SMITH, and SHELLEY D. GARRETT—Artificial Diet and Pheromone Studies with Peach Twig Borer 259
APPLE, J. W.—Response of Corn to Granular Insecticides Applied to the Row at Planting 1208
APPLE, J. W., E. T. WALGENBACH, and W. J. KNEE—Thermal Requirements for Northern Corn Rootworm Egg Hatch 853
ARNETT, W. H., see E. E. SANDMEYER 155
ASQUITH, DEAN, see RICHARD COLBURN 1072
ATALLAH, Y. H., see M. A. HANNA 1391
ATALLAH, YOUSEF H.—Status of Carbaryl and DDT Resistance in Laboratory-Reared Egyptian Cotton Leafworm 1018
AXTELL, JOHN D., see RICHARD E. SHADE 437

B

BAILEY, DONALD L., G. C. LABRECQUE, and T. L. WHITFIELD—House Fly Control in a Poultry House with Insecticides in Slow-Release Plastic Formulations 138
BAKER, WILLIAM W., see BIRELY J. LANDIS ..... (Obit.) 777
BALDERSTON, C. P., see R. L. CAMPBELL 218, 985
BALL, HAROLD J.—Laboratory Observations on the Daily Oviposition Cycle in the Western Corn Rootworm 1319
BALOCK, J. W., see S. T. SEO 1270
BARBER, I. A., T. P. MCGOVERN, MORTON BEROZA, C. P. HOYT, and ANNETTE WALKER—Attractant for the Coconut Rhinoceros Beetle .. 1041
BARBER, T. C., see J. C. KELLER ..... (Obit.) 779
BARGER, J. H., R. A. CUTHBERT, and N. H. ROBERTO—Assessment of Three Pre-Cold Storage Preparations on the Feeding Response of *Scolytus multistriatus* and the Degradation of Dicrotophos 621
BARIOLA, L. A., C. B. COWAN, JR., D. E. HENDRICKS, and J. C. KELLER—Efficacy of Hexalure and Light Traps in Attracting Pink Bollworm Moths 323
BARIOLA, L. A., R. L. RIDGWAY, and J. R. COPPEDGE—Large-Scale Field Tests of Soil Applications of Aldicarb for Suppression of Populations of Boll Weevils 1280
BARIOLA, L. A., see R. L. RIDGWAY 14
BARNES, M. M., see B. A. CROFT 845
BARNES, W. W., see R. N. WILKINSON 1
BARRETT, C. C., see W. F. CHAMBERLAIN 1471
BARRETT, J. R., JR., H. O. DEAY, and J. G. HARTSOCK—Striped and Spotted Cucumber Beetle Response to Electric Light Traps 413
BARRETT, J. R., JR., H. O. DEAY, and J. G. HARTSOCK—Reduction in Insect Damage to Cucumbers, Tomatoes, and Sweet Corn Through Use of Electric Light Traps 1241
BARTLETT, B. R., see G. M. ORPHANIDES 421
BARTON, LARRY C., see H. L. MALTBY 693
BASS, MAX H., see RONALD H. SMITH 767
BASS, MAX H., see BRENT A. WHEELER 1219
BATTH, SURAT S.—Influence of Temperature on the Effectiveness of Paradichlorobenzene Fumigation of Webbing Clothes Moth Larvae 989
BATZER, O. F., see C. M. IGNOFFO 850

BAUMHOVER, A. H., see B. G. HIGHTOWER 1474
BEAL, RAY H., and VIRGIL K. SMITH—Relative Susceptibilities of *Coptotermes formosanus, Reticulitermes flavipes,* and *R. virginicus* to Soil Insecticides 472
BEAL, RAYMOND H.—Concrete Impregnated with Chlordane or Dieldrin Not Tubed Over by Subterranean Termites 1289
BEAL, RAYMOND H., see HARMON R. JOHNSTON 745
BEARDEN, R. H., and C. D. STEELMAN—Control of the Dark Rice Field Mosquito with FLIT® MLO 469
BEAVERS, J. B., R. B. HAMPTON, H. H. TOBA, and D. S. MORENO—Some Effects of Gamma Irradiation or the Chemosterilant, Tepa, on the Citrus Red Mite and Its Progeny 72
BEAVERS, J. B., J. G. SHAW, and R. B. HAMPTON—Color and Height Preference of the Citrus Thrips in a Naval Orange Grove 1112
BEAVERS, J. B., and W. H. EWART—Observations on Citrus Thrips Biology and an Improved Method of Rearing Them in the Laboratory. 1124
BEESLEY, W. N., and W. PETERS—The Insecticidal Action of Some Sulfonamides 897
BELL, R. A., see AMADOR VILLACORTA 749
BELL, ROBERT A., see AMADOR VILLACORTA 752
BENJAMIN, D. M., see R. A. GOYER 561
BENKE, G. M., and C. F. WILKINSON—In Vitro Microsomal Epoxidase Activity and Susceptibility to Carbaryl and Carbaryl-Piperonyl Butoxide Combinations in House Crickets of Different Age and Sex 1032
BENNETT, G. W., and C. G. WRIGHT—Response of German Cockroaches to Spray Constituents 1119
BENNETT, S. E., see CHARLES BRASHIER 1537
BENNETT, STELMON E., see N. B. SHAMIYEH 53
BERG, M. A., see F. H. MCNEAL 939
BERNDT, WAYNE L., see HOWARD KESSLER 1465
BEROZA, MORTON, R. T. STATEN, and B. A. BIERL—Tetradecyl Acetate and Related Compounds as Inhibitors of Attraction of the Pink Bollworm Moth to the Sex Lure Hexalure .. 580
BEROZA, MORTON, B. A. BIERL, J. G. R. TARDIF, D. A. COOK, and E. C. PASZEK—Activity and Persistence of Synthetic and Natural Sex Attractants of the Gypsy Moth in Laboratory and Field Trials 1499
BEROZA, MORTON, B. A. BIERL, E. F. KNIPLING, and J. G. R. TARDIF—The Activity of the Gypsy Moth Sex Attractant Disparlure vs. That of the Live Female Moth 1527
BEROZA, MORTON, see TERRENCE P. MCGOVERN .. 238
BEROZA, MORTON, see B. A. BIERL 297
BEROZA, MORTON, see R. E. REDFERN 374
BEROZA, MORTON, see I. A. BARBER 1041
BEROZA, MORTON, see D. B. LEUCK 1394
BERRY, RALPH E.—Effectiveness of Carbofuran Against Strawberry Root Weevils in Peppermint 1325
BICKLEY, WILLIAM E., see JOHN W. NEAL, JR. .. 338
BIERL, B. A., MORTON BEROZA, D. A. COOK, J. G. R. TARDIF, and E. C. PASZEK—Enhancement of the Activity of Extracts Containing the Gypsy Moth Sex Attractant 297
BIERL, B. A., see MORTON BEROZA 580, 1499, 1527
BILLINGSLEY, C. H., see T. L. BURGER 1253
BILLS, R. W., see D. W. HAMILTON 68
BLUME, RICHARD R., R. H. ROBERTS, JAMES L. ESCHLE, and JESSE J. MATTER—Tests of Aerosols of Deet for Protection of Livestock from Biting Flies 1193
BOBOYE, S. O.—Scale Insects on Citrus and Their Distribution in Western Nigeria 307
BODENSTEIN, OTELIA F., see MEYER SCHWARZ 576
BODNARYK, ROBERT P.—A Convenient Method for Rearing Blow Flies and Flesh Flies 986
BOHART, GEORGE E., see HOWELL V. DALY 1145
BOHN, G. W., see A. N. KISHABA 935
BOLING, J. C., and H. N. PITRE—Hostal Plant Preference for Oviposition by *Trichoplusia ni,* and Efficiency of *Apanteles marginiventris* as a Populational Regulator of *T. ni* in Field-Cage Tests 411
BOLLER, ERNST F., see RONALD J. PROKOPY 1444
BONHAM, C. D., and R. E. FYE—An Empirical Model for Predicting Boll Weevil Distribution on Cotton Plants 539
BONHAM, C. D., see R. E. FYE 636
BOŘKOVEC, A. B., see B. V. R. MADHUKAR .. 1024, 1027
BOŘKOVEC, ALEXEJ B., SHEN CHIN CHANG, and SUSAN B. HORWITZ—Chemosterilization of House Flies with Anthramycin Methyl Ether 983
BOSLER, EDWARD M., see ELTON J. HANSENS 1481
BOUSH, G. MALLORY, see GERALD A. SCHULTZ .. 347
BOWMAN, M. C., see J. A. SEAWRIGHT 452
BOWMAN, M. C., see D. B. LEUCK 1394
BOWMAN, MALCOLM C., see ROY E. BRY 177
BRADY, U. EUGENE, see J. LARRY ZETTLER 1034
BRANSON, TERRY F.—Resistance of Spring Wheat to the Wheat Stem Maggot 941
BRASHIER, CHARLES, J. A. MULLINS, and S. E. BENNETT—Electrostatic ULV Spraying for Control of the Boll Weevil 1537
BRAZZEL, J. R., see R. L. DINKINS 480
BRETT, CHARLES H., see M. J. SULLIVAN 1205
BRINDLEY, T. A., see R. D. JACKSON 1065
BRINDLEY, T. A., see J. A. HARDING 1524
BROWER, JOHN H., see ROBERT R. COGBURN 923
BROWER, JOHN H., see ELVIN W. TILTON 1337
BRUST, R. A., S. MIYAZAKI, and G. C. HODGSON—Effect of Dursban in the Drinking Water of Chicks 1179
BRUST, R. A., see R. D. DIXON 11
BRUST, R. A., see R. A. COSTELLO 324
BRY, ROY E., MALCOLM C. BOWMAN, JOE H. LANG, and FARRIST G. CRUMLEY—Evaluation of Ciba C-9491 as a Mothproofing Agent. Part I 177
BRY, ROY E., N. M. DENNIS, and JOE H. LANG—Gardona Applied to Woolen Fabric as a Mothproofer During Drycleaning 530
BRY, ROY E., JOE H. LANG, and N. M. DENNIS—Gardona as a Protectant of Rubberized Hair Cushioning Material Against Black Carpet Beetle Damage 754
BRY, ROY E., JOE H. LANG, and N. M. DENNIS—Mothproofing Woolen Cloth with Gardona Applied During Padding 990
BRY, ROY E., see JOE H. LANG 1562
BRYAN, D. E., C. G. JACKSON, R. PATANA, and E. G. NEEMANN—Field Cage and Laboratory Studies with *Bracon kirkpatricki,* a Parasite of the Pink Bollworm 1236
BUFFAM, PAUL E.—Spruce Beetle Suppression in Trap Trees Treated with Cacodylic Acid .. 958

BUFFAM, PAUL E., and FRANK M. YASINSKI—Spruce Beetle Hazard Reduction with Cacodylic Acid ... 751
BUFFAM, PAUL E., and HAROLD W. FLAKE, JR.—Roundheaded Pine Beetle Mortality in Cacodylic Acid-Treated Trees ... 969
BURDAJEWICZ, STANISLAW, see WYATT W. CONE 355
BURGER, T. L., C. H. BILLINGSLEY, F. M. PHILIPS, and G. W. HOSLER—A Process for Deglutination of Insect Eggs ... 1253
BURGESS, E. E., and N. B. SHAMIYEH—An Improved Method of Flower Thrips Extraction from Rose Flowers ... 545
BURKHOLDER, W. E., see J. W. SLOMINSKI ... 550
BURLEIGH, JOSEPH GAYNOR—Parasites Reared from the Soybean Looper in Louisiana 1968–69 ... 1550
BURNSIDE, J. A., see TIM T. Y. WONG ... 1410
BUSHLAND, R. C., and MADELON STREETER—Laboratory Tests with Gamma-Irradiated *Phormia regina* ... 84
BUTLER, GEORGE D., JR., and C. M. HUNGERFORD—Timing Field Releases of Eggs and Larvae of *Chrysopa carnea* to Insure Survival ... 311
BUTLER, GEORGE D., JR., and P. L. RITCHIE, JR.—Feed Wheast and the Abundance and Fecundity of *Chrysopa carnea* ... 933
BUTLER, GEORGE D., JR., and C. J. MAY—Laboratory Studies of the Searching Capacity of Larvae of *Chrysopa carnea* for Eggs of *Heliothis* spp. ... 1459
BUTLER, LINDA, see TIM P. YOHO ... 972
BUTT, B. A., see D. O. HATHAWAY ... 1088
BYRNE, H. DESMOND, see C. G. SUMMERS ... 478

C

CABALLA, SUSAN, see N. SETHUNATHAN ... 571
CALDERÓN, W., see R. H. RHODE ... 537
CALLENBACH, J. A., see AMADOR VILLACORTA ... 749
CALLENBACH, JOHN A., see AMADOR VILLACORTA 752
CALTAGIRONE, L. E., see D. W. MEALS ... 90
CAMERON, ROBERT SCOTT, and NORMAN E. JOHNSON—Chemical Control of the "Annual Bluegrass Weevil," *Hyperodes* sp. nr. *anthracinus* ... 689
CAMPBELL, J. B., and E. S. RAUN—Aerial ULV and LV Applications of Insecticides for Control of the Stable Fly and the Horn Fly ... 1170
CAMPBELL, JOHN B., and JOHN F. HERMANUSSEN—Efficacy of Insecticides and Methods of Insecticidal Application for Control of Stable Flies in Nebraska ... 1188
CAMPBELL, M. A., see D. W. HAMILTON ... 68
CAMPBELL, R. L., and C. P. BALDERSTON—An Approach to an Integrated Control Program for Scots Pine Christmas Trees in Ohio ... 218
CAMPBELL, R. L., and C. P. BALDERSTON—Insecticidal Control of Grape Mealybug on *Taxus* Nursery Stock in Ohio ... 985
CAMPBELL, R. LEE, and GORDON B. WARD, JR.—Insecticides Tested Against *Platynota stultana* on Euonymus ... 1556
CAMPBELL, THOMAS E.—Pine Seed and Seedling Depredations by Short-Tailed Crickets ... 1490
CAMPBELL, W. V., D. A. MOUNT, and B. S. HEMING—Influence of Organic Matter Content of Soils on Insecticidal Control of the Wireworm *Melanotus communis* ... 41
CANERDAY, T. DON, see E. F. SUBER ... 1080
CANTELO, W. W., and J. S. SMITH, JR.—Collections of Tobacco Hornworm Moths in Traps Equipped with One- or Four-Blacklight Lamps Baited with Adult Virgin Females ... 555
CANTELO, W. W., and J. S. SMITH, JR.—Attraction of Tobacco Hornworm Moths to Blacklight Traps Baited with Virgin Females ... 1511
CANTELO, W. W., see J. S. SMITH, JR. ... 19
CANTELO, WILLIAM W., and OLIVER SKOV—A Cage for Holding Female Tobacco Hornworms at Light Traps ... 1322
CANTU, E., see R. E. REDFERN ... 1570
CAPIZZI, JOSEPH, see C. R. AMEN ... (Obit.) 778
CARLSON, ELMER C.—New Insecticides to Control Sunflower Moth ... 208
CAROLIN, V. M., and W. K. COULTER—Trends of Western Spruce Budworm and Associated Insects in Pacific Northwest Forests Sprayed with DDT ... 291
CAROLIN, V. M., G. E. DATERMAN, and W. K. COULTER—Techniques in Obtaining Overwintering Larvae of European Pine Shoot Moth for Mass Rearing ... 1408
CARPENTER, G. P., see D. R. SCOTT ... 945
CARRANZA, R. L., see R. E. FYE ... 1318
CARROLL, E. F., see B. J. SMITTLE ... 1030
CARRUTH, L. A.—George Peter Wene (1913–1971) ... (Obit.) 1342
CARRUTH, L. A., see GERALD L. JUBB, JR. ... 1229
CASAGRANDE, RICHARD A., see FREDERICK W. STEHR ... 340
CHALFANT, RICHARD B., see E. F. SUBER ... 1080
CHAMBERLAIN, W. F., and D. E. HOPKINS—The Synthetic Juvenile Hormone for Control of *Bovicola limbata* on Angora Goats ... 1198
CHAMBERLAIN, W. F., D. E. HOPKINS, and C. C. BARRETT—Absorption and Excretion of ^{14}C-Labeled Stauffer R-3828 by a Steer ... 1471
CHAMBERS, D. L., see K. OHINATA ... 781
CHAMBERS, D. L., see R. T. CUNNINGHAM ... 948
CHAMBERS, D. L., see S. NAKAGAWA ... 1211
CHAMBERS, D. L., see E. J. HARRIS ... 1213
CHAMBERS, D. L., see W. J. SCHROEDER ... 1221
CHAMBERS, D. L., see S. T. SEO ... 1270
CHAND, NASIB, M. L. SAINI, and H. R. KRUEGER—Persistent Toxicity of Formothion and Phorate to Mustard Aphid on *Brassica* Plants 517
CHANG, SHEN CHIN, see ALEXEJ B. BOŘKOVEC ... 983
CHAPLIN, C. E., see J. G. RODRIGUEZ ... 383
CHAPLIN, C. E., see Z. T. DABROWSKI ... 806
CHAUTHANI, ABDUL R., MELVIN SNIDEMAN, and CARL S. REHNBORG—Comparison of Commercially Produced *Bacillus thuringiensis* var. *thuringiensis* with Two Bioassay Techniques Based on Toxicity Units ... 1291
CHERRY, EDWARD T., and CHARLES D. PLESS—Effect of Carbofuran and Disulfoton on Parasitism of Tobacco Budworms and Hornworms on Burley Tobacco ... 187
CHERRY, EDWARD T., see CHARLES D. PLESS ... 172
CHESNUT, THOMAS LLOYD, and W. A. DOUGLAS—Competitive Displacement Between Natural Populations of the Maize Weevil and the Angoumois Grain Moth in Mississippi ... 864
CHIANG, H. C., DALLAS RASMUSSEN, and RAYMOND GORDER—Survival of Corn Rootworm Larvae Under Minimum Tillage Conditions ... 1576

CHRISTENSEN, C. M., see H. R. GUNDU RAO ... 1563
CHU, YOUNG C., and L. K. CUTKOMP—The In Vitro and In Vivo Inhibition of ATPases in American Cockroaches by Chlordane 559
CHUNG, S. L., P. C. LIPPOLD, H. TASHIRO, and L. M. MASSEY, JR.—Gamma Irradiation of the European Chafer. 1. Irradiation of Third-Stadial Larvae, with Observations on Spermatogenesis 823
CHUNG, S. L., H. TASHIRO, P. C. LIPPOLD, and L. M. MASSEY, JR.—Gamma Irradiation of the European Chafer. 2. Determination of Sterilization Dose Levels for Adults, with Notes on Rearing Techniques 832
CHUNG, S. L., H. TASHIRO, and L. M. MASSEY, JR.—Gamma Irradiation of the European Chafer. 3. Longevity, Flight Behavior, and Mating Competitiveness of Sterilized Males, with Observations on Reproductive Biology . 883
CHUO, S. K., and MARTIN SHERMAN—Toxicity and Anticholinesterase Activity of Two Halogenated Phosphorothioates to *Boettcherisca peregrina* and *Chrysomya megacephala* 565
CLARK, E. W., and J. D. WHITE—Carbohydrate, Amino Acid, and Inorganic Constituents of Leaves of Two Hosts of the Elm Spanworm. 1009
CLARK, JAMES M., see RALPH W. DEAN . (Obit.) 563
CLARK, P. H., M. M. COLE, D. L. FORGUM, J. R. WHEELER, K. W. WEEKS, and BRYAN E. MILLER—Preliminary Evaluation of Three Systemic Insecticides in Baits for Control of Fleas of Wild Rats and Rabbits 1190
CLARK, P. H., and M. M. COLE—Systemic Insecticides for Control of Oriental Rat Fleas: Preliminary Tests in Guinea Pigs, 1967–69 .. 1477
CLARKE, R. G., and GERALD E. WILDE—Association of the Green Stink Bug and the Yeast-Spot Disease Organism of Soybeans. III. Effect on Soybean Quality 222
CLEVELAND, M. L., see TIM T. Y. WONG 132, 553, 879
CLIFT, A. E., see D. O. HATHAWAY 1088
COGBURN, ROBERT R., JOHN H. BROWER, and ELVIN W. TILTON—Combination of Gamma and Infrared Radiation for Control of the Angoumois Grain Moth in Wheat 923
COLBURN, RICHARD, and DEAN ASQUITH—Tolerance of the Stages of *Stethorus punctum* to Selected Insecticides and Miticides 1072
COLE, M. M., J. M. HIRST, I. H. GILBERT, and C. T. ADAMS—Sleeve Tests of Insecticides for Control of Body Lice in 1969–70 761
COLE, M. M., see P. H. CLARK 1190, 1477
COLEMAN, D. LYLE—Thaddeus Hedges Parks (1887–1971) ..... (Obit.) 1576
COLES, L. W., see W. H. DAY 190
COLLINS, R. C., and L. W. DEWHIRST—The Cattle Grub Problem in Arizona. II. Phenology of Common Cattle Grub Infestations and Their Effects on Weight Gains of Preweaning Calves 1467
COMBS, ROBERT L., JR., see CLIFFORD E. HOELSCHER 256
CONE, WYATT W. —Grape Mealybug Control in Concord Grape Field Trials in Central Washington 1552
CONE, WYATT W., LESLIE M. MCDONOUGH, JAY C. MAITLEN, and STANISLAW BURDAJEWICZ—Pheromone Studies of the Twospotted Spider Mite. 1. Evidence of a Sex Pheromone 355
CONE, WYATT W., STANISLAW PREDKI, and E. C. KLOSTERMEYER—Pheromone Studies of the Twospotted Spider Mite. 2. Behavioral Response of Males to Quiescent Deutonymphs . 379
COOK, D. A., see B. A. BIERL 297
COOK, D. A., see MORTON BEROZA 1499
COPPEDGE, J. R., see L. A. BARIOLA 1280
CORLEY, CALVIN, see J. A. HARDING 1524
CORREA, J. A., see H. T. DULMAGE 1421
COSTELLO, R. A., and R. A. BRUST—Longevity of *Aedes vexans* Under Different Temperatures and Relative Humidities in the Laboratory 324
COULTER, W. K., see V. M. CAROLIN 291, 1408
COWAN, C. B., JR., see L. A. BARIOLA 323
CREIGHTON, C. S., T. L. MCFADDEN, and R. B. CUTHBERT—Control of Caterpillars on Tomatoes with Chemicals and Pathogens 737
CROFT, B. A., and M. M. BARNES—Comparative Studies on Four Strains of *Typhlodromus occidentalis*. III. Evaluations of Releases of Insecticide-Resistant Strains into an Apple Orchard Ecosystem 845
CROSS, WILLIAM H., see HENRY C. MITCHELL .. 773
CROSSLAND, JANICE L., see H. S. DUCOFF 541
CROWELL, H. H., see C. R. AMEN ..... (Obit.) 778
CRUMLEY, FARRIST G., see ROY E. BRY 177
CUNNINGHAM, R. T., D. SUDA, D. L. CHAMBERS, and S. NAKAGAWA—Aerial Broadcast of Free-Falling Pupae of the Mediterranean Fruit Fly for Sterile-Release Programs 948
CUNNINGHAM, R. T., see S. NAKAGAWA 762, 1211
CUNNINGHAM, R. T., see K. OHINATA 1250
CURRY, JAMES P., and DAVID PIMENTEL—Evaluation of Tomato Varieties for Resistance to Greenhouse Whitefly 1333
CUTHBERT, F. P., JR., and B. W. DAVIS—Factors Associated with Insect Resistance in Sweetpotatoes 713
CUTHBERT, FRANK P., JR., see MEYER SCHWARZ .. 769
CUTHBERT, R. A., see J. H. Barger 621
CUTHBERT, R. B., see C. S. CREIGHTON 737
CUTKOMP, L. K., see YOUNG C. CHU 559

D

DABROWSKI, Z. T., and J. G. RODRIGUEZ—Studies on Resistance of Strawberries to Mites. 3. Preference and Nonpreference Responses of *Tetranychus urticae* and *T. turkestani* to Essential Oils of Foliage 387
DABROWSKI, Z. T., J. G. RODRIGUEZ, and C. E. CHAPLIN—Studies in the Resistance of Strawberries to Mites. IV. Effect of Season on Preference or Nonpreference of Strawberries to *Tetranychus urticae* 806
DABROWSKI, Z. T., see J. G. RODRIGUEZ 383
DALY, HOWELL V., GEORGE E. BOHART, and ROBBIN W. THORP—Introduction of Small Carpenter Bees into California for Pollination. 1. Release of *Pithitis smaragdula* 1145
DANIELS, NORRIS E.—Detection of Insecticidal Residue and Control of Soil Insects 175
DARROW, D. I., see R. O. DRUMMOND 1166
DARWAZEH, HUSAM A., see MIR S. MULLA 300
DATERMAN, G. E., see V. M. CAROLIN 1408
DAUM, R. J., see G. H. MCKIBBEN 583
DAVICH, T. B., see G. H. MCKIBBEN ..317, 583, 1493
DAVICH, T. B., see JACK W. HAYNES 325

DAVICH, T. B., see D. D. HARDEE 928
DAVIDSON, A., see L. A. FALCON 56
DAVIES, JOHN B., see JOHN R. LINLEY 264
DAVIS, B. W., see F. P. CUTHBERT, JR. 713
DAVIS, D. G., see TIM T. Y. WONG 132, 553, 879, 1410
DAY, W. H., L. W. COLES, J. A. STEWART, and R. W. FUESTER—Distribution of *Microctonus aethiops* and *M. colesi*, Parasites of the Alfalfa Weevil, in the Eastern United States 190
DEAN, GERALD, see CHARLES LINCOLN 1326
DEAN, H. A., and CLIFFORD E. HOELSCHER—Juice Quality of Valencia Oranges as Affected by Petroleum Oils Applied During the Postbloom and Summer Periods 523
DEAN, RALPH W., JAMES M. CLARK and GEDDES W. SIMPSON—Leo Wilfred Boulanger (1924–1970) ..... (Obit.) 563
DEAY, H. O., see J. R. BARRETT, JR. 413, 1241
DEBARR, GARY L., and FRED R. MATTHEWS—Mist-Blower Applications for Control of Flower Thrips and Southern Cone Rust in a Slash Pine Seed Orchard 520
DEBARR, GARY L., see EDWARD P. MERKEL 1295
DECKER, GEORGE C., and J. V. MADDOX—Effect of Temperature on Rate of Development and Survival of *Simyra henrici* 94
DECKER, GEORGE C., and JOSEPH V. MADDOX—Observations on the Bionomics of *Simyra henrici* 117
DECKER, GEORGE C., COSTAS A. KOUSKOLEKAS, and RICHARD J. DYSART—Some Observations on Fecundity and Sex Ratios of the Potato Leafhopper 1127
DE LAS CASAS, ERNESTO, see PHILLIP K. HAREIN 975
DE LAS CASAS, ERNESTO, see H. R. GUNDU RAO 1563
DENNIS, N. M., see ROY E. BRY 530, 754, 990
DEONIER, CALVIN E., see BIRELY J. LANDIS ..... (Obit.) 777
DEPEW, LESTER J.—Evaluation of Foliar and Soil Treatments for Greenbug Control on Sorghum 169
DEPEW, LESTER J.—Effect of In-Furrow Treatments of Three Systemic Insecticides on Grain Sorghum Emergence 1321
DEVANEY, JOYCE A., GAINES W. EDDY, ERASMO LOPEZ, and BOBBY D. HANDKE—Response of three Colonies of Screwworm Flies to Proteins and Sugars in a Multiple-Choice Olfactometer 809
DEWHIRST, L. W., see R. C. COLLINS 1467
DICKE, EDWIN B., see DELMON W. LAHUE 1530
DICKERSON, W. A., JR., see C. R. GENTRY 335
DINKINS, R. L., J. R. BRAZZEL, and C. A. WILSON—Effect of Early Season Insecticide Applications on Major Predaceous Arthropods in Cotton Fields Under an Integrated Control Program 480
DITTRICH, V., and A. LOŇCAREVIĆ—New Insecticides for Asiatic Rice Borer Control in Paddy Rice 1225
DIXON, R. D., and R. A. BRUST—Field Testing of Insecticides Used in Mosquito Control, and a Description of the Bioassay Technique Used in Temporary Pools 11
DOGGETT, C. A.—Foliage Coloration Changes in Loblolly Pine During Southern Pine Beetle Attack 1298
DOLPHIN, R. E., see T. T. Y. WONG 879
DOLPHIN, R. E., see TIM T. Y. WONG 1410
DOMINICK, C. B.—Overwintering and Spring Emergence of the Tobacco Flea Beetle 88
DOMINICK, C. B.—Evaluation of Systemic Insecticides for Green Peach Aphid Control on Tobacco 1565
DOMINICK, C. B.—Collection of the Tobacco Flea Beetle on Colored Panels 1575
DON, HAROLD, see M. W. NIELSON 506
DOUGHERTY, EDWARD M., see ROBERT M. FAUST 610, 615
DOUGLAS, W. A., see THOMAS LLOYD CHESNUT 864
DOWLING, C. F., JR., see R. H. RHODE 708
DRAKE, JOHN L., GEORGE W. WARE, and FLOYD G. WERNER—Insecticidal Effects on Soil Arthropods 842
DRUMMOND, R. O., W. J. GLADNEY, T. M. WHETSTONE, and S. E. ERNST—Laboratory Testing of Insecticides for Control of the Winter Tick 686
DRUMMOND, R. O., W. J. GLADNEY, T. M. WHETSTONE, and S. E. ERNST—Testing of Insecticides Against the Tropical Horse Tick in the Laboratory 1164
DRUMMOND, R. O., D. I. DARROW, and W. J. GLADNEY—Further Evaluation of Animal Systemic Insecticides, 1970 1166
DUCOFF, H. S., ALICE P. VAUGHAN, and JANICE L. CROSSLAND—Dose-Fractionation and the Sterilization of Radiosensitive Male Confused Flour Beetles 541
DUKES, JAMES C., and KIRBY L. HAYS—Seasonal Distribution and Parasitism of Eggs of Tabanidae in Alabama 886
DULMAGE, H. T., D. A., WOLFENBARGER, M. J. LUKEFAHR, and J. A. CORREA—Field Tests with the HD-1 Formulation of the δ-Endotoxin of *Bacillus thuringiensis* Against the Cabbage Looper on Cabbage 1421
DUPUIS, G., W. MUECKE, and H. O. ESSER—The Metabolic Behavior of the Insecticidal Phosphorous Ester GS-13005 588
DURANT, JOHN A.—Field Evaluation of Candidate Materials for Maize Billbug Control .. 1323
DYSART, RICHARD J., see GEORGE C. DECKER .. 1127

E

EBERHART, S. A., see K. J. STARKS 740
ECONOMOPOULOS, A. P., and H. T. GORDON—Chemosterilization of *Oncopeltus fasciatus*. 1. Control Experiments 1351
ECONOMOPOULOS, A. P., and H. T. GORDON—Chemosterilization of *Oncopeltus fasciatus*. 2. Effect of Tretamine and Metepa on Adult Males and Females 1355
ECONOMOPOULOS, A. P., and H. T. GORDON—Chemosterilization of *Oncopeltus fasciatus*. 3. Competition Between Normal and Tretamine-Sterilized Insects 1360
EDDY, GAINES W., see JOYCE A. DEVANEY 809
EDMONDS, C. M., see ALAN C. YORK 1332
EIKENBARY, R. D., see H. B. JACKSON 1435
ELBADRY, E. A., see M. R. ABO ELGHAR 26
ELSEY, KENT D.—Stilt Bug Predation on Artificial Infestation on Tobacco Hornworm Eggs 772

ENNS, WILBUR R., see PHYLLIP P. STANDLEA ... 1324
ERAKEY, M. A. S., see MAHMOUD HAFEZ 979
ERNST, S. E., see R. O. DRUMMOND 686, 1164
ESCHLE, J. L., see M. C. IVEY 320
ESCHLE, JAMES L., H. D. MANN, and D. D. OEHLER—Residues of Compound 4072 in Milk and Meat of Cattle Held in Barns Treated with Residual Sprays 896
ESCHLE, JAMES L., see RICHARD E. GINGRICH ... 1183
ESCHLE, JAMES L., see RICHARD R. BLUME 1193
ESSER, H. O., see G. DUPUIS 588
EUGENIO, CESARIA P., see PHILLIP K. HAREIN .. 975
EUGENIO, CESARIA, see H. R. GUNDU RAO 1563
EVERETT, RONALD, see SIDNEY E. KUNZ 900
EVERSOLE, J. W.—Mortalities of *Cochicella barbara* and *Theba pisana* Land Snails Exposed to Low Temperatures in Morocco 667
EVERSOLE, J. W.—Feeding of American and Oriental Cockroaches on Baits Imbedded in Paraffin 1316
EWART, W. H., see J. B. BEAVERS 1124
EZELL, W. BRUCE, JR., and THEODORE R. ADKINS, JR.—Use of the Electron Microscope to Detect Organic-Phosphate-Induced Demyelination .. 1345

F

FAIRCHILD, M. L., see G. J. MUSICK 9
FAIRCHILD, M. L., see M. S. ZUBER 1514
FALCON, L. A., R. VAN DEN BOSCH, J. GALLAGHER, and A. DAVIDSON—Investigations of the Pest of *Lygus hesperus* in Cotton in Central California 56
FALES, JOHN H., see MEYER SCHWARZ 576
FANARA, DEAN M., see MIR S. MULLA 300
FARGERLUND, J., see J. G. SHAW 1305
FAUST, ROBERT M., EDWARD M. DOUGHERTY, ARTHUR M. HEIMPEL, and CHARLES F. REICHELDERFER—Standardization of the δ-Endotoxin Produced by Several Varieties of *Bacillus thuringiensis*. 1. Enzyme Kinetics of the Trypsin-Azoalbumin-δ-Endotoxin System 610
FAUST, ROBERT M., EDWARD M. DOUGHERTY, ARTHUR M. HEIMPEL, and CHARLES F. REICHELDERFER—Standardization of the δ-Endotoxin Produced by Several Varieties of *Bacillus thuringiensis*. 2. Enzyme Inhibition (In_{50}) as a Method of Standardizing Commercial Preparations of the δ-Endotoxin 615
FENTIMAN, A. F., JR., see G. W. KINZER 970
FIELDS, E. S., see R. M. WATERS 526
FILMER, ROBERT S., see HILARY F. GOONEWARDENE 327
FINDLEY, W. R., see L. R. NAULT 21
FLAKE, H. W., JR., C. K. LISTER, and H. E. MEYER—A Pruning Head Adapted to Telescopic Extension Poles for Sampling Insect Populations 1557
FLAKE, HAROLD W., JR., see PAUL E. BUFFAM .. 969
FLESCHNER, C. A., see R. A. MEDVED 342
FLESCHNER, C. A., see J. A. MCMURTRY 405
FLESSEL, J. K., and H. D. NIEMCZYK—Theoretical Values of Fully Grown First-Cutting Alfalfa Lost to Alfalfa Weevil Larvae 328
FLETCHER, L. W., and J. S. LONG—A Bacterial Disease of Cigarette Beetle Larvae 1559
FLINT, H. M., E. L. WALK, W. KLASSEN, and D. GREENBERG—Biological Effects of Irradiation with Thermal Neutrons on Boll Weevils Fed Boric Acid Containing Boron-10 1002
FLETCHER, L. W., and J. S. LONG—Influence of Food Odors on Oviposition by the Cigarette Beetle on Nonfood Materials 770
FLOYD, E. H.—Relationship Between Maize Weevil Infestation in Corn at Harvest and Progressive Infestation During Storage 408
FLOYD, E. H., see ROGER N. WILLIAMS 186, 1407, 1438
FLUNO, J. A., and NORMAN MITLIN—John Carlos Keller (1918–1971) ..... (Obit.) 996
FLUNO, JOHN A., see CARROLL N. SMITH 1341
FLYNN, A. D., and H. F. SCHOOF—Control of German Cockroaches Aboard U. S. Naval Surface Ships on the East Coast 1176
FOLTZ, R. L., see G. W. KINZER 970
FORGUM, D. L., see P. H. CLARK 1190
FOX, C. J. S., see D. K. R. STEWART 367
FRENCH, JOHN C., see LOY W. MORGAN 937
FRIED, M.—Determination of Sterile-Insect Competitiveness 869
FROST, M. H., JR., see M. TASKEEN ALINIAZEE .. 697
FRYE, ROBERT H., and NOEL D. WYGANT—Spruce Beetle Mortality in Cacodylic Acid-Treated Engelmann Spruce Trap Trees 911
FUESTER, R. W., see W. H. DAY 190
FUHREMANN, T. W., see E. P. LICHTENSTEIN ... 585
FUJIMOTO, M., see K. OHINATA 781
FUKUTO, T. R., see RUVEN M. SACHER 1011
FURR, R. E., and M. L. LASTER—Field Tests for Control of Two-Spotted Spider Mite on Cotton in Mississippi Delta 339
FURR, R. E., see T. R. PFRIMMER 475
FURR, R. E., see M. L. LASTER 974
FYE, R. E.—Temperature in the Plant Parts of Short-Staple Cotton 1432
FYE, R. E.—Mortality of Mature Larvae of the Pink Bollworm Caused by High Soil Temperatures 1568
FYE, R. E., and C. D. BONHAM—Temperature in the Plant Parts of Long-Staple Cotton ... 636
FYE, R. E., and D. E. SURBER—Effects of Several Temperature and Humidity Regimens on Eggs of Six Species of Lepidopterous Pests of Cotton in Arizona 1138
FYE, R. E., and R. L. CARRANZA—Canopies of Deltapine Smoothleaf and Pima S-2 Cotton Plants 1318
FYE, R. E., see C. D. BONHAM 539
FYE, RICHARD L., and G. C. LABRECQUE—Chemicals as Inhibitors of the Reproduction of House Flies 756
FYE, RICHARD L., and G. C. LABRECQUE—Autosterilization of House Flies with Several Chemosterilants 973

G

GADALLAH, AHMED I., WENDELL W. KILGORE, and RUTH PAINTER—Effect of the Chemosterilant *P,P'*-Bis (1-aziridinyl) -*N*- (3-methoxypropyl) Phosphinothioic Acid on Ribosomal RNA and Ribosomal Protein in the Eggs of House Flies 371
GADALLAH, AHMED I., and EUGENE M. STAFFORD—Some Behavioral Effects of Metepa and Tretamine on *Drosophila melanogaster* 432
GADALLAH, AHMED I., and EUGENE M. STAFFORD—Chemosterilant Effects of Metepa and Tretamine on Larvae, Pupae, and Adults of *Drosophila melanogaster* 391

GADALLAH, AHMED I., WENDELL W. KILGORE, and RUTH R. PAINTER—Protein Synthesis by Ribosomes from Eggs of Normal and Thiotepa-Chemosterilized House Flies 819
GADALLAH, AHMED I., and EUGENE M. STAFFORD—Effect of Vapor and Residual Chemosterilants on Reproduction of adult *Drosophila melanogaster* 1521
GADALLAH, AHMED I., see WENDELL W. KILGORE 30
GALFORD, JIMMY R.—Improved Techniques for Rearing the Smaller European Elm Bark Beetle on Artificial Media 1327
GALLAGHER, J., see L. A. FALCON 56
GALLAGHER, K. J., see A. G. GENTILE 916
GANGULY, S. K., see P. K. RAMACHANDRAN 1293
GARRETT, SHELLEY D., see EDWARD ANTHON 259
GARRY, C. E., and C. W. WINGO—Factors Affecting Parasitism of the Face Fly by *Aphaereta pallipes* in Laboratory Studies 104
GARY, NORMAN E.—Magnetic Retrieval of Ferrous Labels in a Capture-Recapture System for Honey Bees and Other Insects 961
GASTON, LYLE K., see R. K. SHARMA 361
GENTILE, A. G., K. J. GALLAGHER, and Z. SANTNER—Effect of Some Formulated Insecticides on Pollen Germination in Tomato and Petunia 916
GENTRY, C. R., W. A. DICKERSON, JR., and J. M. STANLEY—Populations and Mating of Adult Tobacco Budworms and Corn Earworms in Northwest Florida Indicated by Traps 335
GENTRY, C. R., see JERRY A. PAYNE 92
GENTRY, C. R., see C. E. YONCE 1111
GENTZ, GLENN, see WALDEMAR KLASSEN 1334
GEORGHIOU, G. P., see R. V. W. E. AMERESEKERE 1074
GERHARDT, PAUL D., and MICHAEL E. STANGHELLINI—Scarab Larvae Killing Sugarbeet Seedlings 1311
GIFFORD, J. R., see B. F. OLIVER 981
GILBERT, I. H., see M. M. COLE 761
GILLOGLY, A. R., see R. N. WILKINSON 1
GINGRICH, RICHARD E., A. J. GRAHAM, and B. G. HIGHTOWER—Media Containing Liquefied Nutrients for Mass-Rearing Larvae of the Screwworm 678
GINGRICH, RICHARD E., and JAMES L. ESCHLE—Susceptibility of Immature Horn Flies to Toxins of *Bacillus thuringiensis* 1183
GIRARDEAU, J. H., JR.—Carbofuran, a Systemic Insecticide for Control of the Tobacco Budworm on Tobacco 102
GLADNEY, W. J., see R. O. Drummond 686, 1164, 1166
GLASS, E. H., and S. E. LIENK—Apple Insect and Mite Populations Developing After Discontinuance of Insecticides: 10-Year Record 23
GOBLE, H. W., see F. L. MCEWEN 1572
GOEDEN, R. D., and D. W. RICKER—Imported Alligatorweed Insect Enemies Precluded from Establishment in California 329
GOEDEN, RICHARD D., and DONALD W. RICKER—Biology of *Zonosemata vittigera* Relative to Silverleaf Nightshade 417
GOEDEN, RICHARD D.—The Phytophagous Insect Fauna of Milk Thistle in Southern California 1101
GOJMERAC, W. L., see J. W. SLOMINSKI 550
GONZALEZ, D., see G. M. ORPHANIDES 421
GOONEWARDENE, HILARY F., and ROBERT S. FILMER—A Technique for Evaluation of Field Control of the Alfalfa Weevil Using a Fixed Population 327
GORDEN, J. M., see J. G. SHAW 1223
GORDER, RAYMOND, see H. C. CHIANG 1576
GORDON, C. H., see R. W. MILLER 902
GORDON, H. T., and L. T. JAO—Effect of Methylenedioxphenyl Synergists on the Toxicity of Carbaryl, Pyrethrin I, Malaoxon, and Malathion to the S Strain of the Large Milkweed Bug 546
GORDON, H. T., see A. P. ECONOMOPOULOS 1351, 1355, 1360
GORE, F., see C. R. HARRIS 1049
GORZ, H. J., see G. R. MANGLITZ 1154
GOYER, R. A., and D. M. BENJAMIN—Infection of a Pine Root Weevil, *Hylobius rhizophagus*, by Two Muscardine Fungi 562
GRAHAM, A. J., see RICHARD E. GINGRICH 678
GRAHAM, H. M., and C. L. MANGUM—Larval Diets Containing Dyes for Tagging Pink Bollworm Moths Internally 376
GRAHAM, H. M., see C. A. RICHMOND 332, 992
GRAHAM, H. M., see M. J. LUKEFAHR 486
GRAHAM, H. M., see D. A. WOLFENBARGER 755
GRANT, G. G.—Feeding Activity of Adult Cabbage Loopers on Flowers with Strong Olfactory Stimuli 315
GRAY, B.—Insecticidal Control of *Hylurdrectonus araucariae* Attacking Hoop Pine in New Guinea. 1. Evaluation of Insecticides in Field Trials 488
GRAY, B.—Insecticidal Control of *Hylurdrectonus araucariae* Attacking Hoop Pine in New Guinea. 2. Further Testing of Propoxur ... 1533
GREEN, H. B., and C. A. WILSON—Arthur Lee Hamner (1901–1970) ..... (Obit.) 997
GREEN, NATHAN, J. DAVID WARTHEN, JR., and CHARLES L. MANGUM—Analysis of Hexalure as Related to Its Attractancy to Pink Bollworm Moths 1381
GREENBERG, D., see H. M. FLINT 1002
GREENE, G. L.—Economic Damage Levels of Bean Leaf Roller Populations on Snap Beans 673
GREENE, G. L., and R. THURSTON—Ovipositional Preference of *Heliothis virescens* for Nicotiana Species 641
GREENE, G. L., and R. B. WORKMAN—Cabbage Looper Control on Collards in Florida 1331
GREGSON, J. D.—A Tick-Infesting Appliance for Hamsters 775
GROTHAUS, R. H., see J. A. MULRENNAN, JR. ... 1196
GUELDNER, R. C., see G. H. MCKIBBEN 317
GUERRA, A. A., D. A. WOLFENBARGER, and M. J. LUKEFAHR—Effects of Substerilizing Doses of Reserpine and Gamma Irradiation on Reproduction of the Tobacco Budworm 804
GUERRA, A. A., see DAN A. WOLFENBARGER ... 1412
GUEST, RICHARD T., see HORATIO C. MASON ... 1216
GUNDU RAO, H. R., CESARIA EUGENIO, C. M. CHRISTENSEN, ERNESTO DE LAS CASAS, and PHILLIP K. HAREIN—Survival and Reproduction of Confused Flour Beetles Exposed to Fungus Metabolites 1563
GUSS, P. L., see G. R. SUTTER 65
GUTHRIE, F. E., see L. G. SELLERS 352
GUTIÉRREZ, J., see R. H. RHODE 708
GYRISCO, G. G., see ALAN C. YORK 1332

H

HACKEROTT, H. L., see T. L. HARVEY 513

HAFEZ, MAHMOUD, A. E. ABOUL-NASR, and H. S. SALAMA—Studies on the Control of Mosquitoes in Egypt by Means of Chemosterilants. IV. Sterilization of *Anopheles pharoensis* and *Culex pipiens* by Apholate and Thiotepa .. 675

HAFEZ, MAHMOUD, M. F. OSMAN, and M. S. OMAR—Studies on Control of House Flies in Egypt by Chemosterilants. V. Mating Competitiveness of Laboratory and Wild Strains of *Musca domestica vicina* 967

HAFEZ, MAHMOUD, M. F. OSMAN, M. A. S. ERAKEY—Studies on Control of House Flies in Egypt by Chemosterilants. IV. Laboratory Evaluation of Chemosterilant Baits on *Musca domestica vicina* 979

HALE, R. L., and H. H. SHOREY—Effect of Foliar Sprays on the Green Peach Aphid on Peppers in Southern Californa 547

HAMILTON, D. W., W. H. LUCKMANN, M. A. CAMPBELL, W. W. MAINES, R. W. BILLS, and L. B. MATZENBACHER—Low-Volume Aerial Application of Carbaryl Over a Large Area to Reduce a Population of Japanese Beetles. 68

HAMILTON, D. W., P. H. SCHWARTZ, B. G. TOWNSHEND, and C. W. JESTER—Traps Reduce an Isolated Infestation of Japanese Beetle 150

HAMILTON, D. W., P. H. SCHWARTZ, B. G. TOWNSHEND, and C. W. JESTER—Effect of Color and Design of Traps on Captures of Japanese Beetles and Bumblebees 430

HAMILTON, EUGENE W., see GERALD R. SUTTER . 1348

HAMM, J. J., and J. R. YOUNG—Value of Virus Presilk Treatment for Corn Earworm and Fall Armyworm Control in Sweet Corn ... 144

HAMMOND, C. L., see J. A. MULRENNAN, JR. .. 1196

HAMPTON, R. B., see J. B. BEAVERS 72, 1112

HANDKE, BOBBY D., see JOYCE A. DEVANEY .. 809

HANNA, M. A., and Y. H. ATALLAH—Penetration and Biodegradation of Carbaryl in Susceptible and Resistant Strains of the Egyptian Cotton Leafworm 1391

HANSENS, ELTON J., EDWARD M. BOSLER, and JAMES W. ROBINSON—Use of Traps for Study and Control of Saltmarsh Greenhead Flies.. 1481

HANSENS, ELTON J.—Bailey Breazeale Pepper (1906–1970) ..... (Obit.) 1577

HARDEE, D. D., O. H. LINDIG, and T. B. DAVICH—Suppression of Populations of Boll Weevils Over a Large Area in West Texas with Pheromone Traps in 1969 928

HARDEE, D. D., NEVIE M. WILSON, E. B. MITCHELL, and P. M. HUDDLESTON—Factors Affecting Activity of Grandlure, the Pheromone of the Boll Weevil, in Laboratory Bioassays 1454

HARDEE, D. D., see R. L. RIDGWAY 14

HARDEE, D. D., see G. H. MCKIBBEN 317

HARDING, J. A., T. A. BRINDLEY, CALVIN CORLEY, and W. G. LOVELY—Effect of Corn Row Spacing and of Plant Populations on Establishment and Control of the European Corn Borer 1524

HARDING, JAMES A.—Field Tests of Chemicals for Control of the Poplar Petiole Gall Aphid on Cabbage 330

HARDING, JAMES A.—Field Comparisons of Insecticidal Sprays for Control of Four Tomato Insects in South Texas 1302

HAREIN, PHILLIP K., ERNESTO DE LAS CASAS, CESARIA P. EUGENIO, and C. J. MIROCHA—Reproduction and Survival of Confused Flour Beetles Exposed to Metabolites Produced by *Fusarium roseum* var. *graminearum* 975

HAREIN, PHILLIP K., see H. R. GUNDU RAO 1563

HARLAN, D. P., Z. A. SHAW, G. R. PADGETT, and J. A. MITCHELL—Survival of Larvae of the Whitefringed Beetle in Mixtures of Potting Soil 993

HARLAN, H. J., see L. R. NAULT 21

HARPER, JAMES D.—Preliminary Testing of a Nuclear Polyhedrosis Virus to Control the Variegated Cutworm on Peppermint 1573

HARRELL, E. A., and W. D. PERKINS—A Centrifugal Dust Collector Used in a Laboratory Vacuum System 1553

HARRIS, C. R.—Influence of Temperature on the Biological Activity of Insecticides in Soil . 1044

HARRIS, C. R., H. J. SVEC, and W. W. SANS—Toxicological Studies on Cutworms. VII. Microplot Field Experiments on the Effectiveness of Four Experimental Insecticides Applied as Rye Cover Crop and Soil Treatments for Control of the Dark-Sided Cutworm ... 493

HARRIS, C. R., and F. GORE—Toxicological Studies on Cutworms. VIII. Toxicity of Three Insecticides to the Various Stages in the Development of the Darksided Cutworm ... 1049

HARRIS, C. R., see J. R. W. MILES 839

HARRIS, E. J., S. NAKAGAWA, and T. URAGO—Sticky Traps for Detection and Survey of Three Tephritids 62

HARRIS, E. J., D. L. CHAMBERS, L. F. STEINER, D. C. KAMAKAHI, and M. KOMURA—Mortality of Tephritids Attracted to Guava Foliage Treated with Either Malathion or Naled Plus Protein-Hydrolysate Bait 1213

HARRIS, F. A., see H. M. ADAIR 718

HARRIS, MARVIN—Sampling Pear Foliage for Nymphs of the Pear Psylla, Using the Berlese-Tullgren Funnel 1317

HARRISON, FLOYD P.—Tobacco Flea Beetle Response to Disulfoton on Maryland Tobacco . 766

HARRISON, FLOYD P., and JOHN W. PRESS—Timing of Insecticide Applications for European Corn Borer Control in Sweet Corn 1496

HART, W. G., and S. INGLE—Increases in Fecundity of Brown Soft Scale Exposed to Methyl Parathion 204

HARTSOCK, J. G., see J. R. BARRETT, JR. 413, 1241

HARTSTACK, A. W., JR., J. P. HOLLINGSWORTH, R. L. RIDGWAY, and H. H. HUNT—Determination of Trap Spacings Required to Control an Insect Population 1090

HARTWIG, E. E., see R. T. KINCADE 984

HARVEY, T. L., H. L. HACKEROTT, and E. L. Sorensen—Pea Aphid Injury to Resistant and Susceptible Alfalfa in the Field 513

HARWALKAR, M. R., S. N. KHAIRE, and G. W. RAHALKAR—Chemosterilization of Potato Tuberworm. 1. Effect of Metepa on the Fertility of Males 358

HASSAN, S. M., see M. R. ABO ELGHAR 26

HATHAWAY, D. O., A. E. CLIFT, and B. A. BUTT—Development and Fecundity of Codling Moths Reared on Artificial Diets or Immature Apples 1088
HAYES, C. G., and E. C. TURNER, JR.—Field and Laboratory Evaluation of Parasitism of the Face Fly in Virginia 443
HAYNES, JACK W., T. B. DAVICH, NORMAN MITLIN, and C. E. SLOAN—Shipment of Large Numbers of Boll Weevils in Small Containers 325
HAYS, KIRBY L., see JAMES C. DUKES 886
HEDIN, P. A., see G. H. MCKIBBEN ...317, 583, 1493
HEIMPEL, ARTHUR M., see ROBERT M. FAUST 610, 615
HEISLER, C. R., see E. E. SANDMEYER 155
HEMING, B. S., see W. V. CAMPBELL 41
HENDRICKS, D. E., M. P. LEAL, S. H. ROBINSON, and N. S. HERNANDEZ—Oil-Soluble Black Dye in Larval Diet Marks Adults and Eggs of Tobacco Budworm and Pink Bollworm 1399
HENDRICKS, D. E., see L. A. BARIOLA 323
HENDRICKS, DONOVAN E.—Oil-Soluble Blue Dye in Larval Diet Marks Adults, Eggs, and First-Stage F_1 Larvae of the Pink Bollworm 1404
HENNEBERRY, T. J., see A. F. HOWLAND 977
HERBERT, E. W., and H. SHIMANUKI—Fumigation of Pollen with Ethylene Oxide and Its Effect on Brood Rearing of Honey Bees 877
HERBERT, E. W., see David A. KNOX 1415
HERMANUSSEN, JOHN F., see JOHN B. CAMPBELL. 1188
HERNANDEZ, N. S., see D. E. HENDRICKS 1399
HERRICK, R. B., see MARTIN SHERMAN 1159
HERTEL, G. D.—Rearing Pales Weevils on Soil Beds Containing Pine Bolts 893
HERTVELDT, L., see A. VEREECKE 670
HIGHTOWER, B. G., G. E. SPATES, JR., AND A. H. BAUMHOVER—Emergence Rhythms of Adult Screwworms 1474
HIGHTOWER, B. G., see RICHARD E. GINGRICH .. 678
HILL, K. R., see R. M. WATERS 526
HILL, S. O., see GEORGE P. MARKIN 193
HILLS, TOM M., and DON C. PETERS—A Method of Evaluating Postplanting Insecticide Treatments for Control of Western Corn Rootworm Larvae 764
HIRST, J. M., see M. M. COLE 761
HODGSON, G. C., see R. A. BRUST 1179
HOELSCHER, CLIFFORD E., and ROBERT L. COMBS, JR.—The Horn Fly. 1. Seasonal Incidence of Diapause in Mississippi 256
HOELSCHER, CLIFFORD E., see H. A. DEAN 523
HOGAN, B. F., see M. C. IVEY 320
HOLBROOK, F. R., see FERNANDO LOPEZ—D. ... 1541
HOLLAWAY, WILLIAM T., see JOHN W. NEAL, JR. 338
HOLLINGSWORTH, J. P., see A. W. HARTSTACK, JR. 1090
HOLT, HARVEY A., see MICHAEL NEWTON 952
HOOPER, G. H. S., and K. P. KATIYAR—Competitiveness of Gamma-Sterilized Males of the Mediterranean Fruit Fly 1068
HOOPER, G. H. S.—Sterilization and Competitiveness of the Mediterranean Fruit Fly After Irradiation of Pupae with Fast Neutrons .. 1369
HOOPER, G. H. S.—Competitiveness of Gamma-Sterilized Males of the Mediterranean Fruit Fly: Effect of Irradiating Pupal or Adult Stage and of Irradiating Pupae in Nitrogen . 1364
HOPKINS, A. R., and H. M. TAFT—Deposits of Monocrotophos from Low-Volume and Ultra-Low-Volume Sprays Applied Aerially or from Ground Equipment 200
HOPKINS, A. R., see S. H. ROACH 107
HOPKINS, D. E., see W. F. CHAMBERLAIN ..1198, 1471
HORNSBY, R. P., see N. B. SHAMIYEH 53
HORWITZ, SUSAN B., see ALEXEJ B. BORKOVEC . 983
HOSLER, G. W., see T. L. BURGER 1253
HOUGHTALING, J. E., see M. J. LUKEFAHR 486
HOUSEWEART, MARK W., and N. D. WYGANT—Contact Toxicity of Lindane, Landrin, and Gardona to the Mountain Pine Beetle 1575
HOWE, W. L., and EVA ZDARKOVA—A Simple Method for Continuous Rearing of the Striped Cucumber Beetle 1337
HOWE, W. L., see ZILE SINGH 1136
HOWELL, J FRANKLIN—Problems Involved in Rearing the Codling Moth on Diet in Trays . 631
HOWELL, JAMES O., and ROBERT L. PIENKOWSKI—Spider Populations in Alfalfa, with Notes on Spider Prey and Effect of Harvest 163
HOWLAND, A. F., T. J. HENNEBERRY, and W. W. WOLF—Comparison of Cabbage Looper and Other Moth Species Caught in Blacklight Traps Baited or Unbaited with Unmated Females 977
HOYER, R. F., and F. W. PLAPP, JR.—Insecticide Resistance in the House Fly: Effect of a Modifier Gene in Combination with Major Genes Which Confer Resistance 1051
HOYT, C. P., see I. A. BARBER 1041
HUDDLESTON, P. M., see D. D. HARDEE 1454
HUNGERFORD, C. M., see GEORGE D. BUTLER, JR. 311
HUNT, H. H., see A. W. HARTSTACK, JR. 1090
HUNT, O. J., see E. E. SANDMEYER 155
HUTT, R. B., see L. D. WHITE 551, 1249
HYER, ANGUS H., see THOMAS F. LEIGH 319

I

IGNOFFO, C. M., and O. F. BATZER—Microencapsulation and Ultraviolet Protectants to Increase Sunlight Stability of an Insect Virus 850
IGNOFFO, CARLO M., see LOWELL V. LARSON ... 1567
INGLE, S., see W. G. HART 204
IVEY, M. C., J. L. ESCHLE, and B. F. HOGAN—Residues of Rabon in Body Tissues of Pigs Treated for Control of Hog Lice 320

J

JACKSON, C. G., see D. E. BRYAN 1236
JACKSON, H. B., C. E. ROGERS, and R. D. EIKENBARY—Colonization and Release of *Aphelinus asychis*, an Imported Parasite of the Greenbug 1435
JACKSON, M. D., see C. G. WRIGHT 457
JACKSON, R. D., and T. A. BRINDLEY—Hempa and Metepa as Chemosterilants of Imagos of the European Corn Borer 1065
JACOBSON, MARTIN, see MEYER SCHWARZ 769
JACOBSON, MARTIN, see VICTOR E. ADLER 1561
JACOBSON, MARTIN, see R. E. REDFERN 1570
JACQUES, RICHARD L., JR., and D. C. PETERS—Biology of *Systena frontalis*, with Special Ref-

erence to Corn 135
JANES, MELVIN J.—Twolined Spittlebug Adults Severely Damage Sweet Corn Seedlings 976
JANSEN, WILLIAM P., and ROBERT STAPLES—Specificity of Transmission of Cowpea Mosaic Virus by Species within the Subfamily Galerucinae, Family Chrysomelidae 365
JAO, L. T., see H. T. GORDON 546
JAVADI, I., see SADREDDIN SHARIFI 484
JENKINS, J. N., see B. F. OLIVER 396
JENNINGS, DANIEL T.—Mechanically Dislodging Jack Pine Budworms 978
JESTER, C. W., see D. W. HAMILTON 150, 430
JOHANSSON, M. P., see T. S. K. JOHANSSON 556
JOHANSSON, T. S. K., and M. P. JOHANSSON—Influence of Comb Foundation on Comb, Drone, and Honey Production in Honey Bee Colonies 556
JOHNSON, CARL W., and WILLIAM W. YOUNG—Insecticide Resistance in Natural Populations of German Cockroaches from the Third United States Army Area 450
JOHNSON, E. R., see YUN-PEI SUN 75
JOHNSON, J. C., JR., see D. B. LEUCK 1394
JOHNSON, NORMAN E., see ROBERT SCOTT CAMERON 689
JOHNSTON, HARMON R., VIRGIL K. SMITH, and RAYMOND H. BEAL—Chemicals for Subterranean Termite Control: Results of Long-Term Tests 745
JONES, P. A., B. H. KANTACK, and M. WEIS—Greenbug Control on Winter Wheat with Phorate in South Dakota 1338
JONES, RICHARD L., see W. J. LEWIS 1417
JONES, RUBY, see ROY D. SPEIRS 1328
JONES, W. A., see R. E. REDFERN 1570
JONG, C., see R. D. MCMULLEN 1266
JUBB, GERALD L., JR., and L. A. CARRUTH—Growth and Yield of Caged Cotton Plants Infested with Nymphs and Adults of *Lygus hesperus* 1229

K

KABIR, S. M. H., and A. K. M. M. RAHMAN—Field Tests of Insecticides Against the Eggplant Pest Complex 758
KAMAKAHI, D. C., see E. J. HARRIS 1213
KAMASAKI, H., see T. T. Y. WONG 879
KAMBUROV, STEPHAN S.—Feeding, Development, and Reproduction of *Amblyseius largoensis* on Various Food Substances 643
KAMM, JAMES A.—Silvertop of Bluegrass and Bentgrass Produced by *Anaphothrips obscurus* 1385
KAMRAN, MERVYN A., and EDWIN S. RAROS—Introduction, Laboratory Propagation, and Field Releases of *Sturmiopsis inferens* in the Philippines 1277
KANTACK, B. H., see P. A. JONES 1338
KASHI, K. P., see SYED S. H. QADRI 1015
KASHIWAI, S., see K. OHINATA 781
KATIYAR, K. P., see G. H. S. HOOPER 1068
KAWATSKI, J. A., and J. C. SCHMULBACH—Toxicities of Aldrin and Dieldrin to the Freshwater Ostracod *Chlamydotheca arcuata* 1082
KAWATSKI, JOSEPH A., and JAMES C. SCHMULBACH—Epoxidation of Aldrin by a Freshwater Ostracod 316
KEHR, W. R., see S. D. KINDLER 653
KEISER, IRVING, ESTHER L. SCHNEIDER, and ISAO TOMIKAWA—Species Specificity Among Oriental Fruit Flies, Melon Flies, and Mediterranean Fruit Flies in Susceptibility to Insecticides at Several Loci 606
KELLER, J. C., T. C. BARBER, and C. F. RAINWATER—Louis Wayne Sheets (1908-1970) ..... (Obit.) 779
KELLER, J. C., see L. A. BARIOLA 323
KEMPSTER, RUSSELL H., see CHARLES E. OSGOOD 1109
KENNEDY, M. V., see H. M. ADAIR 718
KENNEDY, PATRICK C., see LOUIS F. WILSON 735
KERR, THEODORE W.—Control of the Hemlock Looper 1552
KERR, THEODORE W., JR.—Aldicarb for Control of the White Pine Weevil 771
KESSLER, HOWARD, and WAYNE L. BERNDT—Comparison of Dust Bags to Backrubbers for Control of Horn Flies and Face Flies on Beef Cattle in East-Central South Dakota 1465
KHAIRE, S. N., see M. R. HARWALKAR 355
KHAN, A. A., and H. I. MAIBACH—A Study of the Probing Response of *Aedes aegypti*. 4. Effect of Dry and Moist Heat on Probing 442
KHAN, A. A., and H. I. MAIBACH—A Study of the Probing Response of *Aedes aegypti*. 2. Effect of Desiccation and Blood Feeding on Probing to Skin and an Artificial Target 439
KIECKHEFER, ROBERT W., see WENDELL L. Morrill 1129
KILANY, S. M., see M. R. ABO ELGHAR 26
KILGORE, WENDELL W., RUTH R. PAINTER, and AHMED I. GADALLAH—Characteristics of the Nucleic Acids of Eggs from House Flies Fed Aziridinyl Compounds 30
KILGORE, WENDELL W., see AHMED I. GADALLAH 371, 819
KILIAN, LEROY, and M. W. NIELSON—Differential Effects of Temperature on the Biological Activity of Four Biotypes of the Pea Aphid 153
KILLINEN, R. G., and R. W. OST—Pheromone-Maze Trap for Cabbage Looper Moths 310
KINCADE, R. T., M. L. LASTER, and E. E. HARTWIG—Simulated Pod Injury to Soybeans 984
KINDLER, S. D., W. R. KEHR, and R. L. OGDEN—Influence of Pea Aphids and Spotted Alfalfa Aphids on the Stand, Yield of Dry Matter, and Chemical Composition of Resistant and Susceptible Varieties of Alfalfa 653
KING, E. E., see F. C. TINGLE 812
KINMAN, M. L., see GEORGE L. TEETES 1285
KINZER, G. W., A. F. FENTIMAN, JR., R. L. FOLTZ, and J. A. RUDINSKY—Bark Beetle Attractants: 3-Methyl-2-cyclohexen-1-one Isolated from *Dendroctonus pseudotsugae* 970
KIRKPATRICK, ROBERT L., and JOHN R. ROBERTS, JR.—Insect Control in Wheat by Use of Microwave Energy 950
KISHABA, A. N., G. W. BOHN, and H. H. TOBA—Resistance to *Aphis gossypii* in Muskmelon 935
KISHABA, A. N., see W. W. WOLF 872
KISHABA, A. N., see P. V. VAIL 1132
KISSAM, JOHN B., see THEODORE R. ADKINS, JR. 459
KLASSEN, W., see H. M. FLINT 1002
KLASSEN, WALDEMAR, and GLENN GENTZ—Temperature-Constant and Temperature Gradient-Free Insectary: Design and Operation 1334

KLOSTERMEYER, E. C., see WYATT W. CONE ... 379
KNAPP, FRED W., see PISIT SEPSAWADI 1509
KNEE, W. J., see J. W. APPLE 853
KNIPLING, E. F., see MORTON BEROZA 1527
KNOWLES, CHARLES O., see SAMI AHMAD 792
KNOX, DAVID A., H. SHIMANUKI, and E. W. HERBERT—Diet and the Longevity of Adult Honey Bees 1415
KNOX, F. E., see D. B. LEUCK 1394
KNUTSON, HERBERT—Elmer Thomas Jones (1892-1970) ..... (Obit.) 344
KOBAYASHI, R. M., see S. T. SEO 1270
KOMURA, M., see E. J. HARRIS 1213
KOMURA, M., see S. T. SEO 1270
KOSHY, T., see P. K. RAMACHANDRAN 1293
KOUSKOLEKAS, COSTAS A., see GEORGE C. DECKER 1127
KREASKY, J. B., and P. C. MAZURANICH—Effects of Sublethal Doses of Naled, Carbaryl, Malathion, and Acetone on the Migratory Grasshopper 1300
KREBBS, WILLIAM F., III, see THEODORE R. ADKINS, JR. 459
KRIEGER, R. I.—Toads in the Biological Control of Southern Armyworm Larvae in the Greenhouse 335
KRUEGER, H. R., see NASIB CHAND 517
KRYSAN, J. L., see G. R. SUTTER 65
KUHLMAN, D. E., see R. E. SECHRIEST 210
KUHR, RONALD J.—Comparative Metabolism of Carbaryl by Resistant and Susceptible Strains of the Cabbage Looper 1373
KUITERT, LOUIS C., see DAVID F. WILLIAMS 448
KUNZ, SIDNEY, E., MANNING A. PRICE, and RONALD EVERETT—Evaluation of Insecticides to Control the Chigger *Neoschongastia americana* on Turkeys 900
KWIETNIAK, ROBERT T., see HORATIO C. MASON . 1216

L

LABRECQUE, G. C., see DONALD L. BAILEY 138
LABRECQUE, G. C., see RICHARD L. FYE 756, 973
LABRECQUE, G. C., see B. J. SMITTLE 1030
LABRECQUE, G. C., see PHILIP B. MORGAN 1479
LACHER, VEIT—Electrophysiological Equipment for Measuring the Activity of Single Olfactory Nerve Cells on the Antennae of Mosquitoes . 313
LADD, T. L., JR.—Attractancy of Mixtures of Lures Containing Methyl Cyclohexanepropionate for the Japanese Beetle 1560
LAHUE, DELMON W., and EDWIN B. DICKE—Phoxim as an Insect Protectant for Stored Grains 1530
LAMDIN, J. M., see J. A. MULRENNAN, JR. 1196
LANDIS, BIRELY J., WILLIAM W. BAKER, and CALVIN E. DEONIER—Charles Wilbur Getzendaner (1899-1970) ..... (Obit.) 777
LANE, H. C., see F. C. TINGLE 812
LANG, JERRY T., and ROBERT E. TREECE—Sterility and Longevity Effects of *Sterculia foetida* Oil on the Face Fly 455
LANG, JOE H., and ROY E. BRY—SBP-1382, a Synthetic Pyrethroid, Promising for Mothproofing 1562
LANG, JOE H., see ROY E. BRY 177, 530, 754, 990
LARSON, LOWELL V., and CARLO M. IGNOFFO—Activity of *Bacillus thuringiensis*, Varieties *thuringiensis* and *galleriae*, Against Fall Cankerworm 1567
LASETER, M. W., see G. H. MCKIBBEN 583
LASTER, M. L., and R. E. FURR—Relationship of Regrowth Cotton to Overwintering Populations of the Bollworm Complex 974
LASTER, M. L., see R. E. FURR 339
LASTER, M. L., see H. M. ADAIR 718
LASTER, M. L., see R. T. KINCADE 984
LAUER, FLORIAN I., see EDWARD B. RADCLIFFE . 1260
LAW, P. K., see S. BRADLEIGH VINSON 1387
LAWSON, F. R., see FRANK D. PARKER 721
LAXMINARAYANA, K., see P. E. SOTO 553
LEAL, M. P., see D. E. HENDRICKS 1399
LEE, C. Y. L., see S. T. SEO 1270
LEGNER, E. F.—Some Effects of the Ambient Arthropod Complex on the Density and Potential Parasitization of Muscoid Diptera in Poultry Wastes 111
LEGNER, E. F.—A Substrate for Positioning Minute Insect Specimens in Stereoscopic Microscopy 343
LEGNER, E. F., L. MOORE, and R. A. MEDVED—Observations on Predation of *Hippelates collusor* and Distribution in Southern California of Associated Fauna 461
LEHMAN, W. F., see M. W. NIELSON 506
LEIGH, THOMAS F., and ANGUS H. HYER—Susceptibility of Glandless Cotton to Attack by *Diabrotica* Beetles 319
LEONARD, DAVID E.—Air-Borne Dispersal of Larvae of the Gypsy Moth and Its Influence on Concepts of Control 638
LEUCK, D. B., and J. L. SKINNER—Resistance in Peanut Foliage Influencing Fall Armyworm Control 148
LEUCK, D. B., J. C. JOHNSON, JR., M. C. BOWMAN, F. E. KNOX, and MORTON BEROZA—Fenitrothion Residues in Corn Silage and Their Effects on Dairy Cows 1394
LEWIS, W. J., and J. WENDELL SNOW—Fecundity, Sex Ratios, and Egg Distribution by *Microplitis croceipes*, a Parasite of *Heliothis* 6
LEWIS, W. J., A. N. SPARKS, and L. M. REDLINGER—Moth Odor: A Method of Host-Finding by *Trichogramma evanescens* 557
LEWIS, W. J., J. WENDELL SNOW, and RICHARD L. JONES—A Pheromone Trap for Studying Populations of *Cardiochiles nigriceps*, a Parasite of *Heliothis virescens* 1417
LICHTENSTEIN, E. P., K. R. SCHULZ, and T. W. FUHREMANN—Long-Term Effects of Carbon in Reducing Uptake of Insecticidal Soil Residues by Crops 585
LICHTENSTEIN, E. P., see K. R. SCHULZ 283
LIENK, S. E., see E. H. GLASS 23
LIGGINS, JOYCE A., and HARPAL SINGH—Effects of Fractionated Dose of Gamma Irradiation on Fecundity, Mortality, and Longevity of the Lesser Grain Borer 1306
LILLY, JOHN H., see S. SALMAN WASTI 81
LINCOLN, CHARLES, GERALD DEAN, B. A. WADDLE, W. C. YEARIAN, J. R. PHILLIPS, and LUTHER ROBERTS—Resistance of Frego-Type Cotton to Boll Weevil and Bollworm 1326
LINDGREN, D. L., see L. E. VINCENT 122
LINDIG, O. H., see D. D. HARDEE 928
LINDQUIST, ARTHUR W., see CARROLL N. SMITH . 1341
LINDQUIST, D. A., see R. H. RHODE 708

LINLEY, JOHN R., and JOHN B. DAVIES—Sandflies and Tourism in Florida and the Bahamas and Caribbean Area 264
LIPPOLD, P. C., see S. L. CHUNG 823, 832
LISTER, C. K., see H. W. FLAKE, JR. 1557
LLANES, J. R., see C. A. RICHMOND 992
LLOYD, E. P., see F. C. TINGLE 812
LLOYD, J. E.—Cattle Grub Control in Wyoming with a Late-Summer Dust-Bag Application of Prolate 899
LLOYD, JOHN E., and JOHN G. MATTHYSSE—Residues of Dichlorvos, Diazinon, and Dimetilan in Milk of Cows Fed PVC-Insecticide Feed Additives 821
LOFGREN, C. S., see G. A. MOUNT 262
LONČAREVIĆ, A., see V. DITTRICH 1225
LONG, J. S., see L. W. FLETCHER 770, 1559
LOPEZ-D., FERNANDO, L. F. STEINER, and F. R. HOLBROOK—A New Yeast Hydrolysate-Borax Bait for Trapping the Caribbean Fruit Fly .. 1541
LOPEZ, ERASMO, see JOYCE A. DEVANEY 809
LOVELY, W. G., see J. A. HARDING 1524
LOVITT, ANTHONY E., see EDWIN L. SODERSTROM . 1312
LUCKMANN, W. H., see D. W. HAMILTON 68
LUKEFAHR, M. J., J. E. HOUGHTALING, and H. M. GRAHAM—Suppression of *Heliothis* Populations with Glabrous Cotton Strains .. 486
LUKEFAHR, M. J., see D. A. WOLFENBARGER ... 755
LUKEFAHR, M. J., see A. A. GUERRA 804
LUKEFAHR, M. J., see T. N. SHAVER 1274
LUKEFAHR, M. J., see H. T. DULMAGE 1421
LYON, R. L., see R. B. ROBERTS 533
LYON, ROBERT L., see JACQUELINE L. SCHWARTZ . 146

M

MADDOX, J. V., see GEORGE C. DECKER 94
MADDOX, JOSEPH V., see GEORGE C. DECKER ... 117
MADHUKAR, B. V. R., M. K. K. PILLAI, and A. B. BOŘKOVEC—Chemosterilization of the Yellow-Fever Mosquito. 1. Laboratory Evaluation of Aziridinyl Compounds by Larval and Pupal Treatments 1024
MADHUKAR, B. V. R., M. K. K. PILLAI, and A. B. BOŘKOVEC—Chemosterilization of the Yellow-Fever Mosquito. 2. Laboratory Evaluation of Phosphoramides by Larval and Pupal Treatments 1027
MAIBACH, H. I., see A. A. KHAN 439, 442
MAINES, W. W., see D. W. HAMILTON 68
MAITLEN, JAY C., see WYATT W. CONE 355
MALTBY, H. L., FREDERICK W. STEHR, ROBERT C. ANDERSON, GARY E. MOOREHEAD, LARRY C. BARTON, and J. D. PASCHKE—Establishment in the United States of *Anaphes flavipes*, an Egg Parasite of the Cereal Leaf Beetle 693
MANGAT, BALDEV, S.—Development of the Black Cutworm 766
MANGLITZ, G. R., H. J. GORZ, and H. J. STEVENS, JR.—Biology of the Sweetclover Root Borer 1154
MANGUM, C. L., W. TORRIES, and N. SANCHEZ—An Improved Device for Collecting Pink Bollworm Moths for Large-Scale Rearing Programs 1309
MANGUM, C. L., see H. M. GRAHAM 376
MANGUM, CHARLES L., see NATHAN GREEN 1381
MANN, H. D., see JAMES L. ESCHLE 396
MARBLE, V. L., see M. W. NIELSON 506
MARKIN, GEORGE P., and S. O. HILL—Microencapsulated Oil Bait for Control of the Imported Fire Ant 193
MASON, HORATIO C., RICHARD T. GUEST, J. SAMUEL STEEL, JR., and ROBERT T. KWIETNIAK—Bait Units with Lindane for Suppression of *Drosophila* in Tomato Field Plots .. 1216
MASSEY, L. M., JR., see S. L. CHUNG ... 823, 832, 883
MATSUMURA, FUMIO, see J. NEWTON TELFORD .. 230
MATTER, JESSE J., see RICHARD R. BLUME 1193
MATTHEWS, FRED R., see GARY L. DEBARR 520
MATTHYSSE, JOHN G., see JOHN E. LLOYD 821
MATZENBACHER, L. B., see D. W. HAMILTON .. 68
MAU, RONALD F. L., see WALLACE C. MITCHELL . 856
MAXWELL, F. G., see B. F. OLIVER 396
MAXWELL, K. E., see W. D. PIPER 601
MAY, C. J., see GEORGE D. BUTLER, JR. 1459
MAZURANICH, P. C., see J. B. KREASKY 1300
MCCOMB, CHARLES W., see FLOYD F. SMITH ... 889
MCCOY, C. W., and A. G. SELHIME—Influence of Some Natural Enemies on Black Scale, *Saissetia* spp., in Florida 213
MCDONOUGH, LESLIE M., see WYATT W. CONE . 355
MCEWEN, F. L., and H. W. GOBLE—Control with Dichlorvos of Gladiolus Thrips on Bulbs in Storage 1572
MCFADDEN, T. L., see C. S. CREIGHTON 737
MCGAUGHEY, WM. H.—Malathion on Milling Fractions of Three Varieties of Rough Rice: Duration of Protection and Residue Degradation 1200
MCGOVERN, T. P., see I. A. BARBER 1041
MCGOVERN, TERRENCE P., R. E. REDFERN, and MORTON BEROZA—Juvenile Hormone Activity of Acetals Applied Topically and as a Vapor to the Yellow Mealworm 238
MCGOVERN, TERRENCE P., see R. E. REDFERN .. 374
MCGUIRE, C. F., see F. H. MCNEAL 939
MCKEAN, DONALD W., see MIR S. MULLA 300
MCKIBBEN, G. H., D. D. HARDEE, T. B. DAVICH, R. C. GUELDNER, and P. A. HEDIN—Slow-Release Formulations of Grandlure, the Synthetic Pheromone of the Boll Weevil 317
MCKIBBEN, G. H., P. A. HEDIN, T. B. DAVICH, R. J. DAUM, and M. W. LASETER—Addition of Food Acidulants to Increase Attractiveness to Boll Weevils of Bait Containing Cottonseed Oil 583
MCKIBBEN, G. H., P. A. HEDIN, R. E. MCLAUGHLIN, and T. B. DAVICH—Development of the Bait Principle for Control of Boll Weevils: Addition of Terpenoids and Related Plant Constituents 1493
MCLAUGHLIN, R. E., see G. H. MCKIBBEN 1493
MCMILLIAN, W. W., see A. N. SPARKS 540
MCMULLEN, R. D., and C. JONG—Dithiocarbamate Fungicides for Control of Pear Psylla . 1266
MCMURTRY, J. A., E. R. OATMAN, and C. A. FLESCHNER—Phytoseiid Mites on Some Tree and Row Crops and Adjacent Wild Plants in Southern California 405
MCMURTRY, J. A., see G. T. SCRIVEN 1255
MCNEAL, F. H., L. E. WALLACE, M. A. BERG, and C. F. MCGUIRE—Wheat Stem Sawfly Resistance with Angronomic and Quality Information in Hybrid Wheats 939
MCPHERSON, J. E.—Laboratory Rearing of *Euschistus tristigmus tristigmus* 1339

MEALS, D. W., and L. E. CALTAGIRONE—Invasion Rate and Pattern of Infestation of an Almond Orchard by the Navel Orangeworm. 90
MEDLEY, R. D., see R. B. RYAN 1558
MEDVED, R. A., and C. A. FLESCHNER—A Plastic Cage for Study of Insects on Plant Stems and Leaves 342
MEDVED, R. A., see E. F. LEGNER 461
MEISCH, M. V., see N. M. RANDOLPH 87
MEKSONGSEE, BOONSOM, see PISIT SEPSAWADI ... 1509
MERKEL, EDWARD P., and GARY L. DEBARR—Trunk Implantations of Dicrotophos for Cone-Insect Control in Slash Pine Seed Production Stands 1295
METCALF, ESTHER, R., see RUVEN M. SACHER .. 1011
METCALF, ROBERT L., see RUVEN M. SACHER .. 1011
MEYER, H. E., see H. W. FLAKE, JR. 1557
MILES, E. J., see R. M. WATERS 526
MILES, J. R. W., C. M. TU, and C. R. HARRIS—Degradation of Heptachlor Epoxide and Heptachlor by a Mixed Culture of Soil Microorganisms 839
MILLER, BRYAN E., see P. H. CLARK 1190
MILLER, R. W., L. G. PICKENS, and C. H. GORDON—Effect of *Bacillus thuringiensis* in Cattle Manure on House Fly Larvae 902
MILLS, J. T., and R. N. SINHA—Interactions Between a Springtail, *Hypogastrura tullbergi*, and Soil-Borne Fungi 398
MILLS, ROBERT B., see SADREDDIN SHARIFI 1114
MILSTEAD, J. E., see D. E. PINNOCK 510
MINNEMEYER, C. D., see R. N. WILKINSON ... 1
MIROCHA, C. J., see PHILLIP K. HAREIN 975
MISKUS, R. P., see R. B. ROBERTS 533
MISKUS, R. P., see C. F. TIERNAN 1307
MISTRIC, W. J., JR., and F. D. SMITH—Control of Tobacco Budworm on Flue-Cured Tobacco with Insecticides Applied Mechanically 126
MITCHELL, E. B., see D. D. HARDEE 1454
MITCHELL, HENRY C., and WILLIAM H. CROSS—Mating of Boll Weevils in the Field 773
MITCHELL, J. A., see D. P. HARLAN 993
MITCHELL, WALLACE C., and RONALD F. L. MAU—Response of the Female Southern Green Stink Bug and Its Parasite, *Trichopoda pennipes*, to Male Stink Bug Pheromones ... 856
MITCHELL, WALLACE C., see S. SALMAN WASTI .. 1142
MITLIN, NORMAN, see J. A. FLUNO ..... (Obit.) 996
MITLIN, NORMAN, see JACK W. HAYNES 325
MIYABARA, R., see K. OHINATA 781
MIYABARA, R. H., see W. J. SCHROEDER 1221
MIYAZAKI, S., see R. A. BRUST 1179
MKWAILA, BARRON D., see S. SALMON WASTI .. 225
MOELLER, FLOYD E.—Effect of Pollen Availability on Poisoning of Honey Bees by Carbaryl Applied to Sweet Corn 1314
MOFFITT, H. R.—Methyl Bromide Fumigation Combined with Storage for Control of Codling Moth in Apples 1258
MOORE, L., see E. F. LEGNER 461
MOORE, R. F., JR., and H. M. TAFT—Differences in Percentages of Fatty Acids in Triglycerides and Phospholipids of Larvae of the Bollworm and the Tobacco Budworm as Possible Factors in Their Tolerance to Insecticides 1060
MOOREHEAD, GARY E., see H. L. MALTBY 693
MORENO, D. S., see J. B. BEAVERS 72
MORENO, D. S., see J. G. SHAW 1305
MORGAN, HERMAN, JR., see CHARLES D. PLESS . 172
MORGAN, LOY W., and JOHN C. FRENCH—Granulate Cutworm Control in Peanuts in Georgia. 937
MORGAN, PHILIP, B., and G. C. LABRECQUE—Hormones or Hormonelike Substances and the Development and Fertility of House Flies 1479
MORRILL, WENDELL L., and ROBERT W. KIECKHEFER—Parasitism of the Wheat Stem Maggot in South Dakota 1129
MOUNT, D. A., see W. V. CAMPBELL 41
MOUNT, G. A., N. W. PIERCE, and C. S. LOFGREN—Effectiveness of Twenty-Two Promising Insecticides for Control of the Lone Star Tick . 262
MOUZIN, T. E., see T. T. Y. WONG 879
MOUZIN, T. E., see TIM T. Y. WONG 1410
MUECKE, W., see C. DUPUIS 588
MULLA, MIR S., R. LEE NORLAND, DEAN M. FANARA, HUSAM A. DARWAZEH, and DONALD W. MCKEAN—Control of Chironomid Midges in Recreational Lakes 300
MULLINS, J. A., see CHARLES BRASHIER 1537
MULRENNAN, J. A., JR., R. H. GROTHAUS, C. L. HAMMOND, and J. M. LAMDIN—A New Method of Cockroach Control on Submarines 1196
MUNIAPPAN, R., and K. J. STARKS—Effects of Antibiotics on Greenbugs on Small Grains .. 333
MUSICK, G. J.—Suppression of Adult Northern Corn Rootworm Populations with Insecticides 70
MUSICK, G. J., and M. L. FAIRCHILD—Field Studies on Rate of Hatch of Western Corn Rootworm Eggs in Missouri During 1965–68 9
MUSICK, G. J., see M. S. ZUBER 1514

N

NACHOD, L. H., see N. A. OVERGAARD 1329
NAKAGAWA, S., R. T. CUNNINGHAM, and T. URAGO—The Repellent Effect of High Trimedlure Concentrations in Plastic Traps to Mediterranean Fruit Fly in Hawaii 762
NAKAGAWA, S., D. L. CHAMBERS, T. URAGO, and R. T. CUNNINGHAM—Trap-Lure Combinations for Surveys of Mediterranean Fruit Flies in Hawaii 1211
NAKAGAWA, S., see E. J. HARRIS 62
NAKAGAWA, S., see R. T. CUNNINGHAM 948
NANNE, HENRY W., and EDWARD B. RADCLIFFE—Green Peach Aphid Populations on Potatoes Enhanced by Fungicides 1569
NAULT, L. R., H. J. HARLAN, and W. R. FINDLEY—Comparative Susceptibility of Corn to Aphid and Mechanical Inoculation of Maize Dwarf Mosaic Virus 21
NEAL, JOHN W., JR., WILLIAM T. HOLLAWAY, and WILLIAM E. BICKLEY—Response of *Microctonus aethiops* and *M. colesi*, Parasites of the Alfalfa Weevil, to a Mixture of *cis-trans-* and *trans-trans*-10,11- Epoxyfarnesenic Acid Methyl Ester 338
NEAL, W. W., see C. F. SARTOR 28
NEEMANN, E. G., see D. E. BRYAN 1236
NEILSON, W. T. A.—Dispersal Studies of a Natural Population of Apple Maggot Adults .. 648
NEMEC, STANLEY J.—Effects of Lunar Phases on Light-Trap Collections and Populations of Bollworm Moths 860

NEWTON, MICHAEL, and HARVEY A. HOLT—Scolytid and Buprestid Mortality in Ponderosa Pines Injected with Organic Arsenicals . 952
NIELSON, M. W., M. H. SCHONHORST, HAROLD DON, W. F. LEHMAN, and V. L. MARBLE—Resistance in Alfalfa to Four Biotypes of the Spotted Alfalfa Aphid 506
NIELSON, M. W., see LEROY KILIAN 153
NIEMCZYK, H. D., see J. K. FLESSEL 328
NORLAND, R. LEE, see MIR S. MULLA 300

O

OATMAN, E. R., and G. R. PLATNER—Biological Control of the Tomato Fruitworm, Cabbage Looper, and Hornworms on Processing Tomatoes in Southern California, Using Mass Releases of *Trichogramma pretiosum* 501
OATMAN, E. R., see J. A. MCMURTRY 405
OATMAN, EARL R.—Mite Species on Strawberry in Southern California 1313
OEHLER, D. D., see JAMES L. ESCHLE 896
OGDEN, R. L., see S. D. KINDLER 653
OHINATA, K., D. L. CHAMBERS, M. FUJIMOTO, S. KASHIWAI, and R. MIYABARA—Sterilization of the Mediterranean Fruit Fly by Irradiation: Comparative Mating Effectiveness of Treated Pupae and Adults 781
OHINATA, K., L. F. STEINER, and R. T. CUNNINGHAM—Thixcin® E as an Extender of Poisoned Male Lures Used to Control Fruit Flies in Hawaii 1250
OLIVER, B. F., F. G. MAXWELL, and J. N. JENKINS—Growth of the Bollworm on Glanded and Glandless Cotton 396
OLIVER, B. F., J. R. GIFFORD, and G. B. TRAHAN—Ultra-Low-Volume Insecticides to Control the Rice Stink Bug in Southwest Louisiana . 981
OLLIEU, MAX M.—Damage to Southern Pines in Texas by *Pissodes nemorensis* 1456
OMAR, M. S., see MAHMOUD HAFEZ 967
ORPHANIDES, G. M., D. GONZALEZ, and B. R. BARTLETT—Identification and Evaluation of Pink Bollworm Predators in Southern California 421
OSBURN, MAX, see WALKER L. TEDDERS 743
OSGOOD, CHARLES E.—An Oviposition Pheromone Associated with the Egg Rafts of *Culex tarsalis* 1038
OSGOOD, CHARLES E., and RUSSELL H. KEMPSTER—An Air-Flow Olfactometer for Distinguishing Between Oviposition Attractants and Stimulants of Mosquitoes 1109
OSMAN, M. F., see MAHMOUD HAFEZ 967, 979
OST, R. W., see R. G. KILLINEN 310
OST, R. W., see R. S. SEAY 1315
OTA, ASHER K., see FLOYD F. SMITH 889
OVERGAARD, N. A., and L. H. NACHOD—Deodar Weevil Causes Pine Mortality in Louisiana . 1329

P

PADGETT, G. R., see D. P. HARLAN 993
PAGE, M., see R. B. ROBERTS 533
PAINTER, RUTH R., see WENDELL W. KILGORE 30
PAINTER, RUTH, see AHMED I. GADALLAH 371, 819
PALIWAL, Y. C.—Increased Susceptibility to Maize Borer in Maize Mosaic Virus-Infected Plants in India 760
PALMER, J. S., and J. C. SCHLINKE—Toxicologic Effect of Two Crotoxyphos Formulations on Pigs 684
PARKER, FRANK D., and ROBERT E. PINNELL—Overwintering of Some *Trichogramma* spp. in Missouri 80
PARKER, FRANK D., F. R. LAWSON, and R. E. PINNELL—Suppression of *Pieris rapae* Using a New Control System: Mass Releases of Both the Pest and Its Parasite 721
PARR, J. C., see B. C. PASS 1150
PASCHKE, J. D., see H. L. MALTBY 693
PASS, B. C., and J. C. PARR—Seasonal Occurrence of the Pea Aphid and a Braconid Parasite, *Aphidius smithi*, in Kentucky 1150
PASZEK, E. C., see B. A. BIERL 297
PASZEK, E. C., see MORTON BEROZA 1499
PATANA, R., see D. E. BRYAN 1236
PATE, R. R., see C. E. YONCE 1111
PATEL, H. K., see V. C. PATEL 558
PATEL, V. C., and H. K. PATEL—A List of Aphid Fauna of Gujarat State, India 558
PATHAK, M. D., see N. SETHUNATHAN 571
PATTERSON, R. S., see J. A. SEAWRIGHT 452
PAUSCH, ROBERT D.—Local House Fly Control with Baited Chemosterilants. 1. Preliminary Laboratory Studies 1462
PAYNE, JERRY A., WALKER L. TEDDERS, and C. R. GENTRY—Biology and Control of a Pecan Serpentine Leaf Miner, *Nepticula juglandifoliella* 92
PAYNE, THOMAS L., and J. W. STEWART—Evidence for a Sex Pheromone in the Cottonwood Twig Borer 987
PERDOMO, A., see R. H. RHODE 708
PEREZ, C. T., see C. A. RICHMOND 992
PERKINS, W. D., see E. A. HARRELL 1553
PERSONIUS, K. E., see H. TASHIRO 242
PETERS, D. C., see RICHARD L. JACQUES, JR. ... 135
PETERS, D. C., see F. T. TURPIN 1448
PETERS, DON C., see TOM M. HILLS 764
PETERS, LEROY L.—Angoumois Grain Moth Egg Collection 1308
PETERS, W., see W. N. BEESLEY 897
PETERSON, A. G., and ELYMAR V. VEA—Silvertop of Bluegrass in Minnesota 247
PETTY, H. B., see R. E. SECHRIEST 210
PFRIMMER, T. R., R. E. FURR, and E. A. STADELBACHER—Materials for Control of Boll Weevils, Bollworms, and Tobacco Budworms on Cotton at Stoneville, Mississippi 475
PHILIPS, F. M., see T. L. BURGER 1253
PHILLIPS, J. R., see CHARLES LINCOLN 1326
PICKENS, L. G., see R. W. MILLER 902
PIENKOWSKI, ROBERT L., see JAMES O. HOWELL 163
PIERCE, N. W., see G. A. MOUNT 262
PILLAI, M. K. K., see B. V. R. MADHUKAR . . 1024, 1027
PIMENTEL, DAVID, see C. G. SUMMERS 478
PIMENTAL, DAVID, see JAMES P. CURRY 1333
PINNELL, ROBERT E., see FRANK D. PARKER ... 80
PINNELL, R. E., see FRANK D. PARKER 721
PINNOCK, D. E., and J. E. MILSTEAD—Control of the California Oakworm with *Bacillus thuringiensis* Preparations 510
PIPER, W. D., and K. E. MAXWELL—Mode of Action of Surfactants on Mosquito Pupae 601
PITMAN, G. B.—*trans*-Verbenol and Alpha-Pinene: Their Utility in Manipulation of the Mountain Pine Beetle 426

PITMAN, G. B., and J. P. VITÉ—Predator-Prey Response to Western Pine Beetle Attractants 402
PITRE, H. N., see J. C. BOLING 411
PITRE, H. N., see K. K. SHAUNAK 1105
PLAPP, F. W., JR., see R. F. HOYER 1051
PLAPP, FREDERICK W., JR.—Insecticide Resistance in *Heliothis*: Tolerance in Larvae of *H. virescens* as Compared with *H. zea* to Organophosphate Insecticides 999
PLATNER, G. R., see E. R. OATMAN 501
PLAUT, H. N.—Distance of Attraction of Moths of *Spodoptera littoralis* to BL Radiation, and Recapture of Moths Released at Different Distances of an ESA Blacklight Standard Trap 1402
PLESS, CHARLES D., EDWARD T. CHERRY, and HERMAN MORGON, JR.—Growth and Yield of Burley Tobacco as Affected by Two Systemic Insecticides 172
PLESS, CHARLES D., see EDWARD T. CHERRY 187
POOS, F. W.—Walter Harrison Larrimer (1889-1970) (Obit.) 345
PORTER, D. M., see J. C. SMITH 245
PRACHUABMOH, OCHA, see RICHARD THURSTON 1548
PREDKI, STANISLAW, see WYATT W. CONE 379
PRESS, JOHN W., see FLOYD P. HARRISON 1496
PRICE, MANNING A., see SIDNEY E. KUNZ 900
PROKOPY, RONALD J., and ERNST F. BOLLER—Response of European Cherry Fruit Flies to Colored Rectangles 1444

Q

QADRI, SYED S. H., and K. P. KASHI—Assaying the Oral Toxicity of Organophosphates to House Flies without Body Contact with the Insecticides 1015
QUINTANA, VICTOR, see DAVID W. WALKER 660
QURAISHI, M. SAYEED—Toxic and Teratogenic Effects of Saturated and Unsaturated Fatty Acids on House Fly Larvae 787

R

RACCAH, B., and A. S. TAHORI—Effect of Different Host Plants and of Season on Tolerance of the Carmine Spider Mite to Malathion 837
RADCLIFFE, EDWARD B., and FLORIAN I. LAUER—Resistance to Green Peach Aphid and Potato Aphid in Introductions of Wild Tuber-Bearing *Solanum* Species 1260
RADCLIFFE, EDWARD B., see HENRY W. NANNE 1569
RAHALKAR, G. W., see M. R. HARWALKER 358
RAHMAN, A. K. M. M., see S. M. H. KABIR 758
RAINWATER, C. F., see J. C. KELLER (Obit.) 779
RALSTON, D. F., see TIM T. Y. WONG 132, 553, 879, 1410
RAMACHANDRAN, P. K., T. KOSHY, K. G. K. SASTRY, S. P. SINGH, M. N. SRINIVASAN, and S. K. GANGULY—Studies on Leech Repellents 1293
RAMSEY, H. L.—Garden Symphylan Populations in Laboratory Cultures 657
RANDOLPH, N. M., M. V. MEISCH, and GEORGE L. TEETES—Effectiveness of Certain Insecticides Against the Sorghum Midge Based on a New Method of Determining Infestation 87
RANDOLPH, N. M., see GEORGE L. TEETES 124, 1285
RAROS, EDWIN E., see MERVYN A. KAMRAN 1277
RASMUSSEN, DALLAS, see H. C. CHIANG 1576
RAULSTON, J. R.—A Practical Diet Containing Cottonseed for Rearing the Pink Bollworm 1021
RAUN, E. S., see J. B. CAMPBELL 1170
RAY, LEWIS, see S. H. ROACH 107
READ, D. C.—Bioactivity of Dasanit in a Mineral Soil, in Rutabagas in the Field and in Storage, and Effect of Cooking on Toxicants in the Roots 597
READ, D. C.—Bioassays on the Activation and Deactivation of Some New Insecticides in a Mineral Soil and Absorption of Toxic Components by Rutabagas 796
READ, D. C.—Bioactivity and Persistence of Some New Insecticides in a Mineral Soil 800
REDFERN, R. E., TERRENCE P. MCGOVERN, R. SARMIENTO, and MORTON BEROZA—Juvenile Hormone Activity of Mixed Ethers Containing a Phenyl and a Terpenoid Moiety Applied Topically to the Large Milkweed Bug and the Yellow Mealworm 374
REDFERN, R. E., E. CANTU, W. A. JONES, and MARTIN JACOBSON—Response of the Male Southern Armyworm in a Field Cage to Prodenialure A and Prodenialure B. 1570
REDFERN, R. E., see TERRENCE P. MCGOVERN 238
REDFERN, R. E., see PHILIP E. SONNET 1378
REDLINGER, L. M., see W. J. LEWIS 557
REDLINGER, L. M., see ROY D. SPEIRS 1328
REED, D. K., see J. G. SHAW 1223
REEVES, R. E., see D. R. RUMMEL 907
REHNBORG, CARL S., see ABDUL R. CHAUTHANI 1291
REICHELDERFER, CHARLES F., see ROBERT M. FAUST 610, 615
RETNAKARAN, ARTHUR—A Method for Determining Sperm Precedence in Insects 578
REYNOLDS, H. T., see R. E. RICE 1429, 1451
RHODE, R. H., and W. CALDERÓN—Aerial Release Techniques for the Mediterranean Fruit Fly 537
RHODE, R. H., J. SIMON, A. PERDOMO, J. GUTIERREZ, C. F. DOWLING JR., and D. A. LINDQUIST—Application of the Sterile-Insect-Release Technique in Mediterranean Fruit Fly Suppression 708
RICE, R. E., and H. T. REYNOLDS—Seasonal Emergence and Population Development of the Pink Bollworm in Southern California 1429
RICE, R. E., and H. T. REYNOLDS—Distribution of Pink Bollworm Larvae in Crop Residues and Soil in Southern California 1451
RICH, J. E., see J. G. SHAW 1223
RICHMOND, C. A., and H. M. GRAHAM—Suppression of Populations of Pink Bollworm by Releases of Gamma-Irradiated Moths in Field Cages 332
RICHMOND, C. A., H. M. GRAHAM, C. T. PEREZ, and J. R. LLANES—Immobilizing Adult Pink Bollworms with Cold for Irradiation and Packaging 992
RICKER, D. W., see R. D. GOEDEN 329
RICKER, DONALD W., see RICHARD D. GOEDEN 417
RIDGWAY, R. L., L. A. BARIOLA, and D. D. HARDEE—Seasonal Movement of Boll Weevils Near the High Plains of Texas 14
RIDGWAY, R. L., see A. W. HARTSTACK, JR. 1090
RIDGWAY, R. L., see L. A. BARIOLA 1280
RINGS, ROY W.—Contributions to the Bionomics of Climbing Cutworms; the Life History of the Mottled Gray Cutworm, *Abagrotis alternata* 34

RITCHIE, P. L., JR., see GEORGE D. BUTLER, JR. 933
ROACH, S. H., LEWIS RAY, H. M. TAFT, and A. R. HOPKINS—Wing Traps Baited with Male Boll Weevils for Determining Spring Emergence of Overwintered Weevils and Subsequent Infestations in Cotton 107
ROACH, S. H., and P. L. ADKISSON—Termination of Pupal Diapause in the Bollworm .. 1057
ROBERTO, N. H., see J. H. BARGER 621
ROBERTS, JOHN R., JR., see ROBERT L. KIRKPATRICK 950
ROBERTS, LUTHER, see CHARLES LINCOLN 1326
ROBERTS, R. B., R. L., LYON, M. PAGE, and R. P. MISKUS—Laser Holography: Its Application to the Study of the Behavior of Insecticide Particles 533
ROBERTS, R. H., see RICHARD R. BLUME 1193
ROBINSON, JAMES W., see ELTON J. HANSENS .. 1481
ROBINSON, S. H., see D. E. HENDRICKS 1399
ROCK, GEORGE C., and D. RAY YEARGAN—Relative Toxicity of Pesticides to Organophosphorus-Resistant Orchard Populations of *Neoseiulus fallacis* and Its Prey 350
RODRIGUEZ, J. G., Z. T. DABROWSKI, L. P. STOLTZ, C. E. CHAPLIN, and W. O. SMITH, JR.—Studies on Resistance of Strawberries to Mites. 2. Preference and Nonpreference Responses of *Tetranychus urticae* and *T. turkestani* to Water-Soluble Extracts of Foliage 383
RODRIGUEZ, J. G., see Z. T. DABROWSKI 387, 806
ROGERS, C. E., see H. B. JACKSON 1435
ROSS, ERNEST, see MARTIN SHERMAN 814
ROTH, HERBERT—Fumigation with Ethylene Oxide-Carbon Dioxide Mixture for Quarantine Control of the Giant African Snail ... 341
ROTH, HERBERT, and E. GEORGE STRASSER—Laboratory Tests with a Mixture of Carbon Disulfide and Carbon Tetrachloride for Quarantine Control of Larvae of *Megastigmus* spp. and Cecidomyiidae in Conifer Seeds .. 904
RUDINSKY, J. A., see G. W. KINZER 970
RUMMEL, D. R., and R. E. REEVES—Response of Bollworm and Predaceous Arthropod Populations to Adlicarb Treatments in Cotton .. 907
RUMMEL, D. R., and P. L. ADKISSON—A Two-Phased Control Program Designed for Maximum Suppression of the Boll Weevil in the High and Rolling Plains of Texas 919
RUPPEL, ROBERT F.—Effect of Seed Treatment with Carbofuran and Propoxur on Germination of Small Grains 1554
RYAN, R. B., and R. D. MEDLEY—Rearing Insect Parasitoids: A Technique for Counting, Spacing, and Holding Lepidopterous Pupae for Parasitization 1558

S

SABA, F.—*Tetranychus yusti*, a Spider Mite of Potential Economic Importance 141
SABA, F.—A Simple Test Method for Evaluating Response to Toxicants in Mite Populations 321
SACHER, RUVEN M., ROBERT L. METCALF, ESTHER R. METCALF, and T. R. FUKUTO—Structure Activity Relationships of Methylenedioxynaphthyl Derivatives as Synergists of Carbaryl in House Flies 1011
SAHA, J. G.—Comparison of Several Solvents for Extracting Root-Absorbed Radioactive Dieldrin and Lindane Residues from Wheat Plants 50
SAINI, M. L., see NASIB CHAND 517
SALAMA, H. S., see MAHMOUD HAFEZ 675
SANCHEZ, N., see C. L. MANGUM 1309
SANDMEYER, E. E., O. J. HUNT, W. H. ARNETT, and C. R. HEISLER—Relative Resistance of Six Selected Alfalfa Clones to the Pea Aphid and Spotted Alfalfa Aphid 155
SANS, W. W., see C. R. HARRIS 493
SANTNER, Z., see A. G. GENTILE 916
SARMIENTO, R., see R. E. REDFERN 374
SARTOR, C. F., and W. W. NEAL—Impact of *Dioryctria amatella* on Seed Yields of Maturing Slash and Loblolly Pine Cones in Mississippi Seed Orchards 28
SASTRY, K. G. K., see P. K. RAMACHANDRAN .. 1293
SAUNDERS, J. L.—Trunk Drenches and Injections for Elm Leaf Beetle Control 1287
SAXENA, K. N., and A. J. THORSTEINSON—Effects of Synthetic "Queen Substance" and Analogues on Survival Molting, and Metamorphosis of *Aedes aegypti* 287
SAXENA, K. N., see R. C. SAXENA 424
SAXENA, R. C., and K. N. SAXENA—Growth, Longevity, and Reproduction of *Empoasca devastans* on Okra Fruit for Laboratory Rearing 424
SCHALK, JAMES M.—Comparison of Biology of Anholocyclic and Holocyclic Strains of the Spotted Alfalfa Aphid in Nebraska 1549
SCHLINKE, J. C., see J. S. PALMER 684
SCHMULBACH, J. C., see J. A. KAWATSKI 1082
SCHMULBACH, JAMES C., see JOSEPH A. KAWATSKI 316
SCHNEIDER, ESTHER L., see IRVING KEISER 606
SCHONBROD, R. D., and L. C. TERRIERE—Eye Pigments as Inhibitors of Microsomal Aldrin Epoxidase in the House Fly 44
SCHONHORST, M. H., see M. W. NIELSON 506
SCHOOF, H. F., see R. T. TAYLOR 1173
SCHOOF, H. F., see A. D. FLYNN 1176
SCHROEDER, W. J., R. Y. MIYABARA, N. TANAKA, and D. L. CHAMBERS—A Fluid Larval Medium for Rearing the Melon Fly 1221
SCHULTZ, GERALD A., and G. MALLORY BOUSH—Suspected Sex Pheromone Glands in Three Economically Important Species of *Dacus* .. 347
SCHULZ, K. R., and E. P. LICHTENSTEIN—Field Studies on the Persistence and Movement of Dyfonate in Soil 283
SCHULZ, K. R., see E. P. LICHTENSTEIN 585
SCHUMAKER, G., see K. J. STARKS 740
SCHWARTZ, JACQUELINE L., and ROBERT L. LYON Contact Toxicity of Five Insecticides to California Oakworm Reared on an Artificial Diet 146
SCHWARTZ, P. H., see D. W. HAMILTON 150, 430
SCHWARZ, MEYER, OTELIA F. BODENSTEIN, and JOHN H. FALES—Compounds Related to Cyanoacetic Acid as Repellents for Cockroaches. II 576
SCHWARZ, MEYER, MARTIN JACOBSON, and FRANK P. CUTHBERT, JR.—Chemical Studies of the Sex Attractant of the Banded Cucumber Beetle 769
SCHWARZ, MEYER, see PHILIP E. SONNET 1378

SCOTT, D. R., and G. P. CARPENTER—Wireworm Control on Potatoes in Idaho with Side-Dressed and Broadcast Insecticides 945
SCRIVEN, G. T., and J. A. MCMURTRY—Quantitative Production and Processing of Tetranychid Mites for Large-Scale Testing or Predator Production 1255
SEAWRIGHT, J. A., M. C. BOWMAN, and R. S. PATTERSON—Tepa and Thiotepa: Uptake, Persistence, and Sterility Induced in Pupae and Adults of *Culex pipiens quinquefasciatus* .. 452
SEAY, R. S., R. W. OST, S. J. ANDERSON, and P. V. VAIL—Separation of Large Numbers of Cabbage Looper Moths from Pupae 1315
SEAY, R. S., see C. F. SOO HOO 988
SECHRIEST, R. E., H. B. PETTY, and D. E. KUHLMAN—Toxicity of Selected Insecticides to *Clivina impressifrons* 210
SEELEY, D. C., JR., see N. STAHLER 561
SELHIME, A. G., see C. W. MCCOY 213
SELLERS, L. G., and F. E. GUTHRIE—Localization of Dieldrin in House Fly Thoracic Ganglion by Electron Microscopic Autoradiography 352
SEO, S. T., R. M. KOBAYASHI, D. L. CHAMBERS, L. F. STEINER, J. W. BALOCK, M. KOMURA, and C. Y. L. LEE—Fumigation with Methyl Bromide Plus Refrigeration to Control Infestations of Fruit Flies in Agricultural Commodities 1270
SEPSAWADI, PISIT, BOONSOM MEKSONGSEE, and FRED W. KNAPP—Effectiveness of Various Insecticides Against a Sorghum Shoot Fly ... 1509
SERGHIOU, CONSTANTINOS S.—Laboratory and Field Evaluation of Insecticides Against *Spodoptera littoralis* Larvae 115
SETHUNATHAN, N., SUSAN CABALLA, and M. D. PATHAK—Absorption and Translocation of Diazinon by Rice Plants from Submerged Soils and Paddy Water and the Persistence of Residues in Plant Tissues 571
SHADE, RICHARD E., JOHN D. AXTELL, and M. CURTIS WILSON—A Relationship Between Plant Height of Alfalfa and the Rate of Alfalfa Weevil Larval Development 437
SHAMIYEH, N. B., STELMON E. BENNETT, R. P. HORNSBY, and N. L. WOODIEL—Isolation of Mites from House Dust 53
SHAMIYEH, N. B., see E. E. BURGESS 545
SHARIFI, SADREDDIN, and I. JAVADI—Control of Rosaceae Branch Borer in Iran 484
SHARIFI, SADREDDIN, and ROBERT B. MILLS—Developmental Activities and Behavior of the Rice Weevil Inside Wheat Kernels 1114
SHARMA, R. K., H. H. SHOREY, and LYLE K. GASTON—Sex Pheromones of Noctuid Moths. XXIV. Evaluation of Pheromone Traps for Males of *Trichoplusia ni* 361
SHARMA, S. K., see V. K. R. SHINDE 1301
SHAUNAK, K. K., and H. N. PITRE—Seasonal Alate Aphid Collections in Yellow Pan Traps in Northeastern Mississippi: Possible Relationship to Maize Dwarf Mosaic Disease ... 1105
SHAVER, T. N., and M. J. LUKEFAHR—A Bioassay Technique for Detecting Resistance of Cotton Strains to Tobacco Budworms 1274
SHAW, FRANK R., see S. SALMAN WASTI ... 81, 224, 225
SHAW, J. G., D. K. REED, J. R. STEWART, J. M. GORDEN, and J. E. RICH—Mechanical Collection of Diseased Cirtus Red Mites as a Method of Providing Inoculum 1223
SHAW, J. G., D. S. MORENO, and J. FARGERLUND—Virgin Female California Red Scales Used to Detect Infestations 1305
SHAW, J. G., see J. B. BEAVERS 1112
SHAW, Z. A., see D. P. HARLAN 993
SHERMAN, MARTIN, and R. B. HERRICK—Fly Control, Chronic Toxicity, and Residues from Feeding Rabon to Laying Hens 1159
SHERMAN, MARTIN, ERNEST ROSS, and J. R. YATES, III—Comparative Toxicity of Four Halogenated Organophosphorus Insecticides to Chicks, Japanese Quail, and Diptera 814
SHERMAN, MARTIN, see S. K. CHUO 565
SHIMANUKI, H., see E. W. HERBERT 877
SHIMANUKI, H., see DAVID A. KNOX 1415
SHINDE, V. K. R., and S. K. SHARMA—*Bacillus popilliae* Pathogenic to *Lachnosterna consanguinea* 1301
SHOREY, H. H., see R. K. SHARMA 361
SHOREY, H. H., see R. L. HALE 547
SIMMONS, PEREZ—Reyer Herman Van Zwaluwenburg (1891-1970) ..... (Obit.) 994
SIMÓN, J., see R. H. RHODE 708
SIMPSON, GEDDES, W., see RALPH W. DEAN (Obit.) 563
SINGH, HARPAL, see JOYCE A. LIGGINS 1306
SINGH, S. P., see P. K. RAMACHANDRAN 1293
SINGH, ZILE, and W. L. HOWE—Feeding, Longevity, and Fecundity of the Adult Western Corn Rootworm Fed Artificial Diets 1136
SINHA, R. N.—Fungus as Food for Some Stored-Product Insects 3
SINHA, R. N.—Multiplication of Some Stored-Product Insects on Varieties of Wheat, Oats, and Barley 98
SINHA, R. N., see J. T. MILLS 398
SKINNER, J. L., see D. B. LEUCK 148
SKOOG, F. E.—Influence of Simulated Rain on Residual Activity of Ultra-Low-Volume Applications of Carbaryl and Malathion Against Grasshoppers 196
SKOV, OLIVER, see WILLIAM W. CANTELO 1322
SLOAN, C. E., see JACK W. HAYNES 325
SLOMINSKI, J. W., W. L. GOJMERAC, and W. E. BURKHOLDER—Toxicity of Residues of Bromophos and Ronnel to House Flies as Influenced by Several Surfaces 550
SMITH, CARROLL N., ARTHUR W. LINDQUIST, and JOHN A. FLUNO—Fred Corry Bishopp (1884-1970) ..... (Obit.) 1341
SMITH, D. H., JR., see J. A. WEBSTER 925
SMITH, F. D., see W. J. MISTRIC, JR. 126
SMITH, FLOYD F., ASHER K. OTA, CHARLES W. MCCOMB, and JOHN A. WEIDHAAS, JR.—Development and Control of a Wax Scale, *Ceroplastes ceriferus* 889
SMITH, J. C.—Field Evaluation of Candidate Insecticides for Control of the Southern Corn Rootworm on Peanuts in Virginia 280
SMITH, J. C., and D. M. PORTER—Evaluation of Selected Peanut Lines for Resistance to the Southern Corn Rootworm in the Greenhouse 245
SMITH, J. S., JR., and W. W. CANTELO—Single vs. Multilamp Blacklight Insect Trap Collections of Tobacco Hornworm Moths 19
SMITH, J. S., JR., see W. W. CANTELO 555, 1511

SMITH, LYNN O., see EDWARD ANTHON 259
SMITH, RONALD H., and MAX H. BASS—Survey of *Heliothis* spp. Infestations in Soybeans in Alabama 767
SMITH, VIRGIL K., see RAY H. BEAL 472
SMITH, VIRGIL K., see HARMON R. JOHNSTON .. 745
SMITH, W. O., JR., see J. G. RODRIGUEZ 383
SMITTLE, B. J., G. C. LABRECQUE, and E. E. CARROLL—Comparative Effectiveness of Fast Neutrons and Gamma Rays in Producing Sterility in House Flies 1030
SNIDEMAN, MELVIN, see ABDUL R. CHAUTHANI . 1291
SNOEYENBOS, GLENN H., see S. SALMAN WASTI .. 81
SNOW, J. WENDELL, see W. J. LEWIS 6, 1417
SODERSTROM, EDWIN L., and ANTHONY E. LOVITT—Effect of Malathion on Indian Meal Moth Egg Production and Time of Deposition Under Warehouse Conditions 1312
SONENSHINE, DANIEL E.—Mass Rearing of Radioisotope-Tagged Larval Ticks for Ecological Investigations 1423
SONNET, PHILIP E., R. E. REDFERN, MEYER SCHWARZ, N. WAKABAYASHI, and ROLLAND M. WATERS—Compounds Related to Insect Juvenile Hormones. VIII. Activity of Aryl Citronellylcarbamates on the Yellow Mealworm and the Large Milkweed Bug 1378
SOO HOO, C. F., R. S. SEAY, and P. V. VAIL—Surface Disinfectant of a Nucleopolyhedrosis Virus Contaminant of *Vora ruralis* Using Sodium Hypochlorite 988
SORENSEN, E. L., see T. L. HARVEY 513
SORENSEN, EDGAR L., and JOHN G. THOMAS ... 700
SOTO, P. E., and K. LAXMINARAYANA—A Method for Rearing the Sorghum Shoot Fly 553
SPADAFORA, ROBERT R.—A Simple Chamber to Study Response of Small Arthropods to Air Humidity and Food Moisture Gradients ... 543
SPARKS, A. N., B. R. WISEMAN, and W. W. MCMILLIAN—Production of Corn Earworms on Several Hosts in Field Cages 540
SPARKS, A. N., see W. J. LEWIS 557
SPATES, G. E., JR., see B. G. HIGHTOWER 1474
SPEIRS, ROY D., L. M. REDLINGER, and RUBY JONES—DDT-Resistant Red Flour Beetles from a Georgia Peanut Sheller 1328
SPENCER, NEAL R.—Sterilization of Insect Diet by Gamma Irradiation 753
SRINIVASAN, M. N., see P. K. RAMACHANDRAN .. 1293
STADELBACHER, E. A., see T. R. PFRIMMER 475
STAFFORD, E. M., see M. TASKEEN ALINIAZEE .. 697
STAFFORD, EUGENE M., see AHMED I. GADALLAH 391, 432, 1521
STAHLER, N., and D. C. SEELEY, JR.—Effect of Age and Host on Oviposition of *Anopheles stephensi* in the Laboratory 561
STANDLEA, PHYLLIP P.—Mass Rearing Parasite-Free Green Peach Aphids in the Greenhouse 775
STANDLEA, PHYLLIP P., and WILBUR R. ENNS—A Flexible Multiple-Cage Ventilation System for Use with Sleeved Isolation Cages 1324
STANGHELLINI, MICHAEL E., see PAUL D. GERHARDT 1311
STANLEY, J. M., see C. R. GENTRY 335
STAPLES, ROBERT, see WILLIAM P. JANSEN 365
STARKS, K. J., G. SCHUMAKER, and S. A. EBERHART—Soil Fertility and Damage by *Chilo zonellus* to Grain Sorghum 740
STARKS, K. J., see R. MUNIAPPAN 333
STATEN, R. T., see MORTON BEROZA 580
STEEL, J. SAMUEL, JR., see HORATIO C. MASON . 1216
STEELMAN, C. D., see R. H. BEARDEN 469
STEHR, FREDERICK W., and RICHARD A. CASAGRANDE—Establishment of *Microctonus aethiops*, a Parasite of Adult Alfalfa Weevils, in Michigan 340
STEHR, FREDERICK W., see H. L. MALTBY 693
STEINER, L. F., see E. J. HARRIS 1213
STEINER, L. F., see K. OHINATA 1250
STEINER, L. F., see S. T. SEO 1270
STEINER, L. F., see FERNANDO LOPEZ-D. 1541
STERLING, WINFIELD L.—Winter Survival of the Boll Weevil in the High and Rolling Plains of Texas 39
STEVENS, H. J., JR., see G. R. MANGLITZ 1154
STEVENS, ROBERT E.—Pine Growth Retarded Following Defoliation by the Pine Needle Sheathminer 1572
STEWART, D. K. R., and C. J. S. FOX—Persistence of Organochlorine Insecticides and Their Metabolites in Nova Scotian Soils 367
STEWART, J. A., see W. H. DAY 190
STEWART, J. R., see J. G. SHAW 1223
STEWART, J. W., see THOMAS L. PAYNE 987
STIMMANN, M. W.—Inherited Sterility Among Progeny of Male Cabbage Loopers Treated with Tepa 784
STIMMANN, M. W., see W. W. WOLF 1544
STOLTZ, L. P., see J. G. RODRIGUEZ 383
STONER, ADAIR, and DELBERT E. SURBER—Development of *Anaphes ovijectatus*, an Egg Parasite of *Lygus hesperus*, in Relation to Temperature 1566
STOREY, CHARLES L.—Effect of Temperature and Commodity on Distribution of CCl_4-CS_2 (80:20) and EDC-CCl_4 (75:25) Applied by Gravity Penetration and Closed Recirculation 227
STRASSER, E. GEORGE, see HERBERT ROTH 904
STREETER, MADELON, see R. C. BUSHLAND 84
STRONG, FRANK E.—A Computer-Generated Model to Simulate Mating Behavior of Lygus Bugs 46
SUBER, E. F., RICHARD B. CHALFANT, and T. DON CANERDAY—Toxicity of Insecticides to the Cowpea Curculio in the Laboratory 1080
SUDA, D., see R. T. CUNNINGHAM 948
SULLIVAN, M. J., and CHARLES H. BRETT—Resistance of Cucurbit Varieties to the Spotted Cucumber Beetle in the Coastal Plain of North Carolina 1205
SUMMERS, C. G., H. DESMOND BYRNE, and DAVID PIMENTEL—Spring Timing Applications for Control of the Alfalfa Weevil in New York 478
SUN, YUN-PEI—Speed of Action of Insecticides and Its Correlation with Accumulation in Fat and Excretion in Milk 624
SUN, YUN-PEI, and E. R. JOHNSON—A New Technique for Studying the Toxicology of Insecticides with House Flies by the Infusion Method, with Comparable Topical Application and Injection Results 75
SURBER, D. E., see R. E. FYE 1138
SURBER, DELBERT E., see ADAIR STONER 1566
SUTTER, G. R., J. L. KRYSAN, and P. L. GUSS—Rearing the Southern Corn Rootworm on Artificial Diet 65

SUTTER, GERALD R., MARLYCE D. ABRAHAMSON, EUGENE W. HAMILTON, and IRENE D. VICK—Compatibility of *Bacilllus thuringiensis* var. *thuringiensis* and Chemical Insecticides. 1. Effect of Insecticide Doses on Bacterial Replication Rate ... 1348
SVEC, H. J., see C. R. HARRIS ... 493

T

TAFT, H. M., see S. H. ROACH ... 107
TAFT, H. M., see A. R. HOPKINS ... 200
TAFT, H. M., see R. F. MOORE, JR. ... 1060
TAHORI, A. S., see B. RACCAH ... 837
TALERICO, ROBERT L.—Fall Cankerworm Egg-Mass Studies ... 763
TANAKA, N., see W. J. SCHROEDER ... 1221
TARDIF, J. G. R., see B. A. BIERL ... 297
TARDIF, J. G. R., see MORTON BEROZA ... 1499, 1527
TASHIRO, H., K. E. PERSONIUS, DONALD ZINTER, and MARSHALL ZINTER—Resistance of the European Chafer to Cyclodiene Insecticides ... 242
TASHIRO, H., see S. L. CHUNG ... 823, 832, 883
TAYLOR, R. T., and H. F. SCHOOF—Experimental Field Treatments with Larvicides for Control of *Anopheles, Aedes,* and *Culex* Mosquitoes 1173
TEDDERS, WALKER L., and MAX OSBURN—Emergence and Control of the Pecan Weevil ... 743
TEDDERS, WALKER L., see JERRY A. PAYNE ... 92
TEETES, GEORGE L., and N. M. RANDOLPH—Effects of Pesticides and Dates of Planting Sunflowers on the Sunflower Moth ... 124
TEETES, GEORGE L., M. L. KINMAN, and N. M. RANDOLPH—Differences in Susceptibility of Certain Sunflower Varieties and Hybrids to the Sunflower Moth ... 1285
TEETES, GEORGE L., see N. M. RANDOLPH ... 87
TELFORD, J. NEWTON, and FUMIO MATSUMURA—Electron Microscopic and Autoradiographic Studies on Distribution of Dieldrin in the Intact Nerve Tissues of German Cockroaches 230
TERRANOVA, ANDREW C.—An Automated Procedure for Analysis of Busulfan in Boll Weevils and in Fortified Boll Weevil Diet ... 549
TERRIERE, L. C., see R. D. SCHONBROD ... 44
THOMAS, JOHN G., and EDGAR L. SORENSON—Effect of Excision Duration on Spotted Alfalfa Aphid Resistance in Alfalfa Cuttings ... 700
THOMPSON, L. S., and C. B. WILLIS—Forage Legumes Preferred by the Clover Root Curculio and Preferences of the Curculio and Root Lesion Nematodes for Species of *Trifolium* and *Medicago* ... 1518
THORP, ROBBIN W., see HOWELL V. DALY ... 1145
THORSTEINSON, A. J., see K. N. SAXENA ... 287
THREADGILL, E. D., see H. M. ADAIR ... 718
THURSTON, R., see G. L. GREENE ... 641
THURSTON, RICHARD, and OCHA PRACHUABMOH—Predation by Birds on Tobacco Hornworm Larvae Infesting Tobacco ... 1548
TIERNAN, C. F., and R. P. MISKUS—Toxicity of Zectran to Western Spruce Budworm as a Function of Application Site ... 1307
TILTON, ELVIN W., and JOHN H. BROWER—Sexual Competition of Gamma-Sterilized Male Cowpea Weevils ... 1337
TILTON, ELVIN W., see ROBERT R. COGBURN ... 923
TINGLE, F. C., H. C. LANE, E. E. KING, and E. P. LLOYD—Influence of Nutrients in the Adult Diet on Diapause in the Boll Weevil 812
TIPPINS, H. H.—Clifford Myron Beckham (1915–1971) ... (Obit.) 1343
TOBA, H., see P. V. VAIL ... 1132
TOBA, H. H., see J. B. BEAVERS ... 72
TOBA, H. H., see W. W. WOLF ... 872
TOBA, H. H., see A. N. KISHABA ... 935
TOMIKAWA, ISAO, see IRVING KEISER ... 606
TORRES, JOSEFA, see DAVID W. WALKER ... 660
TORRIES, W., see C. L. MANGUM ... 1309
TOWNSHEND, B. G., see D. W. HAMILTON ... 150, 430
TRAHAN, G. B., see B. F. OLIVER ... 981
TREECE, ROBERT E., see JERRY T. LANG ... 455
TU, C. M., see J. R. W. MILES ... 839
TUNNOCK, SCOTT, see GENE D. AMMAN ... 1086
TURNER, E. C., JR., see C. G. HAYES ... 443
TURPIN, F. T., and D. C. PETERS—Survival of Southern and Western Corn Rootworm Larvae in Relation to Soil Texture ... 1448

U

URAGO, T., see E. J. HARRIS ... 62
URAGO, T., see S. NAKAGAWA ... 762, 1211

V

VAIL, P. V., T. WHITAKER, H. TOBA, and A. N. KISHABA—Field and Cage Tests with Polyhedrosis Viruses for Control of the Cabbage Looper ... 1132
VAIL, P. V., see C. F. SOO HOO ... 988
VAIL, P. V., see R. S. SEAY ... 1315
VAN DEN BOSCH, R., see L. A. FALCON ... 56
VAN HALTEREN, P.—Preliminary Investigations on Dieldrin Accumulation in an Insect Food Chain ... 1055
VAUGHAN, ALICE P., see H. S. DUCOFF ... 541
VEA, ELYMAR V., see A. G. PETERSON ... 247
VEREECKE, A., and L. HERTVELDT—Laboratory Rearing of the Cabbage Maggot ... 670
VILLACORTA, AMADOR, R. A. BELL, and J. A. CALLENBACH—Influence of High Temperature and Light on Postdiapause Development of the Wheat Stem Sawfly ... 749
VICK, IRENE D., see GERALD R. SUTTER ... 1348
VILLACORTA, AMADOR, ROBERT A. BELL, and JOHN A. CALLENBACH—An Artificial Plant Stem as an Oviposition Site for the Wheat Stem Sawfly ... 752
VINCENT, L. E., and D. L. LINDGREN—Comparison of the Sorption of Hydrogen Phosphide, Methyl Bromide, Ethylene Dibromide, and Hydrocyanic Acid by Wheat and Corn of Different Moisture Contents and Load Factors 122
VINSON, S. BRADLEIGH, and P. K. LAW—Cuticular Composition and DDT Resistance in the Tobacco Budworm ... 1387
VITÉ, J. P., see G. B. PITMAN ... 402
VITÉ, J. P., see D. L. WILLIAMSON ... 1440

W

WADDLE, B. A., see CHARLES LINCOLN ... 1326
WAKABAYASHI, N., see PHILIP E. SONNET ... 1378
WALGENBACH, E. T., see J. W. APPLE ... 853
WALK, E. L., see H. M. FLINT ... 1002
WALKER, ANNETTE, see I. A. BARBER ... 1041
WALKER, DAVID W., VICTOR QUINTANA, and JOSEFA TORRES—Genetic Collapse of Insect Populations. 1. Extinction of Inbred and Outbred Lines in Laboratory Populations of the Sugarcane Borer ... 660

XUM

WALLACE, L. E., see F. H. MCNEAL 939
WALLNER, WILLIAM E.—Suppression of Four Hardwood Defoliators by Helicopter Application of Concentrate and Dilute Chemical and Biological Sprays 1487
WALSTAD, J. D., and R. F. ANDERSON—Effectiveness of *Beauveria bassiana* and *Metarrhizium anisopliae* as Control Agents for the Pales Weevil 322
WARD, GORDON B., JR., see R. LEE CAMPBELL .. 1556
WARE, GEORGE W., see JOHN L. DRAKE 842
WARTHEN, J. DAVID, JR., see NATHAN GREEN ... 1381
WASTI, S. SALMAN, GLENN H. SNOEYENBOS, FRANK R. SHAW, and JOHN H. LILLY—Toxicity and Residues of Encapsulated Rabon to Salmon Sex-Link Hens 81
WASTI, S. SALMAN, and FRANK R. SHAW—Residues of Encapsulated Rabon in Tissues and Eggs of Poultry 224
WASTI, S. SALMAN, BARRON D. MKWAILA, and FRANK R. SHAW—Residues of Encapsulated Rabon in Poultry Manure and Its Larvicidal Activity to House Flies 225
WASTI, S. SALMON, and WALLACE C. MITCHELL—Effect of Temperature on Development of the Oriental Fruit Fly in Hawaiian Fruits .. 1142
WATERS, R. M., K. R. HILL, E. S. FIELDS, and E. J. MILES—An Improved Method for Testing the Efficacy of Respiratory Protective Devices for Use Against Micronized Insecticidal Dusts 526
WATERS, ROLLAND M., see PHILIP E. SONNET ... 1378
WEAVER, JOSEPH E., see TIM P. YOHO 972
WEBSTER, J. A., and D. H. SMITH, JR.—Seedlings Used to Evaluate Resistance to the Cereal Leaf Beetle 925
WEEKS, K. W., see P. H. CLARK 1190
WEIDHAAS, JOHN A., JR., see FLOYD F. SMITH .. 889
WEIS, M., see P. A. JONES 1338
WERNER, FLOYD G., see JOHN L. DRAKE 842
WESTIGARD, PETER H.—Integrated Control of Spider Mites on Pear 496
WHARTON, D. R. A.—Ultraviolet Repellent and Lethal Action on the American Cockroach .. 252
WHEELER, BRENT A., and MAX H. BASS—Effects of Certain Systemic Insecticides on Growth and Yield of Soybeans 1219
WHEELER, J. R., see P. H. CLARK 1190
WHETSTONE, T. M., see R. O. DRUMMOND .. 686, 1164
WHITAKER, T., see P. V. VAIL 1132
WHITE, J. D., see E. W. CLARK 1009
WHITE, L. D., and R. B. HUTT—An Inexpensive Transparent Holding Cage for Insect Oviposition and Longevity Studies 551
WHITE, L. D., and R. B. HUTT—Codling Moth Catches in Sex and Light Traps After Exposure to 0, 25, or 40 krad of Gamma Irradiation 1249
WHITFIELD, T. L., see DONALD L. BAILEY 138
WHITTEN, M. F.—Selection for Polygamy and the Sterile-Insect Technique 1310
WILDE, GERALD E., see R. G. CLARKE 222
WILKINSON, C. F., see G. M. BENKE 1032
WILKINSON, R. N., W. W. BARNES, A. R. GILLOGLY, and C. D. MINNEMEYER—Field Evaluation of Slow-Release Mosquito Larvicides 1
WILLIAMS, DAVID F., and LOUIS C. KUITERT—Sterilization of *Hippelates pusio* with Tepa and Metepa 448
WILLIAMS, ROGER N., and E. H. FLOYD—The Maize Weevil in Relation to Sunflower 186
WILLIAMS, ROGER N., and E. H. FLOYD—Effect of Two Parasites, *Anisopteromalus calandrae* and *Choetospila elegans*, upon Populations of the Maize Weevil Under Laboratory and Natural Conditions 1407
WILLIAMS, ROGER N., and E. H. FLOYD—Effect of Low Temperatures on Hymenopterous Parasites *Choetospila elegans* and *Anisopteromalus calandrae* of the Maize Weevil 1438
WILLIAMSON, D. L., and J. P. VITÉ—Impact of Insecticidal Control on the Southern Pine Beetle Population in East Texas 1440
WILLIS, C. B., see L. S. THOMPSON 1518
WILSON, C. A., see R. L. DINKINS 480
WILSON, C. A., see H. B. GREEN ..... (Obit.) 997
WILSON, LOUIS F., and PATRICK C. KENNEDY—Control of Saratoga Spittlebug Nymphs with Systemic Insecticides 735
WILSON, NEVIE M., see D. D. HARDEE 1454
WILSON, M. CURTIS, see RICHARD E. SHADE ... 437
WINGO, C. W., see C. E. GARRY 104
WISEMAN, B. R., see A. N. SPARKS 540
WOLF, W. W., A. N. KISHABA, and H. H. TOBA—Proposed Method for Determining Density of Traps Required to Reduce an Insect Population 872
WOLF, W. W., and M. W. STIMMANN—Cyclone Separator for Transferring Live Insects, and Its Biological Effects on *Trichoplusia ni* and *Voria ruralis* 1544
WOLF, W. W., see A. F. HOWLAND 977
WOLFENBARGER, D. A., M. J. LUKEFAHR, and H. M. GRAHAM—A Field Population of Bollworms Resistant to Methyl Parathion 755
WOLFENBARGER, D. A., see A. A. GUERRA 804
WOLFENBARGER, D. A., see H. T. DULMAGE 1421
WOLFENBARGER, DAN A., and A. A. GUERRA—Responses of Strains and Sexes of the Tobacco Budworm to Gamma Irradiation 1412
WONG, TIM T. Y., M. L. CLEVELAND, D. F. RALSTON, and D. G. DAVIS—Virgin Female Traps to Determine Activity and Populations of Red-Banded Leaf Roller 132
WONG, TIM T. Y., M. L. CLEVELAND, D. F. RALSTON, and D. G. DAVIS—Time of Sexual Activity of Codling Moths in the Field 553
WONG, T. T. Y., H. KAMASAKI, R. E. DOLPHIN, M. L. CLEVELAND, D. F. RALSTON, D. G. DAVIS, and T. E. MOUZIN—Distribution and Abundance of the Lesser Peachtree Borer on Washington, Island, Wisconsin 879
WONG, TIM T. Y., T. E. MOUZIN, D. F. RALSTON, D. G. DAVIS, J. A. BURNSIDE, and R. E. DOLPHIN—Populations of Codling Moths on Washington Island, Wisconsin, in 1970 1410
WOOD, E. A., JR.—Designation and Reaction of Three Biotypes of the Greenbug Cultured on Resistant and Susceptible Species of Sorghum 183
WOOD, E. A. JR.—Insecticidal Control of the Greenbug 704
WOODIEL, N. L., see N. B. SHAMIYEH 53
WOODSIDE, A. M.—Grover William Underhill (1888–1970) ..... (Obit.) 779
WORKMAN, R. B., see G. L. GREENE 1331

WRIGHT, C. G.—Efficacy of Dichlorvos Ministrips for German Cockroach Control in Enclosed Kitchen Cabinets 278
WRIGHT, C. G., and M. D. JACKSON—Propoxur, Chlordane, and Diazinon on Porcelain China Saucers After Kitchen Cabinet Spraying 457
WRIGHT, C. G., see G. W. BENNETT 1119
WYGANT, N. D., see MARK W. HOUSEWEART ... 1575
WYGANT, NOEL D., see Robert H. FRYE 911

Y

YASINSKI, FRANK M., see PAUL E. BUFFAM 751
YATES, J. R., III, see MARTIN SHERMAN 814
YEARGAN, D. RAY, see GEORGE C. ROCK 350
YERINGTON, A. P.—Evaluation of Pyrethrins Thermal Aerosols for Control of Vinegar Flies and Driedfruit Beetles in Wine Cellars 986
YOHO, TIM P., LINDA BUTLER, and JOSEPH E. Weaver—Photodynamic Effect of Light on Dye-Fed House Flies: Preliminary Observations of Mortality 972
YONCE, C. E., C. R. GENTRY, and R. R. PATE—Artificial Diets for Rearing Larvae of the Plum Curculio 1111
YORK, ALAN C., G. G. GYRISCO, and C. M. EDMONDS—The Status of the Alfalfa Snout Beetle in New York State 1332
YOUNG, J. R., see J. J. HAMM 144
YOUNG, WILLIAM W., see CARL W. JOHNSON .. 450

Z

ZDARKOVA, EVA, see W. L. HOWE 1337
ZETTLER, J. LARRY, and U. EUGENE BRADY—Cholinesterase Studies of a Malathion-Susceptible and a Resistant Strain of House Flies 1034
ZINTER, DONALD, see H. TASHIRO 242
ZINTER, MARSHALL, see H. TASHIRO 242
ZUBER, M. S., G. J. MUSICK, and M. L. FAIRCHILD—A Method of Evaluating Corn Strains for Tolerance to the Western Corn Rootworm 1514